



**Timber & Builders Merchants** 

coversmerchants.co.uk

# Welcome

# Landscaping for living


At Covers, we offer a full range of quality landscaping products that will inspire and excite.

Whether its replacing your driveway or creating the ideal area to relax and unwind, we have everything you need for designing stylish and stunning outdoor spaces.

Our landscaping specialists are on hand to answer your questions and will help you select the best solutions to meet your needs.

# Decorative Stones Cotswold A light cream angular chipping

suitable for paths or drives.









# Contents

Paving	
Porcelain Paving	6
Natural Stone Paving	22
Concrete Paving	36

Driveways
-----------

Driveways	44
-----------	----

#### **Paving & Driveway Accessories**

Walling, Edging, Coping & Stepping Stones	56
Drainage	62

#### **Decking & Sleepers**

Timber Decking	64
Composite Decking	72
Aluminium Decking	78
Paving & Decking Pedestals	80
Sleepers	82

#### **Fencing & Accessories**

Fence Panels	84
Garden Screening & Cladding	90
Trellis & Arches	94
Fencing Accessories	97
Gates	104
Garden Buildings & Bespoke Timber Storage	108

#### **Artificial Grass, Aggregates & Topsoil**

Artificial Grass	110
Decorative Aggregates	114
Topsoil, Compost & Bark	116

#### **Finishing Touches**

Finishing Touches & Accessories	120
Garden & Outdoor Lighting	132
Garden Furniture	136

#### **Useful Information**

General Technical Information 136	General 7	Technical Information	138
-----------------------------------	-----------	-----------------------	-----

Be inspired...

Go to page 13 for Bradstone's exclusive Porcelain range **Tatra®**.



# Choosing the right Paving for your project

#### **Porcelain**

## Our beautiful range of porcelain paving truly gives you the best of both worlds.

Porcelain paving is formed by baking a mixture of clay, sand and other minerals in a high temperature kiln producing an incredibly durable and non-porous material.

Being resistant to water absorption ensures that porcelain paving requires lower maintenance. There's no need to apply a sealant as pavers are already stain and mildew resistant. Liquids such as oils and chemicals cannot penetrate the surface, so they can easily be cleaned away. An exceptionally dense material, porcelain paving is extraordinarily hard-wearing.

Porcelain paving is produced to be used outdoors, meaning it has a slightly rougher surface texture than indoor tiles with a smoother surface.

- Hard-wearing, scratch resistant
- Slip resistant
- Machine cut for a perfect thickness
- A premium high quality product







#### Concrete

# A range of concrete paving that combines style, strength and design flexibility.

Concrete, or reconstituted stone paving, is formed by moulding a mix of stone, sand, cement and water before being left to cure. The result is a strong, durable paving with endless colour and surface texture options, combinations of which can help to create a contemporary or traditional look within your garden.

Concrete paving moulds are created from perfect versions of the desired shape and profile.

- Strong and hard-wearing
- Traditionally available in riven textured or smooth



#### **Natural Stone**

Natural stone encompasses ranges using natural sandstone, limestone, granite and slate.

All ethically sourced from around the world, each paver is different from the last with variations of colour and texture determined by nature over thousands of years.

All natural stone is incredibly strong and hard-wearing. We go to extra lengths to source only the finest quality stone.



- Strong and hard-wearing
- Calibrated machine cut for a perfect thickness

# Be inspired...

Complete your patio with a range of accessories and finishing touches to create your dream garden.

When it comes to your garden and outdoor space this summer, there's a lot of different colours you could use to create a tranquil space. One colour you should embrace throughout your designs is white, it's becoming the new colour of the summer. With a white backdrop, varying sizes of foliage and adding some eye catching flowers to fill the space, you can create a peaceful haven for any outdoor space.





## **BRADSTONE**



#### **Mode® Profiled**

Mode® Profiled is a range of beautiful porcelain paving that adds modern sophistication to any garden. It has a fine riven texture featuring mica crystals to add interest and sparkle to your patio.

This paving is impactful, lower maintenance and does not fade. Available in  $600 \times 600$ mm,  $600 \times 300$ mm and  $900 \times 150$ mm in all four shades and  $900 \times 450$ mm in Silver Grey and Graphite. We offer a 10mm version to allow you to use this paving indoors.

We also have a range of steps, edging and coping that allow you to create a coordinated look for your garden. For general technical information go to page 138.

Thickness: 20mm

Sizes available:

600 x 600mm

600 x 300mm

900 x 150mm


900 x 450mm\*

\* Silver Grey & Graphite only

Graphite



Silver Grey



Beige




Dark Grey

Top image: Mode® Profiled Silver Grey Paving



## **BRADSTONE**



#### Manzano<sup>®</sup>

Manzano® incorporates a distinctive and varied colour blend to create the ultra contemporary appearance of polished concrete. It is strong, durable, lower maintenance and does not fade.

Why not incorporate Manzano® Mosaics in your garden design to give it a more distinct appearance.

Available in  $1200 \times 600$ mm and  $600 \times 600$ mm single sized pavers.

Thickness: 20mm

#### Sizes available:

600 x 300mm \*

600 x 600mm

900 x 225mm \*

1200 x 600mm

\*600 x 300mm - Pearl Mosaics only

\*900 x 225mm - Pearl Mosaics only

Top image: Manzano® Pearl Paving





#### Madera® Antigua

Madera® Antigua brings an authentic aged timber look to any garden but without the warping or degradation associated with real wood. It is strong, lower maintenance, durable and does not fade.

Available in a  $900 \times 150$ mm single sized paver, Madera Antigua comes in two shades, each with subtle variations.

Thickness: 20mm

Sizes available: 900 x 150mm

Grey



Oak

Main Image: Madera® Antigua Grey Paving



#### Mode® Textured

Mode® Textured has a finely grained finish to create the feel of the highest quality natural sandstone. It also has all the benefits of porcelain paving; strong, durable and does not fade. Available in two shades, you can create the ultimate outdoor space. Available in a single size 600 x 600mm paver, a 10mm version is also available to order to allow you to use this paving indoors.

Thickness: 20mm

Sizes available:

600 x 600mm

Main Image: Mode® Textured Shell Paving



Shell



Graphite

#### Jointing Compound

It's easy to use. You can apply EASYGrout into the joints by using a squeegee. Suitable for use with porcelain.







#### Slurry Primer

Helps strengthen the bond between the paving and the sub-base. Porcelain paving needs the additional adhesive from this slurry to bond successfully with the mortar bed.



#### Arenaria®

Designed to replicate the look of randomly laid natural sandstone and with consistently accurate sizes, the 18.36m² Arenaria® patio pack is laid with thin joints for a traditional feel and a contemporary twist.

Thickness: 20mm

Patio Pack: Pack consists of:

 $30 = 595 \times 595 \text{mm}$ 

 $36 = 595 \times 295 \text{mm}$ 

 $12 = 295 \times 295 \text{mm}$ 

Main Image: Arenaria® Dark Grey Paving



Cream



Light Grey



Dark Grey



#### Tephra®

This range imitates the look of contemporary sawn sandstone. Available in a 600 x 600mm single sized paver, perfect for a uniform pattern.

Cream

Thickness: 20mm

Sizes available:

600 x 600mm

Main Image: Tephra® Cream Paving



Dark Grey



Light Grey



#### Tatra<sup>®</sup>

The Tatra® range is made up of three colours Beige, Light Grey and Dark Grey.

Thickness: 18mm

Sizes available:

600 x 600mm

Main Image: Tatra Light Grey Paving



Dark Grey



Beige



Light Grey







#### Toscana


The Toscana range is perfect for the contemporary garden, with beautiful muted colours in a large format; it has regularly featured in award-winning gardens. This sophisticated product is ideal to emphasise planting schemes and perfect for around pools and as part of outdoor kitchens.

Thickness: 20mm Almond Sizes available: 600 x 1200mm Latte Smoke Top image: Toscana Latte Paving



#### Siena

Available in a versatile  $500 \times 1000$ mm tile it allows for a range of laying patterns and designs and makes it ideal for both indoor and outdoor spaces.







#### Albero

Albero range is our stunning wood effect range, which comes complete with ridges, knots and woodworm holes. Incredibly realistic, Albero offers the aesthetics of a beautiful and timeless design with the practicality needed for use outside and is ideal to create that indoor-outdoor look.

Thickness: 20mm

Sizes available:

400 x 1200mm

Top image: Albero Oak Paving





Silvered







Oak

Blackened



#### **Focus**

The porcelain Focus range has been developed with quality and value in mind and includes the first of our porcelain paving designs to be launched in the UK, Anthracite, which remains a firm favourite.

Thickness: 18mm

#### Sizes available:

Anthracite: 600 x 600mm
Urban Beige: 600 x 600mm
Brazilian Gold: 400 x 800mm
Misty Grey: 400 x 800mm


Thickness: 20mm

#### Sizes available:

18

Clay: 400 x 800mm Crema: 400 x 800mm Storm: 400 x 800mm

Main Image: Focus Storm Paving





#### **Jewel**

Jewel is a new stylish addition to our porcelain range with a sophisticated design reminiscent of the English Burlington stone, quarried in the Lake District. This elegant paving is available in three large format, stunning colours.

Thickness: 20mm

#### Sizes available:

600 x 900mm

Main Image: Jewel Camel Paving



Ashen



Smokey



Camel



#### **Exquisite**

Our Exquisite range launched last year remains "bang on trend". The lovely (or should we say exquisite) blend of tones and colours add real depth and warmth when combined with the textured fossilised effect. Available in a large format size of 600 x 900mm with four colours these have proved particularly popular. The sizes stated are the actual size.

Thickness: 20mm

Sizes available:

600 x 900mm

Main image: Exquisite Coral Paving



Coral



Olive



Coca

Silver



#### **Station**

The Station range is based on a slate effect and was introduced in 2020 and has already proved very popular, so much so that we have introduced a new colour, "white" and added a new size 600 x 900mm to meet demand. It has natural looking veins, finished by a riven appearance.

Thickness: 20mm

#### Sizes available:

600 x 600mm 600 x 900mm 600 x 1200mm

Main Image: Station Iron Paving





Black



Pearl



White





#### **Driveways Range**

Our extra thick 3cm Driveways range is new for 2021. A stylish but practical product with a deliberately textured surface for reliable grip and performance on your drive even in the fiercest conditions. Low in maintenance and hard wearing, they combine beauty and strength for that perfect driveway.

Thickness: 30mm

#### Sizes available:

400 x 800mm

Main Image: Driveways Biscuit Paving



Lead



Biscuit



Dappled



#### **Small Size Series**

Combining all the benefits of porcelain, with a small format flexibility and versatility, they enable the creation of driveways, pathways, courtyards or decorative edgings and features to complement paved areas.

Thickness: 20mm

#### Sizes available:

200 x 300mm 200 x 200mm

Main Image: Small Size Series Aran Black

& Aran Grey Paving



Aran Grey



Pizarra Black

Texture Grey

Aran Black



Texture Beige



#### **Smooth Natural Sandstone**

Smooth Natural Sandstone is beautifully distinctive with its superb colour and veining variations.

Thickness: 20mm

Patio Pack: 15.30m<sup>2</sup>

Main Image: Smooth Natural Sandstone

Dune Paving





Rainbow

### **BRADSTONE**



#### **Natural Sandstone**

Natural Sandstone will give your patio that touch of exclusivity. The many natural tonal variations, differing riven profiles and exquisite natural veining makes every paving slab unique.

Thickness: 22mm

#### Sizes available:

300 x 300mm

600 x 300mm

600 x 600mm

900 x 600mm

Patio Pack: 15.30m<sup>2</sup>

Available in Circles & Squaring Off Kits

Autumn Green Silver Grey



Fossil Buff



Sunset Buff

Main image: Natural Sandstone Autumn Green Paving



#### **Natural Granite**

Natural Granite brings a modern and minimalist feel to any outdoor space thanks to its straight machine cut edges, textured top surface and a beautifully simple colour.

Silver Grey

Thickness: 25mm

#### Sizes available:

 $300 \times 300$ mm  $600 \times 300$ mm  $600 \times 600$ mm  $900 \times 900$ mm



Silver Grey Sett



Dark Grey Sett



Silver Grey Sett

Main Image: Natural Granite Silver Grey Paving

Product	Size	Colours	Units/ pack	m²/pack linear m/pack	Units/m² Units/linear m
Split all sides*	100 x 100mm	SG	900	10.84	83.00
Sawn, flamed & tumbled	200 x 100mm	DG	480	11.08	43.30
Sawn & flamed	200 x 100mm	SG	480	11.08	43.30
Thickness: 30mm *50mm, Joint width: 10mm *5-15mm					

## **BRADSTONE**



#### **Natural Limestone**

Natural Limestone offers outstanding beauty with unique shades and distinctive natural veining. At the same time, it has superb strength and durability, ensuring your patio looks great for years to come.

Thickness: 20mm

#### Sizes available: \*

600 x 300mm 600 x 600mm

900 x 600mm

**Packs:** 15.30m<sup>2</sup>

Blue-Black



Azure

#### Pack consists of:

 $13 = 900 \times 600$ mm  $13 = 600 \times 300$ mm  $9 = 300 \times 300$ mm  $13 = 600 \times 600$ mm

\*Available in Blue-Black only

Main image: Natural Limestone Blue-Black Paving



26 0844 858 40 40 | enquiries@coversmerchants.co.uk | coversmerchants.co.uk



#### **Artisan Serenity**

Our Artisan Serenity Paving offers a beautiful contemporary range with sawn edges and a lightly textured surface, capturing the innate natural beauty and strength of sandstone.

Thickness: 20mm

**Project pack** 7.3m<sup>2</sup> - 38 per pack

Pack consists of:  $12 = 285 \times 285$ mm

 $13 = 285 \times 570$ mm

 $13 = 570 \times 570$ mm

Pack consists of:

 $21 = 285 \times 285 \text{mm}$ 

 $20 = 570 \times 570$ mm

Ash Blend & Mandana Blend Pack size - 18.84m<sup>2</sup> Buff Brown Pack size -  $7.3 \text{m}^2$ 

 $11.7 \,\mathrm{m}^2$  (855 x 570 mm)

14.62m<sup>2</sup> (570 x 570mm)

 $14.62 \text{m}^2 (285 \times 570 \text{mm})$ 

Setts: 6m<sup>2</sup>

Main image: Artisan Mandana Blend Paving

Project pack 18.84m<sup>2</sup> - 91 per pack

 $20 = 285 \times 570$ mm

 $30 = 432 \times 570$ mm



Mandana Blend

Ash Blend



Buff Brown



Buff Brown Setts



#### **Artisan Tranquil**

New for 2021 is the Tranquil range, including Dunmore Cream and Allendale Grey paving which we introduced last year. The shotblasted paving proved such a popular choice that it's been given its own range, and extended to include coordinating Setts and Copings to enable real design flexibility.

Thickness: 20mm

Sizes available:

600 x 900mm

**Packs:** 16.2m<sup>2</sup>

**Setts:** 100 x 200mm

Packs: 6m<sup>2</sup>

#### **Copings & Steps:**

Square Edge 140 x 600mm Square Edge 280 x 600mm Bullnosed Edge  $350 \times 1000$ mm


Main Image: Artisan Tranquil Dunmore Cream Paving



Dunmore Cream



#### **Natural Stone Paving**



#### **Artisan Mirage**

With its beautifully honed finish, its smooth texture makes it ideal for both indoor and outdoor use. Featuring in many award-winning Show Gardens this has become a firm favourite with Garden Designers and home owners alike.

Thickness: 20mm

**Project Packs:** 18.84m<sup>2</sup> (Mandana Blend) and 7.3m<sup>2</sup> (Castle Grey & Mint)

#### Single Packs:

Mint - 14.62m<sup>2</sup> (285 x 570mm) or 14.62m<sup>2</sup> (570 x 570mm) Mint & Castle Grey - 11.7m<sup>2</sup> (855 x 570mm)

Main Image: Artisan Mirage Castle Grey Paving



Castle Grey



Mandana Blend



Mint



Monsoon



#### **Premium Sandstone**

Ideal for your garden patio and available in a full range of beautiful natural colours and different sizes, including larger pieces, it provides real design flexibility.

Colours vary in all natural stone products, all the images shown are as a guide only.

Thickness: 22mm

#### Single sizes available:

285 x 285mm 285 x 570mm 570 x 570mm 855 x 570mm

**Project Packs:** 

16.89m<sup>2</sup>

Top image: Premium Sandstone Monsoon Paving

Ravenna Castle Grey Mint Modak Rose York Green Country Green Country Buff

Buff Brown

NB: Packs for Singles vary depending on product size and colour availability.



#### **Old Rectory**

Our Old Rectory sandstone paving collection has a weathered mature appearance, offering a timeless elegance; ideal for classic and traditional garden designs.

Thickness: 22mm

**Packs:** 13.65m<sup>2</sup>


Main Image: Old Rectory York Green Paving





#### Limestone

Our Limestone Collection suits both contemporary and traditional settings, from Honey Blend and cool greys and blues, through to Midnight that fades and softens as it weathers. With a range of finishes and edges it offers a beautiful and durable paving. Also available in the range are Driveway and Pathway as well as Block Pavers setts.



Colour variations in all natural products. Midnight Paving will fade as it weathers.



#### **Slate**

Natural slate ideal for indoor and outdoor living spaces. Effortlessly suits both modern and traditional designs.

Thickness: 20mm

#### Single packs available:

 $13.39m^2 - 610 \times 915mm$ 



#### **Project Packs:**

14.70m<sup>2</sup>

 $14 = 305 \times 305 \text{mm}$ 

 $12 = 305 \times 610$ mm

 $12 = 610 \times 610$ mm

 $12 = 610 \times 915 \text{mm}$ 

Main Image: Slate Silver Green Paving



#### **Clay Pavers**

Ideal for courtyard style spaces, the clay pavers enable even small spaces to be stylish and classic as well as creating circles, and smaller feature areas within a larger patio.

Thickness: 50mm

#### Sizes available:

100 x 210mm

#### Packs:

15.2m<sup>2</sup>, 720 per pack (Tudor, Rose Cottage, Cherry Blend & Rustic Flame) 16.8m<sup>2</sup>, 800 per pack (Mellow Blend)

Main Image: Clay Pavers Tudor Paving







Tudor



Rose Cottage



Cherry Blend



Rustic Flame



### **BRADSTONE**



#### **Old Town**

Recreates the appearance of old time worn flagstones, even incorporating tooling marks.

Thickness: 40mm & 44mm\*

#### Sizes available:

300 x 300mm

600 x 300mm

600 x 600mm

900 x 600mm\*



Grey-Green



Weathered Limestone



OldQuarried



Dark Grey

#### **Patio Pack:**

 $6.40 \,\mathrm{m}^2$ 

Circles & Squaring Off Kits available in Weathered Limestone and Grey-Green

\*44mm in this size only

Top image: Old Town Grey-Green Paving



#### **Old Riven**

Add visual appeal without breaking the budget. Uncompromising good looks mean you can enjoy a stylish looking patio without exceeding your budget.

Thickness: 35mm

#### Sizes available:

300 x 300mm

600 x 300mm

600 x 600mm

Patio Pack: 9.90m<sup>2</sup>

Circles Kits available in Autumn Cotswold & Autumn Silver



Autumn Gold

Autumn Silver



Autumn Bronze

Autumn Cotswold

Main Image: Old Riven Autumn Bronze, Gold & Cotswold Paving



#### **Aged Riven**

Aged Riven combines the old and the new in perfect harmony. Its distinctive weathered profile gives the paving a traditional and time worn appearance, while its smooth edge adds a modern feel.

Thickness: 30mm

#### Sizes available:


450 x 300mm

Patio Pack: 9.72m<sup>2</sup>

Main Image: Aged Riven Dark Grey Paving



Dark Grev



#### Mahina

Mahina paving gives any garden a modern and refined feel with its stylish textured finish. It is available in two shades of grey, both with a contemporary fleck to replicate granite, allowing you to create a unique look.

Thickness: 35mm

Sizes available:

450 x 450mm 600 x 600mm

**Packs:** 7.20m<sup>2</sup> & 8.10m<sup>2</sup>


Main Image: Mahina Natural Paving



Dark Grey



Natural



#### Regency

Concrete shallow riven surface with wide range of colours and can be used to create almost any look.

Thickness: 38mm (nominal)

#### Sizes available:

300 x 300mm


 $450 \times 225 \text{mm}$ 

450 x 450mm

600 x 300mm

600 x 600mm

Main Image: Regency York Paving



Nominal - Thickness may vary across the paver due to wet cast



#### **Flagstone**

Concrete riven edge paving, reproduces and captures the elegance of natural York stone. Selected to suit regional character of traditional gardens.

Thickness: 38mm (nominal)

#### Sizes available:

300 x 300mm

450 x 225mm

450 x 300mm

600 x 300mm

450 x 450mm

600 x 450mm

600 x 600mm

Project Pack: 7.3m<sup>2</sup> & 9m<sup>2</sup>

Main Image: Weathered Old York Paving



Nominal - Thickness may vary across the paver due to wet cast

## Don't forget

**EASYjoint** All Weather Paving Joint Compound

EASYJoint grout or jointing compound is a quick and effective way to fill joints between paving, whether its natural stone or concrete flags.



Available in Mushroom, Stone Grey, Basalt, Buff Sand & Jet Black.



#### Sussex

Concrete slab with textured surface and straight lines means a simple attractive area can be created by DIY and professionals alike.

Thickness: 38mm (nominal)

Sizes available:

 $450 \times 450$ mm  $600 \times 600$ mm

Main Image: Sussex York Paving





Grey



Slate



York

Nominal - Thickness may vary across the paver due to wet cast



#### Sovereign

Concrete slab that captures the smooth time worn look of chancery settings.

Thickness: 40mm (nominal)

#### Sizes available:

300 x 300mm

450 x 300mm

450 x 450mm

600 x 300mm

600 x 450mm

600 x 600mm

900 x 600mm

York



Gold

Project Pack: 7.3m<sup>2</sup> and 10.9m<sup>2</sup>

Main Image: Sovereign Gold Paving

Nominal - Thickness may vary across the paver due to wet cast



#### **Nordic**

With its fine stippled surface and timeless design Nordic paving allows you to create a modern minimalist look for your garden. Two distinct colours are available to reflect the contrasting nature of Scandinavian style.

Thickness: 35mm (nominal)

Sizes available:

600 x 450mm

Main Image: Nordic Stone Paving





Nominal - Thickness may vary across the paver due to wet cast

## Your guide to Driveways

Your driveway is usually the first thing you see when approaching your house. You therefore want it to provide a statement about your home, to invite people in, as well as to provide easy access.

Our driveway paving product range will help you achieve all of these objectives – and can add real long term value to your home. Our blocks come in different depths for different uses as follows:

- Light usage: 50mm blocks for driveways, patios, and pathways suited to normal family cars.
- Medium usage: 60mm blocks for adopted highways, hardstanding areas and other roads suited for occasional delivery lorries.
- Heavy duty usage: 80mm blocks for heavy duty pavements, for instance for oil deliveries, refuse lorries, etc.

### Concrete Paving

Concrete blocks not only offer a robust solution for your driveway paving but also come in a multitude of styles, textures and colours. Whether you want to achieve a contemporary look with smooth surfaces and clean lines, or a more traditional style with aged, tumbled surfaces, the design flexibility and easy installation of concrete block paving makes it a popular choice.



## Permeable Paving

This has been proven to be a highly effective way of minimising surface water run-off whilst giving you all the aesthetic options you need to create a beautiful driveway. Some designs will even collect water for reuse in the garden. Did you know that - If you are paving an area greater than  $5m^2$  homeowners have a legal obligation to avoid surface water draining onto public highways from their property? Brett can offer you a number of options to meet this responsibility without requiring planning permission. Look out for the icon as you browse our driveway products.







#### **Alpha Trio**

A distressed, aged look that blends well with most surroundings.

**Thickness:** 50\* & 60mm

#### Sizes available:

105 x 140mm Small -Medium -140 x 140mm 210 x 140mm Large -

**Alpha Trio Packs:** 50mm - 10.82m<sup>2</sup>

 $60mm - 8.94m^2$ 

Main Image: Alpha Trio Brindle Driveway Paving

\*Available only for Autumn Gold & Silver Haze



#### **Driveways**





#### **Alpha Flow**

Alpha Flow combines the great appearance of our ever-popular Alpha paving with a special nib to create a permeable solution.

The nib design allows surface water to drain between the blocks, and into a specially designed substrate. This makes Alpha Flow an ideal solution for permeable paving design as part of a sustainable draining system.

#### Sizes available:

Large:  $210 \times 140 \times 60 \text{mm} \text{ (Units/pack} - 352)$ Medium:  $140 \times 140 \times 60$ mm (Units/pack - 528)  $105 \times 140 \times 60$ mm (Units/pack - 702) Small:

Main image: Alpha Flow Charcoal Driveway Paving



Autumn Gold



Brindle



Charcoal





#### Omega

Concrete block paver with modern lines and a wide colour range to suit all tastes.

**Thickness:** 50, 60 & 80mm

#### Sizes available:

200 x 100mm

Main image: Omega Autumn Gold

Driveway Paving





#### **Omega Kerb**

The new Omega Kerb is an addition to the generic kerb units that are designed to fit with all the Standard Concrete Block Paving ranges Omega, Delta, Beta & Regatta.

Sizes available: 200 x 100mm Thickness: 60 or 80mm Units/pack: 308 Linear Meter per Pack: 61.6m

Colours available: Brindle & Charcoal

#### **Driveways**





#### **Omega Flow**

Ideal for integrating into a sustainable draining design, without sacrificing aesthetics.

#### Sizes available:

215 x 115 x 60mm

Units/pack: 404

Main image: Omega Flow Autumn Gold Driveway Paving





Charcoal





Autumn Gold



Brindle

Burnt Oak





#### Lugano Trio

Available in either a light, Misty Grey finish or a darker Graphite Grey, Lugano can be used in either one or both tones to create highlighted focal points, pathways, or borders.

#### Sizes available:

Mixed sizes

Units/pack: 378



Graphite Grey




Misty Grey

Main image: Lugano Trio Graphite Grey with Misty Grey Driveway Paving

#### **Driveways**





#### Lugano Flow

Consisting of distinctive tones and textures of our popular Lugano Block Paving range, combined with our unique nib design which allows surface water to drain between the blocks, preventing urban flooding.

Thickness: 80mm

#### Sizes available:

 $210 \times 140 \times 80$ mm (Units/pack - 224)

 $140 \times 140 \times 80$ mm (Units/pack - 336)

 $105 \times 140 \times 80$ mm (Units/pack - 420)

Main image: Lugano Flow Graphite Grey Driveway Paving







Graphite Grey





#### **Beta Trio**

Clean lines and smooth surfaces for contemporary drives.

Thickness: 60mm

Sizes available:

Various sizes

**Beta Trio Packs:** 8.94m<sup>2</sup> - subject to location

Main image: Beta Trio Rustic Bronze Driveway Paving



Silver Haze



Autumn Gold



Rustic Bronze

#### Driveways





#### **Regatta Trio**

The classic riven sett appearance for traditional driveways.

Thickness: 60mm

**Regatta Trio Packs:** Mixed sizes packs - 8.50m<sup>2</sup> - subject to location

Main image: Regatta Trio Silver Haze Driveway Paving



Autumn Gold



Silver Haze





#### Aura

The perfect courtyard cobble with a tumbled, riven surface and a delicate sparkle. Available in two plan sizes and two colours.

Thickness: 60mm

Units/pack:

Stone:  $171 \times 114$ mm - 385 per pack

Square Stone: 114 x 114mm - 539 per pack


Main image: Aura Silver Fleck Driveway Paving



Silver Fleck



Bronze Fleck



#### Walling, Edging, Coping & Stepping Stones



#### **Natural Stone Walling Slips**

This range of walling slips comes in Natural Slate and Natural Sandstone with a set of complementary shades. For a superb natural stone look, they just stick to a block wall using Bradbond walling adhesive. The slips are Z-shaped giving the appearance a random look. There are also end pieces available to finish off straight walls. Natural Stone or Porcelain is ideal as complementary coping for these walls.

Top Image: Natural Stone Silver Grey Walling Slips



Rustic Gold



Blue Black



Fossil Buff



Sunset Buff



Silver Grey

Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Sandstone Slips*	650 × 150mm	FB/SB/SG	6	0.54	11.11
Sandstone Slip Ends*	400/250 x 150mm	FB/SB/SG	2×6	0.54	N/A
Slate Slips^	650 x 150mm	BB/RG	6	0.54	11.11
Slate Slip Ends^	400/250 x 150mm	BB/RG	2×6	0.54	N/A

Thickness: \* 17-30mm, ^10-20mm, Joint width: Butt



#### **Natural Sandstone Walling**

A perfect complement to Natural Sandstone paving, these fully rumbled, double-sided blocks are easy to use for both straight and curved walls. Also ideal for step risers, fire pits or barbecues.



Silver Grey



Fossil Buff

Main Image: Natural Sandstone Silver Grey Walling

Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Mixed sizes	N/A	FB/SG	285	5.70	N/A

Thickness: 55 - 75mm, \*35 - 40mm Joint width: 10 - 15mm Mixed size pack contains: 285 blocks (60 No.  $325 \times 100$ , 100 No.  $270 \times 100$  and 125 No.  $215 \times 100$ mm)



#### **Countrystone Walling**

This fully rumbled, mainly double-sided product – available in three sizes – has been designed to complement traditional style paving.

Main Image: Countrystone Buff Walling



Buff

Product	Size	Units/ pack	m²/pack linear m/ pack	-
Full block	290 x 136mm	57	2.50	22.80
Full block	290 x 63mm	228	5.00	45.70
Full block	215 × 63mm	288	4.70	60.90

Thickness: 90mm Joint width: 10mm



#### **Pitched Walling**

These pitched, predominantly double-sided single blocks can be used to easily build both straight and curved walls. They are available in three sizes and two shades and are designed for use with Textured Coping.

Main Image: Pitched Buff Walling





Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Pitched walling	290 x 136mm	Bf/Gy	50	2.20	22.80
Pitched walling	290 x 63mm	Bf/Gy	216	4.70	45.70
Pitched walling	215 x 63mm	Bf/Gy	202	3.30	60.90

Thickness: 90mm Joint width: 10mm



#### **Natural Sandstone Edging**

This versatile riven profile can be used as both edging and coping for walling. It beautifully complements Natural Sandstone paving.

Main Image: Natural Sandstone Fossil Buff Edging



Fossil Buff

Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Edging	450 x 160mm	FB	28	12.88	2.20

Thickness: 35 - 40mm Joint width: 10 - 15mm



#### **Old Town Edging**

This traditional round top edging has a pleasantly weathered Yorkstone-effect profile. It complements Old Town paving and walling.

Grey-Green

Main Image: Old Town Grey-Green Edging

Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Old Town edging	450 x 200mm	GG/WL	34	15.30	2.20

Thickness: 50mm Joint width: 10-15mm



#### **Stonewood Sleeper Edging**

These rugged, rustic wood-effect sleepers have weathered, authentic profiles and are available in three sizes.



Antique Brown

Weathered Limestone

Main Image: Stonewood Sleeper Antique Brown Edging

Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/ linear m
Stonewood Sleeper edging	900 x 250mm*	AB	23	20.90	1.10
Stonewood Sleeper edging	600 x 250mm	AB	29	17. 70	1.60
Stonewood Sleeper edging	250 x 250mm	AB	46	12.00	3.80

Thickness: 40mm, 50mm\* Joint width: 5mm



#### **Textured Edging**

Available in two subtle and elegant shades, this medium textured edging beautifully complements Textured paving.

Main Image: Textured Buff Edging



Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Textured edging	580 x 275mm	Bf/Gy	20	11.80	1.70
Textured edging	580 x 136mm	Bf/Gy	24	13.92	1.70

Thickness: 50mm Joint width: 10mm



#### **Mode Profiled Coping**

Available in four shades, this coping is ideal to complement or contrast porcelain paving, depending upon the look you desire.

Main Image: Mode Profiled Coping



Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Mode Profiled Coping	600 x 300mm	Bg/SG/ DG/Gr	3	1.80	1.67

Thickness: 20mm Joint width: 5mm





Stepping stones are a charming feature in any garden. Set in lawns and gravel or even in borders interspersed with planting, they offer a practical way to walk about your garden, add interest and character.

#### **Random Stepping Stone**



#### **Stonewood Stepping Stone**



#### **Natural Sandstone Stepping Stone**



Fossil Buff

#### **Natural Limestone Stepping Stone**



Blue-Black

Product	Size	Colours	Units/pack	Thickness
Natural Sandstone†	300 x 450mm	FB	56	22mm
Natural Limestone†	300 x 450mm	ВВ	56	22mm
Random	450 x 350mm	WG/WB	70	32mm
Stonewood	290 - 450mm	AB	36	50mm

<sup>†</sup>Please note: Natural stone varies in colour and mineral content.



### **Surface Water Drainage**



#### **HexDrain**

**Applications:** Suitable for garage thresholds, pedestrian precincts, patios and paths




#### **RainDrain**

**Applications:** Suitable for garage thresholds, pedestrian precincts, patios and paths







#### **Complete the Look**

Enhance your patio or driveway with ACO's elegant and modern 'Complete the Look' gratings. Designed to be used with ACO's best-selling domestic drainage channels ACO HexDrain and ACO RainDrain, a choice of styles ranging from contemporary stainless steel to antique cast iron options are available to provide the perfect finish.





#### **GroundGuard**

Applications: Suitable for driveways, access routes, paths, shed bases, private and public parking



#### **HexDrain Brickslot**

**Applications:** Suitable for garage thresholds, pedestrian precincts, patios, paths and block paving





#### RainDrain Brickslot B 125

Applications: Suitable for block paving, driveways and small private car parks





## Your complete guide to

#### **Timber Decking**

Our range of timber decking has been pressure treated to ensure extra durability and low maintenance. Machine grooved and kiln dried, timber decking will add a natural effect to any outdoor space.

- Water resistant
- Rot, fungi and moisture resistant
- Kiln dried for increased stability
- Made from responsibly sourced wood
- Can be clinched, planed, drilled and sawn



## Hardwood or softwood decking?

Hardwoods are so-called as they are sourced from trees that grow slowly, meaning the wood has more time to mature. In comparison, Softwoods are sourced from fast-growing trees, but this doesn't mean softwoods can't be tough too.

Hardwood decking is often a popular choice because hardwoods are typically more resilient against rot and degeneration. However, softwood decking boards are also a great choice with a little extra maintenance.

Decking boards are a great solution for covering concrete that has been damaged and become unsightly over a period of time, and decking boards are a great deal nicer.





# Decking...

#### **Composite Decking**

Our range of composite decking will suit all tastes and styles and is a great alternative to timber. Highly durable, easy to install and simple to maintain, it's the perfect addition to any garden.

- Easy to maintain
- Will not warp, splinter or rot
- Slip resistant
- UV resistant
- Contains recycled materials
- Stain resistant





### **Aluminium Decking**

Our range of aluminium decking is another great alternative to timber. With an advanced design creates a heat resistant board, which is comfortable to walk on, even on hot days.

- Non-combustible
- Non-slip
- Hard wearing
- Quick and easy to install
- Made from recycled aluminium, and fully recyclable at end of life





CoverDek is Covers own branded decking that is produced in our mill at Chichester. The CoverDek system we provide includes Softwood or Hardwood, Baserails, Newels, Handrails, Spindles and Joists. The system has been designed to enable the end user to construct a complete deck at an affordable cost.





Covers Treated Reversible Decking is high pressure treated with Tanalith 'E' (or similar) to enhance resistance to water and damp. Each piece is kiln dried to help improve stability, strength, durability and straightness, making it suitable for use in your outdoor space. The decking boards are reversible so you can choose a style that will suit your home.

Imported from Sweden or the Baltic States most of our timber is grown in managed forests with extremely long growing cycles, our Timber has an extremely high yield from C16 graded timber to suit all your building requirements.

#### **Softwood Decking**



Product Code	Sizes
SDT32125	32 x 125mm
SDT32150	32 x 150mm
T2608	38 x 125mm
Also available in a grey finish	

Product Code	Sizes
T2058	32 x 150mm

#### **Ultra Decking**



Product Code	Sizes
T2245	38 x 150mm



#### **Hardwood Decking**



Our CoverDek Balau hardwood decking is really suited to a country with a climate like ours as it is so hard-wearing, knot-free and very pleasing to the eye with its different shades of orangey brown. It is a tropical hardwood, which is very tightly grained, hence very hard-wearing and very durable.

• High quality, tropical hardwood

Product Code	Sizes
HWD25150	25 x 150mm



#### CoverDek Base Rail

Softwood Treated Base Rail Ex  $25 \times 75$ mm - 1800mm and 2400mm lengths



#### **CoverDek Spindles**

Softwood Treated Spindles Ex 50 x 50mm - 900mm Long



#### CoverDek Handrail

Softwood Treated Handrail Ex  $50 \times 75$ mm - 1800mm and 2400mm lengths



#### CoverDek Newels

Softwood Treated Newel Post 94 x 94mm Fin. size - 1200mm and 1800mm lengths

Kiln Dried Graded & Pressure Treated Joists (various lengths available)

47 x 150mm & 47 x 200mm


#### Accoya® Decking

Decking is never better than when it's made of real wood. The feel under foot of real wood, or the authentic look achieved with genuine wooden boards. Accoya® delivers all this and much more.

For a low maintenance decking that withstands wear and tear in any climate, Accoya® is the answer. Resistant against cracks and splinters with superior stability compared to typical decking boards, Accoya® combines the charm of real wood with exceptional performance credentials. Perfect for extending your living space to the great outdoors - barefoot and fancy free.

25 x 150mm	63 x 100mm
25 x 200mm	63 x 125mm
38 x 150mm	63 x 150mm
38 x 200mm	63 x 200mm
50 x 100mm	75 x 100mm
50 x 125mm	75 x 125mm
50 x 150mm	75 x 150mm
50 x 200mm	75 x 200mm





#### Lignia® Decking

Lignia® Decking is more than just a beautiful-looking wood product, its aesthetic beauty and hard-working performance are underpinned by cutting-edge science and technology.

Lignia® Decking is rigorously tested by independent accreditation bodies in North America, the UK and Europe. All result in a proven and tested product. Elements tested for include:

- Point bending tests
- Janka hardness test
- Impact resistance test
- Thermal effusivity test
- Surface burning characteristics test
- Moisture movement properties
- Bonding test
- Durability

#### Sizes available: Thicknesses:

25 x 150mm & 25 x 200mm

#### Lengths:

Random lengths









#### **IRO Timber Decking**

Created by combining the ancient Japanese process of Yakisugi with the latest timber technology, IRO is a beautiful and uniquely coloured decking timber that will add charm and character to a range of outdoor spaces.


A low-maintenance, long-lasting alternative to traditional decking that is UV stable and 100% HVOC-free, meaning the product is both child-friendly and pet-friendly.

Manufactured using a seven-step process, IRO is also high pressure treated and coated in a protective wood cream. This ensures a long-lasting, water-repellent surface which makes the

product more resilient to rot and insect attack.



Main image: Charcoal Decking



Charcoal

Chestnut







#### **SmartBoard**


SmartBoard is a reversible decking with an appealing tactile brushed matt finish available in a range of naturally varying tones. Super simple to fit - the special formulation means it can be face fixed like standard timber decking using special SmartBoard Composite Decking screws only.

#### Sizes available:


20 x 138 x 3600mm

Top image: SmartBoard Battleship Grey Decking







Battleship Grey -



Battleship Grey -Smooth




Chocolate Brown -



Chocolate Brown -



Slate - Ribbed



Slate - Smooth

The distinctive look of Millboard takes skill, impeccable attention to detail and patience to achieve. The journey begins with real timber, which Millboard source from local areas and carefully select by hand, paying particular attention to the subtle nuances of the natural grain.

These timbers are then used to create the moulds for Millboard, enabling them to replicate the natural character of the original wood in our unique composite material.

To recreate the authentic look of hardwood, Millboard carefully match the colour, using multiple tinted hues for depth and subtle variation, ageing and weathering.

The beautiful, finished Millboard Product is just like the real thing, but made to last for years to come.







#### **Weathered Oak**

Beautifully aged yet utterly timeless, the hand crafted Weathered Oak collection is moulded from 100 year old reclaimed oak timber, creating a distinctive worn look – without the wait.

#### Sizes available:

32 x 200 x 3600mm

Main image: Weathered Oak Driftwood Decking







Driftwood

Vintage Oak

Emberred





#### **Enhanced Grain**

The Enhanced Grain collection's contemporary design accurately recreates the subtle nuances of natural wood. Each of the six colours showcases the grain beautifully.

#### Sizes available:

32 x 176 x 3600mm

Main image: Enhanced Grain Brushed Basalt Decking



Golden Oak



Smoked Oak



Brushed Basalt



Antique Oak



Burnt Cedar



Coppered Oak Limed Oak



Jarrah




#### Millboard DuoSpan® Subframe

DuoSpan® provides the perfect subframe for Millboard decking, as well as a universal support system for other outdoor flooring.



#### Millboard Durafix®

Millboard's unique, hidden decking fixings. No pre-drilling, all you need to do is screw them in. Available in 50 or 60mm.



#### **Ultrashield Decking**

Ultrashield by Newtechwood is a low maintenance composite decking that gives you the time to relax and enjoy your surroundings.

- 25 year limited guarantee against fade, stain, rot & split (Residential use)
- No staining or painting required giving you more time to enjoy your garden
- Manufactured from 95% Recycled Materials
- Lengths of up to 5.4m long
- 2 ranges of decking to choose from Ultrashield Essentials and Ultrashield Naturale
- A full range of ancillary products are available for example fascia, edging boards etc
- Secret fix (Both 1 mm & 5 mm side gap options) & face-fix boards
- Ultrashield Railing and Ultrashield Composite Fencing Available
- Ultrashield products work with woodworking tools
- All boards are reversible choose between a wood grain or flat appearance

#### Sizes available:

138 x 22.5mm with lengths from 3600, 4800 or 5400mm

## **Composite Decking**

Above image: Ultrashield Essentials Graphite Grey

Decking







Above image: Ultrashield Essentials Stone Grey Decking



Ultrashield Essentials Stone Grey Decking Boards



Ultrashield Essentials Graphite Grey Decking Boards





Ultrashield Naturale Walnut Decking Boards



Ultrashield Naturale Antique Decking Boards



Ultrashield Naturale Light Grey Decking Boards



Ultrashield Naturale Ebony Decking Boards



Ultrashield Naturale Teak Decking Boards







Mextru's unique design creates a high strength, low thickness deck. The Anti-slip surface removes the traditional issues with mossy, wet deck boards and our unique, advanced design creates a heat resistant board, which is comfortable to walk on, even on hot days.


#### Sizes available:

 $145 \times 17 \text{mm}$ 

- Non-combustible
- Anti-slip
- Hard wearing
- Quick and easy to install
- Made from recycled aluminium, and fully recyclable at end of life
- Heated option available, to help create safe walking areas, combats frost, snow and ice.
- Available cut to length, up to 7000mm long

Main image: Anthracite Grey Aluminium Decking





#### **Paving & Decking Pedestals**



Pedestals and support pads suitable for paving slabs and timber decking to improve the performance of the building by allowing proper drainage beneath the upper surface, ventilating the structure and preventing localised flooding.

- Fully Adjustable Heights
- Faster & Easier Installation
- Future Proof Access Anytime
- Frostproof & Rotproof
- Threaded Stem for mm precise heights
- Lightweight & Easy to Handle
- High weight tolerance
- No bedding down or Mortar



Universal Pedestal 35 - 50mm



Universal Pedestal 50 - 70mm



Universal Pedestal 65 - 100mm

Product Co	ode
------------	-----

B36626



B36627



B36628



Adjustable Pedestal 10 - 25mm



Adjustable Pedestal 22 - 30mm



Adjustable Pedestal 28 - 40mm

Prod	uct	Code	

B36629

#### **Product Code**

B36630

#### **Product Code**

B36631





**Used Softwood Railway Sleeper** 

Sizes available:

150 x 260 x 260mm



Oak Sleeper

#### Sizes available:

 $200 \times 100 \times 2400 / 2500$ mm



**Treated Softwood Sleeper** 

#### Sizes available:

120 x 240 x 2400mm



**Softwood Treated Sleeper** 

#### Sizes available:

90 x 190 x 2400mm

## Be inspired...

Complete your sleeper area or steps with a range of accessories and finishing touches to create your dream area.





## Your guide to fencing

## **Lap Panels**

A popular choice for outdoor spaces, our classic lap panels are responsibly sourced and come in a variety of sizes.

#### Closeboard Panels

Offering strength and durability, our reinforced closeboard panels are ideal for garden boundaries.

## Featheredge Panels

For a traditional feel, and added security, our high pressure treated featheredge panels will create strong and sturdy garden enclosures that are protected from rot and decay.

## **Decorative Panels**

With a range of different designs to choose from our stylish decorative panels are the perfect way to add the final flourish to your garden.

### **Trellis & Arches**

Trellis or arches are perfect for creating decorative displays and bringing life and light into your garden.

## **Fencing Accessories**

We have a full range of fencing accessories to suit your needs and offer a variety of flexible solutions, including fence posts, gravel boards and arris rails..



#### **Waney Panel**

A classical, traditional panel constructed with overlapped waney slats. Provides privacy and security. Available as both water based & pressure treated green.

1828 x 609mm 1828 x 914mm

1828 x 1210mm

1828 x 1524mm 1828 x 1675mm 1828 x 1828mm



#### **Acorn Panel**

An elite, stylish fence panel with a domed diamond trellis. Aesthetically pleasing and a very popular choice.

1828 x 900mm 1828 x 1200mm 1828 x 1500mm 1828 x 1800mm



#### **Ashdown Panel**

Contemporary design with decorative lattice top section.

1828 x 900mm

1828 x 1200mm

1828 x 1500mm

1828 x 1800mm



#### **Kinver Panel**

Contemporary design with elegant straight lines, pleasing to the eye from either side.

1828 x 900mm 1828 x 1200mm 1828 x 1500mm 1828 x 1800mm



#### Oak Panel

An elite, elegant backdrop to any garden with a diamond lattice and exceptional finish.

1828 x 900mm 1828 x 1200mm 1828 x 1500mm 1828 x 1800mm





#### **Epping Panel**

Contemporary design with curved diamond trellis.

1828 x 900mm 1828 x 1200mm 1828 x 1500mm 1828 x 1800mm



#### **Cherry Panel**

Elegant straight lines with uniformed gaps and a very modern twist with a curved top.

1828 x 900mm 1828 x 1200mm 1828 x 1500mm 1828 x 1800mm

We stock a wide range of Cuprinol colours to transform and protect your garden wood for years.

Find our range of paints on page 125





#### **Closeboard Panel**

Available in Pressure Treated Green or Traditional Golden Brown.

1500 x 1830mm 1560 x 1830mm 1500 x 1830mm 1800 x 1830mm



#### Siesta Panel

A brick effect panel using contemporary timber, effect can be seen from both sides of the panel.

1828 x 900mm 1828 x 1500mm 1828 x 1200mm 1828 x 1800mm



#### **Waney Lap Panel**

Available in Pressure Treated Green

1828 x 900mm 1828 x 1200mm 1828 x 1500mm 1828 x 1800mm



#### Hit & Miss Panel

A sturdy fence panel that allows wind through, perfect for windswept gardens. Appears the same from both sides.

1828 x 1524mm 1828 x 609mm 1828 x 1828mm 1828 x 914mm 1828 x 1210mm



#### **Delamere Panel**


A design to suit many styles of garden settings, this product is pressure treated providing protection and appearance retention.

1828 x 900mm 1828 x 1200mm 1828 x 1500mm 1828 x 1800mm

# Bespoke made to measure cervice

Not only can you choose from the Fence panels here, you can have your own bespoke items made, offering non-standard sizes to ensure you get the size that best fits your requirements. There are endless possibilities to what is available for you.

> For more information, please speak to a member of staff.



**Image: Smoked Oak Cladding** 



Millboard cladding is inspired by the beauty of nature but is built to outperform it. It is moulded from selected timbers making it look exceptionally like real wood, whilst avoiding the on-going maintenance associated with natural or wood based products.

The hand colouring of each board recreates the subtle nuances that only natural wood can give. The moulded profiles reduce labour and wastage yet retain the effect of individual boards.

- Excellent UV and weathering stability
- No extra maintenance or painting
- Perfectly replicates oak almost indistinguishable in detail and colour
- High insulation value and improved acoustics
- Fibre reinforced high strength low weight
- Easy to install cuts and screws like timber (no pre-drilling or specialist tools needed)
- Minimal expansion and contraction
- Insect and termite resistant
- Multiple grain definition hand moulded from natural timber
- Individually hand coloured boards for natural tonal variation
- Doesn't twist or warp like timber
- Non-porous material no sealing required
- Tongue and groove for increased rigidity, strength and water resistance
- No leeching or releasing of tannins

#### Sizes available:

Board & Batten - 28 x 200 x 3200mm V-groove -  $18 \times 200 \times 3600$ mm

Main image: Golden Oak Cladding





Antique Oak

Burnt Cedar





Golden Oak

Smoked Oak





V-groove Antique Oak

V-groove Burnt Cedar





V-groove Golden Oak

V-groove Smoked Oak



#### **Cedar Garden Screening**

Cedar Screening Battens are an ideal choice of wood to use as garden screening, fencing and cladding as well as for a variety of other landscaping applications. The highly desirable slatted screens produce visually interesting lines and shadows that will bring plenty of texture and character to an outdoor space.

Whether laid as horizontal or vertical boards, the result is clean lines with neat proportions for an aesthetically appealing result. As well as being used to help define boundaries, Cedar Screening will provide an attractive backdrop for plants and other foliage when used as fencing.

Natural variations in the colour and graining of the wood produces a unique mixture of tones in each batten for a distinctive range of colour. This natural variation adds warmth and interest to a garden space. As cedar weathers naturally it will transition into a stunning silver-grey colour, for a more contemporary look oil stainer can be used to retain the golden-brown colour.

#### **Batten sizes available:**

17 x 38mm

#### Panel sizes available:

1828 x 900mm

1828 x 1200mm

1828 x 1500mm

1828 x 1800mm









#### Softwood Multi-Purpose Garden Screening

This multi-purpose screening is a versatile garden product that can be used as conventional trellising, screening or panelling, (i.e. for privacy, shade, or to fill voids under decks) or as a balustrade infill. It comes as long length laths that can be cut to the desired length.

The closer adjacent laths are fitted to one another the greater the degree of privacy. It is machined from slow grown and carefully selected Scandinavian softwood and comes with a 15 year product treatment warranty.

#### Sizes available:


32 x 75mm







#### **Trellis & Arches**





#### 6" Square Trellis

This open style has multiple uses. Can be used as fencing or as an infill for pergola features.

1828 x 304mm

1828 x 609mm

1828 x 914mm

1828 x 1210mm

1828 x 1524mm

1828 x 1828mm

#### 4" Square Trellis

Traditional, subtle. All garden trellis is also available with concave and convex designs.

1828 x 304mm


1828 x 609mm


1828 x 910mm

1828 x 1210mm

1828 x 1524mm

1828 x 1828mm





#### 3" Square Trellis

Square and diamond trellis can be used to create features and add extra dimensions to any garden.

1828 x 304mm

1828 x 609mm

1828 x 914mm

1828 x 1210mm

1828 x 1524mm

1828 x 1828mm

#### **Willow Trellis**

Decorative pressure treated trellis can be used as a perimeter fence without spoiling view.

1828 x 300mm

1828 x 600mm

1828 x 900mm

1828 x 1200mm

1828 x 1500mm

1828 x 1800mm



#### **Cottonwood Arch**

This arch creates a stunning walk through or can be used



#### **Sophora Arbour**

Oriental seated arbour with diamond trellis backdrop, a lovely place to sit in the warm evenings.

1200 x 1980 x 600mm





#### **Bayberry Arch**

A domed attractive arch which creates an idyllic entrance or as a stand alone garden feature.

1200 x 1980 x 600mm



#### **Fernleaf Arbour**

Oriental attractive arch, which creates an idyllic entrance or as a standard alone garden feature.

#### **Rosewood Arbour**

Attractive seated arbour with a diamond trellis backdrop, a lovely place to sit in the warm evening.



#### **Trellis & Arches**



#### **Heavy Duty Trellis**

300 x 1830mm 610 x 1830mm



#### **Heavy Duty Trellis**

300 x 1830mm 610 x 1830mm 900 x 1830mm 1810 x 1830mm



#### **Diamond Trellis**

1830 x 300mm

1830 x 600mm

1830 x 900mm

1830 x 1200mm

1830 x 1800mm



#### **Traditional Square Trellis**

A decorative trellis designed to fit onto the top of fence panels.

320 x 1830mm 610 x 1830mm



#### **Lattice Trellis**

300 x 1800mm 600 x 1800mm 900 x 1800mm 1800 x 1800mm

# Don't forget

#### Cuprinol Garden Shades

and Developed to colour protect sheds, fences and other garden wood. Its pigments ensure a rich colour and allow the natural texture of the woodgrain to shine through.

Go to page 125 for our colours.



We have a full range of fencing accessories to suit your needs and offer a variety of flexible solutions, including fence posts, gravel boards and arris rails.

Covers' fencing material is all sourced locally in the UK from manufacturers who are dedicated to the sustainable use of timber in a range of products and in renewable heat generation.






# Don't forget

Hanson PostFix® Concrete Poly Bag

Quick setting concrete mix suitable for fence posts, gate posts and garden lighting.







- C. Metpost Concrete Used in areas where a spike is impractical or simply as an alternative. Use with Postfix concrete to help support and erect fence panel posts.
- **D. Metpost Post Extender** Raises the height of an existing fence panel post to allow for the fitting of trellis.
- **E/F. Metpost Bolt Down** The wall anchor is ideal for installing posts onto an existing wall while the bolt down support is great for fixing posts (including pergolas and arches) on an existing concrete base.



#### **Metpost Wedge Grip System 2**

System 2's secure twin bolt mechanism is ideal for large projects such as pergolas and decking.


Product Code	Size
18079	75 x 600mm
18080	75 x 750mm



#### **Metpost Plain Box Post Support**

Suitable for easy post removal and replacement.

Product Code	Size
18075	50 x 450mm



#### **Metpost Wedge Grip Post Support**

Ideal for fencing projects, the Wedge holds each post in a vice without the need for nails or screws.

Product Code	Size
18076	75 x 75 x 600mm
18077	75 x 75 x 750mm
18078	100 x 100 x 750mm



#### **Metpost Wall Anchor**

A simple way to add height to a wall.

Product Code	Size
B 11557	75mm



#### **Metpost Repair Spur**

Repair a broken or rotten post which has previously been concreted into the ground.

Product Code	Size
18081	75mm
18082	100mm



#### **Metpost Wedge Post Extender**

Raises the height of an existing post.

Product Code	Size
18083	75 x 180mm
34114	100 x 180mm



#### **Expamet Arris Rail Brackets**

Robust galvanised arris rail bracket for use with feather-edged timber fencing.

<b>Product Code</b>	
B15815	



#### Metpost Flush Fit Bolt Down

Enables you to site a post against a wall.

Product Code	Size
B 11522	<i>7</i> 5mm



#### **Metpost Galvanised Gravel Board Bracket**

Ideal solution for fixing gravel boards to fence posts.

Product Code	Size
B 11559	25mm



#### **Metpost Wedge Grip Concrete In**

Plan the position of your posts when laying concrete and bed in the Concrete-In Anchor before it sets.


<b>Product Code</b>	Size
18089	75mm
18090	100mm



#### **Metpost Bolt Downs**

Heavy duty bolt down post support is ideal for use with wooden fences of all types.

Product Code	Size
18086	50 x 50mm
18087	75 x 75mm
18088	100 x 100mm



#### Metpost Type 44 U-Shaped Clips

This U-shaped clip is used to fix panels, trellis or gravel boards to your posts.

Product Code	Size
18092	46mm



#### **Metpost Post Driving Tool**

This tool protects the post support as it's hammered in whilst keeping the correct alignment.

Product Code	Size
18084	75mm
18085	100mm



**Sawn Treated Posts** Available as Brown in:

75 x 75 x 1800mm 75 x 75 x 2400mm 100 x 100 x 1800mm

100 x 100 x 2400mm 100 x 100 x 3000mm



**Sawn Treated Posts** Available as Green in sizes:

75 x 75 x 2400mm 100 x 100 x 2400mm 100 x 100 x 3000mm



Sawn Oak Post

Available in:

100 x 100mm 125 x 125mm 150 x 150mm

200 x 200mm

From 2.4m, 3m, 3.6m & up to  $4.2 \mathrm{m}$ 



**Treated Pointed Poles** Available in:

73mm Ø x 2400mm





**Various Sized Wooden Pointed Pegs**Available in:
450mm x up to 1500mm



**4 Way Post**Available in:
150 x 150 x 2400mm
200 x 200 x 2400mm



**Iroko Post**Produced to any specification



Hanson PostFix®
Concrete Poly Bag
Quick setting concrete mix
suitable for fence posts, gate
posts and garden lighting.





**Treated Redwood Post** 

Available in:

100 x 100 x 1800mm 100 x 100 x 2400mm 100 x 100 x 3000mm

## Give your timber a treat

At Covers we can provide a range of treatments on site, such as:

Waterborne for both internal and external use

**Organic** for prepared joinery timber and manufactured doors, windows, stairs and mouldings where a clear or painted finish is required

**Tanalith** for construction, fencing and landscaping timbers using Tanalith wood preservative

**Fire Protection** for interior and exterior use

For more information on treatments and what is best for your product, contact us on **0844 858 40 40** or email **enquiries@coversmerchants.co.uk** 



**Concrete Semi Dry Slotted Corner Post** 

Available in:

 $2440 \times 125 \times 125$ mm (8ft)  $2745 \times 125 \times 125$ mm (9ft)



**Concrete Gravel Board** 

Available in:

1830 x 150 x 50mm (6ft) 1830 x 305 x 50mm (6ft) Also available in Semi Dry Recessed



#### **Concrete Repair Spur**

Heavy duty bolt through post support is ideal for use with wooden fences of all types.

Available in:

 $989 \times 75 \times 75$ mm (3.3ft)  $1200 \times 100 \times 100$ mm (4ft)



**Concrete Slotted Intermediate Post** 

Available in:

 $1830 \times 94 \times 109$ mm (6ft)  $2440 \times 94 \times 109$ mm (8ft)  $2135 \times 94 \times 109$ mm (7ft)  $2745 \times 94 \times 109$ mm (9ft)



#### **Concrete Slotted End Post**

Available in:

 $2440 \times 94 \times 109$ mm (8ft)  $2745 \times 94 \times 109$ mm (9ft)



#### **Concrete Mortice Intermediate Post**

- Steel reinforced for extra strength and long life
- Resistant to moisture and rot

Available in:

2440mm (8ft)







#### **Bespoke Metal Fencing & Gates**

Our new metal fencing and gate range is something rather special. Manufactured and personalised to fit perfectly into existing features within your garden, this highly impressive range provides a statement to any domestic or commercial property.


Using a water jet cutting process, we can create intricate designs and can even incorporate your own wording or designs into the fencing - adding your own unique touch.

The galvanised steel fencing is powder-coated to encapsulate the metalwork and then kilned to seal each section creating a fence that will last you many years and also provide a secure perimeter to any property.










**Town Gate** 

Sizes Available: 0.9 x 1.552m & 0.9 x 1.778m



**Priory Gate** 

Curve:  $0.9 \times 1.83 \text{m}$  Flat:  $0.9 \times 1.76 \text{m}$ 



**Wellow Gate** 

Sizes Available: 0.9 x 0.9m & 0.9 x 1.8m



**Babington Gate** 

Sizes Available:  $0.9 \times 1.76$ m &  $1.2 \times 1.76$ m

#### **Gates**






**Hampton Gate** 

Sizes Available:  $0.915 \times 1.067 \text{m}$ ,  $1.067 \times 1.067 \text{m}$  &  $1.22 \times 1.067 \text{m}$ 



**Newbury Gate** 

Sizes Available: 0.9 x 0.9m & 0.9 x 1.2m



Beckington Gate - Made to order

Widths up to 2.74m & Heights up to 2.44m



**Henley Gate** 

Sizes Available: 0.9 x 0.9m & 0.9 x 1.2m



Manor Gate - Made to order

Widths up to 2.74m and Heights up to 2.44m



Jubilee Gate - Made to order

Widths up to 2.10m & Heights up to 1.525m





#### **Highgrove Gate**

Height 1.09m to top of top rail 1.219m to top of stile and widths 0.915m to 3.66m



Farleigh Gate - Made to order

Widths up to 2.44m and Heights up to 2.44m



#### **Estate Gate**

Height top of top rail 1.003m to top of extended stile 1.473m and widths from 0.915m to 3.66m




**Henley Fence Panel** 

Widths up to 1.77m and Heights up to 0.9m and 1.2m

## Finish the job

Our extensive Ironmongery range includes hinges, bolts, padlocks and more, providing you with the products you need to complete any job. For all Ironmongery see page 127.





#### Garden Buildings & Bespoke Timber Storage





#### **Log Store**

Well made solid area to store logs for those chilly winter nights.

STORE/LOG 1200 x 600 x 1200mm



#### **Potting Shed**

Durable, high quality, traditional potting shed. Not every garden is the same size or shape. Made to your specification and finish.



#### **Garden Tool Store**

Creates the ideal storage solution for all garden equipment. Available in a variety of sizes.



#### **Bin Store**

Designed to make a pleasing and stylish feature out of a practical necessity, with natural finish.

BINSTORE 755 x 905 x 1290mm



#### Children's Playhouse

Built to order, by hand, the way a craftsman builds a home. This playhouse provides a space for children to explore the world through imaginative play.



#### **Bike Shed**

Creates the ideal storage solution for bikes, toys and many more uses. Available in a variety of sizes.



# Artificial Grass


Say goodbye to regular weeding, watering and mowing with the help of Namgrass. Our range of artificial grass not only looks like an immaculately manicured lawn, but also feels just as soft as the real thing. All products are child and pet friendly.



MADE FOR LIVING







Utopia is a new product to the range at Namgrass, with its generous pile height at 43mm and natural dark tones this exceptional grass is a show stopper for the ultimate garden.



Eden 26mm

Eden is the newest grass to join the Namgrass range. This entry-level product is of great value and suitable for all types of landscaping projects and designs.

10 Year Warranty

All of Namgrass' products come with a 10 year warranty giving you ultimate peace of mind whichever lawn you choose.

#### **Artificial Grass**



MADE FOR LIVING



Elise 27mm

Elise has stood the test of time within our range. It's perfect if you are wanting to gaze out at a neat and tidy lawn every day.



#### Serenity 37mm

This premium product is one of our most realistic looking and feeling, benefiting from a super soft yarn making it perfect for the luxurious family garden.



#### Wessex 32mm

Designed to improve the aesthetic of any garden within a budget. Wessex is a great option to freshen up any outdoor living space.



#### **Exbury Bright & Dark 30mm**

Make every day seem like the first day of spring with our vibrant Exbury. With a dense thatched construction, deep pile and fresh looking fibres, this is the perfect choice for a high-traffic, family garden.



#### **Eclipse 30mm**

With a 30mm pile and the softcurving fibres gives the Eclipse a natural bounce of a well kept lawn. Great for an active garden.



#### **Barking 28mm**

All of our products are suitable for dogs, however Barking has a PU backing which is less absorbent than our traditional latex grasses. Its W shaped yarn also increases durability to withstand high usage.



MADE FOR LIVING




#### Kirkstall 30mm

Keep active in the comfort of your own garden with this hard-wearing product. With a neat, natural appearance and a short pile, this is another perfect choice for busy families and pet owners.



#### **Downton 37mm**

Downton is a super soft grass, perfect choice for anyone that loves to spend lots of time in their garden.



Vision 27mm

Vision is one of our most vibrant grasses. Using a thick blade this product is designed for areas that have a high footfall in mind.



#### Hengistbury 26mm

This great value product is suitable for use in all gardens. It will bring any outdoor space to life with its mid green toned grass yarns.



Accessories are a specific range of products designed to aid the installation and maintenance of Namgrass' Artificial Grass.



#### **Joining Tape**

A simple way of bonding two pieces of artificial grass when used in conjunction with our adhesive.



#### **Adhesive**

This moisture-curing adhesive can be applied in damp and cold conditions.



#### Cleaner

The cleaner is great for tackling dirt and pet odours, simply spray on your lawn and marks are gone in no time.



#### **Boulders**

Approx 250mm, a variety of colours & styles available.



#### Flamingo Chippings

A mix of peach, pink and white chippings with hues of bluish grey that has a natural sparkle.



#### **Tweed Pebbles**

Brown and tan naturally rounded pebbles.



#### **Dove Grey Pebbles**

Mid to light grey naturally rounded pebbles with hints of brown.



#### **Polar Ice Chippings**

Light blue, grey and bright white chippings, ideal for paths and edging.



#### **Green Slate**

Green slate mulch available in 20mm & 40mm size chippings.

# Decorative Aggregates

# A wide range to choose from...

We offer a huge range of Long Rake Spar decorative aggregates to suit any garden or landscaping design. Our selection includes gravel, chippings, pebbles, cobbles, rockery stone and boulders, in a variety of colours and styles.



#### **Tuscan Sunrise**

New for 2021, a naturally bright chipping with a combination of peach and white colour tones.



**Blue Slate** 

Welsh Blue slate mulch available in 20mm & 40mm size chippings.



#### **Polar White**

Pure white, angular dolomite chippings suitable for pre-cast stone.

#### **Decorative Aggregates**





Rockery

Approx 250mm, a variety of colours & styles available.



Onyx

A matt pale apricot beige angular chipping.



Ice Blue

Light marl grey/blue coloured angular chipping.



**Apricot Chippings** 

A light golden apricot very rounded gravel.



**Scottish Pebbles** 

A premium rounded pebble in light grey brown tones.



Flamingo Pebbles

A natural mix of light pink cream and white tumbled pebbles.



**Black Ice** 

A blend of black and Ice Blue Chippings.



Ocean Blue Pebbles

A range of blue/grey colour tones, available in 10, 14 and 20mm sizes.



**Pea Gravel** 

Brown, tan coloured alluvial natural gravel.



**Plum Slate** 

Welsh Plum slate mulch available in 20mm & 40mm size chippings.



Cotswold

A light cream angular chipping suitable for paths or drives.



**White Pebbles** 

Naturally white tumbled pebbles suitable for landscaping



**Yorkshire Cream** 

Cream/Beige smooth angular chippings.



Weedcheck Ultra Weed Membrane can be laid down first to prevent weeds from growing in between your gravel. Find on page 122.

# Topsoils Available in Bulk Bags or Delivered Loose



Earth Cycle topsoils are manufactured from high quality components, blended with compost to create a faultless soil for any garden or landscaping project.

To fit a variety of needs our organic and peat free topsoils are perfect for creating new gardens, allotments, raised beds and vegetable plots. They are also ideal to plant flowers or vegetables and can be used to level lawns for a neater garden you can care for with ease.



**BS3882 Multi-Purpose Topsoil** 

Our BS3882 Multi-Purpose Topsoil is a sandy loam topsoil that is produced with our PAS 100 compost and is certified to BS3882:2015 specification for Topsoil. This topsoil is for multi-purpose use and provides good support for the growth of vegetation. It is suitable for most applications used in the garden or landscaping situations.



**Topsoil Supreme** 

Our unique Topsoil Supreme is a BS3882 Certified manufactured topsoil blended with quarried sand and 40% of our own PAS100 compost. It is ideal for multi-purpose use as it is rich with a perfect balance of natural organic nutrients and humus, with strong moisture retention ability. Great for creating new beds, lawns or vegetable plots.



**BS3882 Low-Fertility Wildflower Topsoil** 

Specially developed and certified to BS3882:2015 specification for low fertility Topsoil. This sandy loam topsoil containing our PAS 100 compost, and with a pH of 6.9, is the perfect partner for growing balanced meadow communities of native wild flowers and grasses which require a less nutrient-rich soil.



**Turf Dressing Rootzone** 

A nutrient-packed rootzone designed for top dressing lawns, divot filling, laying turf onto and sowing seed into. Application fills any hollows that may have developed in the grass surface. You can top dress using our Turf Dressing Rootzone alongside multiple varieties of grasses. Continued application will also build an ideal soil structure and rootzone for turf over the years.

# Composts



# Available in Bulk Bags or Delivered Loose

All soil conditioners and composts we produce are both organic and peat free, compliant to PAS 100 standard giving the nutrients your garden needs to flourish.

Compost is a vital part of a healthy garden, it is an eco-friendly way to inject much needed nutrients back into the ground aiding plant growth and improving soil structure.





#### **Cow Compost**

Earth Cycle Organic Peat Free Cow Compost is a nutrient-dense organic soil conditioner based on composted cow manure from our own award-winning organic dairy herd. It is compliant to PAS 100 standard and ideal for vigorous root, shoot and bud growth in roses, vegetables, fruit and herbaceous borders.



#### **Mushroom Compost**

A spent Mushroom Compost which acts as a slow-release nourishing fertiliser providing high levels of phosphate, potassium, calcium, and magnesium and is great for growing vegetables, particularly brassicas due to its slightly alkaline properties.

#### **Soil Conditioner**

Our Peat Free PAS 100 Compost Soil Conditioner is a nutrient-dense organic soil conditioner based on composted plant material. It's an ideal, all-round product for your general gardening and horticultural needs.

#### **Vegetable Compost**

Perfect for the vegetable patch. All the nutrients needed are released over many weeks as the peat free compost breaks down naturally in the soil. This natural slow release sustains strong root growth, flowering and fruiting and keeps foliage green and healthy by injecting the zest vegetable patches and allotments require.

#### **Beds & Borders Compost**

This peat-free organic compost is full of nutrients that are ideal for your beds and borders. It enriches moisture retention, which improves the drought resistance in the soil. This means that more moisture is available for your plants during dry periods, which is critical for them to flourish, giving your garden that award winning look.

## Mulch

## Available in Bulk Bags or Delivered Loose









#### **Woodland Mulch**

Earth Cycle Woodland Mulch provides nutrients to flowers, whilst leaving a lovely bark-like textured appearance to your borders. It is used extensively by landscapers for finishing off decorative areas around new housing estates and supermarkets due to its aesthetic qualities.

It can also help retain moisture in the soil, suppress weed growth, and contribute to soil health as it breaks down over time.

# Barks Available in Bulk Bags or Delivered Loose

All of our wood products are sourced from sustainable woodlands. They are suitable for a wide range of applications from improving the appearance of your garden to providing safety for children's play areas.





#### Landscaping Bark

Provides a quality graded decorative surface, which maintains soil temperature and protects plant roots from winter frost and summer sun, whilst suppressing weed growth. Our bark is produced from mixed conifer with a high percentage of spruce, with 90% of particles falling within the range of 8-35mm.

#### Playchip

A playground bark which is 100% British Hardwood from sustainable sources. This long lasting bark meets the technical certificate for safe use by children, which gives your playground the protection it needs for all to enjoy. With its easy maintenance and free draining, it provides a clean play surface all year long, which is suitable for all playground equipment.



# Finish the look

Create a clear and beautiful divide between your pebbles flower beds and paths using bark, and sleepers.

A simple but effective way to connect different areas of your garden. Complement your paths with some lighting to light up your footpath in the summer evenings.

Don't forget to check page 60 for stepping stones.

On a budget? Loose materials, such as gravel or bark, are cheaper than brick and stone.





Don't forget

Weedcheck Ultra Weed Membrane can be laid down first to prevent weeds from growing in between your pebbles. Find on page 122.





#### Faithfull Tarmac Rake

- The Tarmac Rake is used for evenly spreading loose stocks of tarmac
- Fitted with a wooden shaft
- 16 round teeth

Produc	t Code

B12827



#### Faithfull All Steel Shovel Square

A tubular shaft is welded to the socket for a strong smooth join

<b>Product Code</b>	
B 12813	

#### **Rhino Flexitubs**

Rhino flexi tubs have 1,000's of uses including; gardening, produce, landscaping, building and many more.

Size	Colour
12L	Black
26L	Black
40L	Black
<i>7</i> 5L	Black
	12L 26L 40L



#### Faithfull All Steel Fork

- Made from carbon manganese steel for strength
- The shaft is fitted with MYD handle with a wooden cross dowel for added comfort

Produc	ct Cod	е
--------	--------	---

B 11519



#### **Faithfull Bassine Broom** & Handle

Provides good sweeping performance 450mm comes with stay

Product Code	Size
B 12232	300mm
B 12233	450mm



#### Faithfull All Steel Tapered **Mouth Shovel**

- High quality carbon steel
- Solid manganese steel forged blade and correctly tempered for strength

#### **Product Code**


29143



#### **Haemmerlin Classic Black** Wheelbarrow

Easy to manoeuvre due to the narrow tray design, allowing easier access through gateways, doors and building interiors.

Product Code	Liquid Volume
63969	85L





#### Hozelock Hose Reel with 25m Hose

The Hozelock Compact Reel with 25m Hose is a free standing hose reel that is portable and is designed to be quickly and easily assembled.

Product Code	Length
32111	25m



# 28 578

#### Ciret Large Multi Purpose Block Brush

- Perfect for fences and sheds
- Suitable for all wood treatments and preservatives

Product Code	Size
B38066	140mm



#### Irwin Jack 880 Universal Panel Saw 20"

- Grip circumference, increased size for sturdy and robust feel
- Hand capacity, increased space for use with gloves and improved functionality
- 90° and 45° angles integrated in the handle for ease of marking out

Product Code	Length
14068	500mm

#### Weedcheck Ultra Weed Membrane

- All fertilizers, liquid or solid feed can be used with Weedcheck Ultra
- Allows air, nutrients and water to permeate through to the soil
- Contributes to low maintenance gardening
- No need for chemicals or weed killers
- Controls weeds

Product Code	Size
B 12698	2 x 25m - 70gsm
B 12699	2 x 50m - 70gsm



#### **Ciret Fence Care Brush**

• Suitable for all wood treatments and preservatives

Product Code	Size
B38067	100mm



# Hanson PostFix® Concrete Poly Bag

Quick setting concrete mix suitable for fence posts, gate posts and garden lighting.

Product Code	Weight
B20908	20Kg



#### Faithfull Line Pins & Line

 Used in conjunction with builders lines for marking out positions or aligning courses of brickwork etc.

Product Code	Length
16923	18m



#### **Barrier Fencing**

- Highly visible temporary fencing
- Made from durable, weatherproof and re-usable plastic
- Suitable for all types of areas

Product Code	Size	Colour	
B29059	1 x 50m	Green	
B29058	1 × 50m	Orange	



#### **Hanson Kiln Dried Sand**

- Can be used to landscape the garden and use as pot toppers with plant or foliage
- Suppresses weed and plant growth

Product Code	Weight
B 10143	22Kg



#### **Stanley Post Level**

 Built-in magnets for use on metal posts and surfaces and is supplied with heavy duty elastic

<b>Product Code</b>	
51635	



#### Stanley Fatmax Pro Box Beam Level

Product Code	Weight
52468	600mm
52471	1200mm
52472	1800mm



#### **One Line Marking Paint**

- Can be used on asphalt, grass, steel and concrete amongst other surfaces
- Touch dry in 30mins, fully cured in 24 hours

Product Code	Colour	Liquid Volume
B30165	Blue	<i>7</i> 50ml
B30166	Red	<i>7</i> 50ml
B30167	White	<i>7</i> 50ml
B30168	Yellow	<i>7</i> 50ml



#### Fencing Pin with Shepherd's Crook Top

Perfect for temporary fencing and supporting barrier mesh rolls

Product Code	Size
15693	1350 x 10/11 mm



#### **Ronseal Trade Fencing Stain**

- For rough sawn sheds & fences
- Showerproof in 1-2 hours

Product Code	Colour	Liquid Volume
B25131	Dark Oak	5L
B25135	Forest Green	5L
B25132	Medium Oak	5L
B25133	Red Cedar	5L
B25134	Tudor Black Oak	5L



#### **Bird Brand Creocote Timber Treatment**

- For sheds, posts and fences
- For use only on exterior timbers
- Available in 3 colours


Product Code	Colour	Liquid Volume
B15406	Light	4L
B15405	Dark	4L
B15407	Black	4L



#### **Cuprinol Wood Preserver**

- Actively prevents rot and decay
- Colourless preserver for interior and exterior use
- To use as a base coat before painting staining or varnishing

Product Code	Colour	Liquid Volume
7215	Clear	5L



#### **Cuprinol Woodworm Killer**

- Formulation that kills all types of woodworm
- Prevents re-infestation
- Long lasting protection

<b>Product Code</b>	Liquid Volume
7319	5L



# Cuprinol 5 Star Wood Treatment

- Kills woodworm
- Prevents re-infestation
- Prevents rot

Product Code	Liquid Volume
<i>7</i> 311	1L
7312	2.5L
<i>7</i> 313	5L

# It doesn't finish here...

Our extensive Varnishes, Wood Stains, Dyes, Preservatives & Finishing goes on and on. For more of what is available for you, check out your nearest depot or view the wide range at

coversmerchants.co.uk





#### **Cuprinol Garden Shades**

Cuprinol Garden Shades has been specially developed to colour and protect sheds, fences and other garden wood. Its special pigments ensure a rich colour and allow the natural texture of the woodgrain to shine through. It can also be applied on terracotta, brick and stone, to bring beautiful colours to the rest of the garden.

- Protects perfectly, colours beautifully
- 6 year weather protection on wood
- Suitable for wood, terracotta, brick and stone
- Beautiful matt colour enhances the grain of natural wood
- Brush or Spray

#### How much do you need?

#### 1L covers up to:

Smooth planed wood Brush: 10-12m<sup>2</sup> Spray: 4-5m<sup>2</sup>

Rough sawn wood Brush: 3-5m<sup>2</sup> Spray: 2-3m<sup>2</sup>

Coverage can vary depending on application method and the condition and type of surface.

Product Code	Colour	Liquia volume
7281	Black Ash	2.5L
B27699	Country Cream	2.5L
7270	Forget Me Not	1 L
B27697	Forget Me Not	2.5L
B27546	Natural Stone	2.5L
7274	Sage	1L
7287	Sage	2.5L
7277	Seagrass	1L
7290	Seagrass	2.5L
B27592	Urban Slate	2.5L
7276	Willow	1L
B27698	Willow	2.5L
B22699	Willow	.51

Liquid Volume







#### **OX Direct Vent Safety Goggles**

- Conforms to EN 166-1B
- Can be worn over prescription lenses

#### **Product Code**

B35860



#### **Poly Rubble Sack**

- Offer excellent tear resistance for carrying heavy materials
- Thickness: 100mu
- Ideal for building and landscaping waste

<b>Product Code</b>	Size
57359	550 x 860mm



#### **OX Visitor Safety Spectacles**

- Conforms to EN 166-1F
- Can be worn over prescription lenses

#### **Product Code**

B35861



#### **OX Thermal Grip Gloves**

The latex, grip design is proven to help hand fatigue and conforms to EN388 Standards.

- Ergonomic
- Reduces hand fatigue
- Ideal for outdoor conditions

Product Code	Size
B11694	L
B26827	XL



#### **OX Clear Safety Glasses**

Conform to EN 166

#### **Product Code**

B28799



#### OX Heavy Duty Soft Gel Filled Knee Pads

- Comfortable
- Maximum cushioning
- Keeps away moisture
- One size fits all

Product Code
B35869



#### **Countersunk Pozi Decking Screw**

- Cross recessed outdoor screws suitable for decking, fencing and sheds
- Green organic coating gives 1000hrs salt spray corrosion resistance

Box of
DOX OI
1 200
n 200
n 200
1,000



#### **Spax Wirox C4 Decking Screws**

Spax decking screws require no pre drill which results in a much cleaner cut and no splitting of wood.

- Cylindrical head
- Bit included T-star T20 bit
- C4 accredited 15 Years no red rust guarantee
- Patented zinc nickel coating

Product Code	Size	Box of	
61810	4.5 x 60mm	250	



#### **Dale Automatic Gate Catch**

<b>Product Code</b>	Finish
B 19407	Bright Zinc Plated
B 19408	Black Japanned



#### **Dale Suffolk Latch**

Product Code	Finish
36873	Bright Zinc Plated
B 19411	Black Japanned



#### **Dale Cabin Hook**

Product Code	Size	Finish
B 19436	152mm	Galvanised
B 19420	152mm	Black Japanned



#### **Dale Gate Spring**

Product Code	Size	Finish
B 19428	203mm	Bright Zinc Plated
36874	203mm	Black Japanned



#### **Dale Twisted Ring Gate Latch**

Product Code	Size	Finish
B 19410	152mm	Bright Zinc Plated
B 19409	152mm	Black Japanned



#### Dale Hasp & Staple

Product Code	Size	Finish
B 19412	114mm	Bright Zinc Plated
B 19413	152mm	Bright Zinc Plated



#### **Dale Light Tee Hinge**

Product Code	Size	Finish
B 19398	305mm	Bright Zinc Plated
B 19397	305mm	Black Japanned



#### **Dale Medium Tee Hinge**

Product Code	Size	Finish
B 19400	356mm	Bright Zinc Plated
B 19399	356mm	Black Japanned
B 19402	458mm	Bright Zinc Plated
B 19401	458mm	Black Japanned



#### **Dale Straight Tower Bolt**

Product Code	Size	Finish
B 19423	102mm	Black Japanned
B 19422	102mm	Bright Zinc Plated
B 19424	152mm	Black Japanned
B 19425	152mm	Bright Zinc Plated





#### **Dale Medium Brenton Bolt**

Product Code	Size	Finish
B 19417	102mm	Bright Zinc Plated
B 19418	152mm	Bright Zinc Plated







#### **EASYJoint All Weather Paving Joint Compound**

EASYJoint jointing compound is a very quick, effective and aesthetically pleasing way to fill joints between paving, be it natural stone or concrete flags.

It is suitable for all types of paving material provided there is a gap of at least 3mm wide and 25mm deep (narrow joint compound).

Product Code	Size	Colour
B29951	12.5Kg	Mushroom
B29952	12.5Kg	Stone Grey
B29953	12.5Kg	Basalt
B29954	12.5Kg	Buff Sand
B29955	12.5Kg	Jet Black



#### **EASYPrime**

EASYPrime is a high quality primer slurry for porcelain and natural stone paving. It provides a powerful bond between paver and wet mortar bed – ideal for porcelain paving. EASYPrime is simple and easy to use, with minimal wastage. The three 5Kg bags in the tub allow for smaller quantities to be mixed at a time.

Deliver a strong, long-lasting bond every time - with EASYPrime.

Product Code	Size
B34606	15Kg



#### **EASYGrout**

EASYGrout is a high-quality slurry grout for use on porcelain and most other paving materials.

EASYGrout mixes readily with water to give a highly flowable joint filling and grouting mortar ideal for use on floor surfaces where a high early strength, resilient, compact grout joint is needed, particularly in areas subject to early and sustained trafficking. Suitable for grouting joints internally and externally around ceramic, porcelain and natural stone tiling and clay paving slabs, filling joints from 5mm up to 25mm wide with a minimum joint depth of 20mm.

<b>Product Code</b>	Size	Colour
B38202	15Kg	Natural
B38203	15Kg	Light Grey
B38204	15Kg	Dark Grey



#### **EASYSeal**

EASYSeal SSP is designed to penetrate, seal and protect natural stone and concrete paving. Virtually invisible once applied, it allows the stone to "breathe" whilst protecting paving from all manner of substances, such as cooking and engine oils, grease and fat, food, ketchup, mustard and beverages such as tea, coffee and wine.

Ideal for protecting your paving against the excesses of the summer BBQ! EASYSeal SSP is water-based, thereby making it highly environmentally friendly.

<b>Product Code</b>	Size
B38200	5L



#### **EASY Black Spot Remover**

Special formula that cleans paving and helps to remove and prevent return of fungal growth known as Black Spot.

<b>Product Code</b>	Size
B41238	3L
B41242	5L



# EASY Artificial Grass Cleaner & Sanitiser

Fresh fragrance for use on artificial grass.

Product Code	Size	
B41228	750ml	
B41233	1L	



#### **EASY Patio & Deck Cleaner**

General paving and decking cleaner with benefit of continued performance after rinsing. Keeps working for up to 12 months!

Product Code	Size	
B41234	1L	



#### **EASY Algae Remover**

Algae cleaner which contains an active ingredient which goes on cleaning for months. Keeps working for up to 12 months!

Product Code	Size
B41232	1L
B41227	750ml



# EASYSeal Stone Sealer & Protector

Easy to apply with a clear finish, no sheen and breathable.

Product Code	Size	
B38200	5L	



#### **EASY Sealer Remover**

Water-based coating remover, like paint stripper.

Product Code	Size
B41240	5L



#### **EASY Algae Remove & Seal**

Kills algae and seals the surface to protect against further algae growth.

Product Code	Size
B41239	3L



#### **EASY Patio Seal & Protect**

Clear, water based protection for paving.

<b>Product Code</b>	Size	
B41225	3L	



#### **EASY Grass & Foliage Greener**

Clever green spray which improves the look of scorched grass or dead plants. Good for temporary use.

<b>Product Code</b>	Size	
B41230	750ml	





#### **EASY Grout Residue Cleaner**

**Product Code** 

Unique formula removes residue after using EASYGrout.

Size



#### **EASY Grease & Oil Away**

**Product Code** 

B41226

De-greasing liquid for use on oil and fat spillages.

Size

500ml



#### **Ornament & Statue Cleaner**

An excellent rejuvenator for heavily soiled garden Ornaments, Statues, Headstones & Masonry. Keeps working for up to 12 months!

12 1110111115!		
Product Code	Size	
B41231	750ml	



#### **EASY Efflorescence Remover +**

Unique formula removes salt deposits usually found on brickwork.

Product Code	Size	
B41236	1 L	



#### **EASY Porcelain Cleaner**

Effective yet gentle cleaning of all porcelain and ceramic tiles.

Product Code	Size
B41229	750ml
B38199	11



#### **EASY Masonry Cleaner**

Effective cleaning for paved areas, concrete paths and buildings. Non acidic.

Product Code	Size	
B41241	5L	



# EASY Mortar Stain & Calcium Remover

Non-Hydrochloric acid cleaner for use on paving and brickwork. Removes white Calcium deposits normally found on newly laid paving.





#### **EASY4Rust**

Specialist formula which only targets Iron Oxide. Usually used on Grey Indian Sandstone paving.

Product Code	Size	
B41237	1 L	



#### **EASYSeal Back to Black**

A unique blend of resins which dramatically enhances Black Limestone natural stone paving. Use as a surface colour restorer.

<b>Product Code</b>	Size	
B41619	1 L	



#### **Garden & Outdoor Lighting**



This easy to install plug 'n' play light system is great for your outdoor lighting. The range is ideal for illuminating pathways, plants, shrubs, decking and features.

Place the lights anywhere in your garden and keep the cables discreet by tucking them underneath stones, dirt or whatever is in your garden. Simply just plug and go, you'll have a perfectly illuminated garden to show off to your family and friends.

- Easy to install
- Ideal for illuminating pathways, decking and features
- No tools required
- Robust cable and connection



Ellumière LED 4 Stainless Steel **Small Deck Light Starter Kit** 

#### **Product Code**

B34733



Ellumière LED 4 Black Small **Spotlight Starter Kit** 

#### **Product Code**

B34734



**Ellumière LED Small Spotlight** 

#### **Product Code**

B34727



Ellumière LED Stainless Steel **Bollard Light** 

#### **Product Code**

B34729



#### Ellumière LED Deck Lights Small Stainless Steel Set of 4

#### **Product Code**

B34731



Ellumière LED Large Spotlight

#### **Product Code**

B34728



#### Ellumière LED Black **Bollard Light**

#### **Product Code**

B34730



Ellumière LED Deck Lights Large **Stainless Steel** 

#### **Product Code**

B34732



We don't just stock the kits and lights but the cables, connections, automatic light sensors and the outdoor transformers. The 12V Garden Lighting System is available from depots and online to order now.

# It doesn't finish here...

We also do Pond lighting which is available online at

coversmerchants.co.uk



#### **Iconium Timber Bollard Lighting**

Providing elite & bespoke lighting to elevate your surroundings and create an unparalleled ambience. Our exclusive products are highly sought after in the leisure, hospitality and tourism industries, lighting up caravan parks, hotels, marinas, attractions and many more places all over the country.






Stratton Double Lighting Bollard 250 x 140 x 1200mm



Stratton Double Indirect Lighting Bollard  $250 \times 140 \times 1200$ mm



Stratton Eco Softwood Lighting Bollard 95 x 95 x 1200mm



Stratton Double Solar Oak Lighting Bollard  $290 \times 140 \times 1200$ mm



Startton Single Lighting Bollard  $140 \times 140 \times 1200$ mm



Sway Flow Lighting Bollard  $140 \times 140 \times 1200$ mm



Finish off your look with our Decorative Aggregates, found on page 114, to suit any garden or landscaping design. Our selection includes gravel, chippings, pebbles, cobbles, rockery stone and boulders, in a variety of colours and styles.











#### **Cordial Luxe**

The new Cordial Luxe range is an on-trend collection for 2021, which has been cleverly crafted from tubular powder coated aluminium frames, which have been hand woven with marine grade olefin rope with a soft rubber core, which has a faster drying time compared to unfilled ropes.







#### **Roble**

Roble (pronounced 'Roeblay') is the premium hardwood used by Alexander Rose. It is a very dense wood, similar in strength to Teak, light yellow in colour and with a smooth lustre. Over time it will age and weather to a very elegant silver patina. This will not affect the quality of the product.







#### **Old England**

The Old England furniture consists of three distinctive dining sets and a Turnberry bench – two in a painted grey finish with matching benches and one in a brushed grey finish with woven bucket chairs. The furniture is finished in a durable polyurethane paint.

#### **Useful Information**

# **General Technical Information**

#### **Efflorescence**

Efflorescence can appear on all paving products as white patches or a lightening of the surface colour, but seems to disappear when wet. It is formed by a normal chemical reaction which causes calcium hydroxide (lime) to migrate through the damp paving surface and then react with carbon dioxide in the atmosphere resulting in a deposit of calcium carbonate crystals. Efflorescence is very unpredictable in its occurrence and can happen at any time of the year but is more prevalent in winter.

Although there are cleaners available, efflorescence is a natural phenomenon and will generally disappear with the natural weathering process and the passage of time. Covers cannot accept responsibility for the effect of efflorescence which can be a characteristic of all good quality products with a high cement content.

#### **Colour Variation**

#### **Block Paving**

Colour variations can occur within packs, therefore:

Ensure your paving and blocks are from the same factory as any sample you've received. Block paving should be ordered from the same batch number to avoid colour variation. Covers cannot accept responsibility once blocks are laid from different batches. Best results for laying are achieved through mixing from 3 to 5 different packs and vertical columns rather than horizontal rows. Light colours are susceptible to staining and care should be given when selecting blocks for driveways.

#### Natural Stone

All natural stone products will have colour and texture variation to a greater or lesser extent within single pieces and from piece to piece. We recommend a reasonable amount of product i.e fossils, ferns, veining and quartz. Natural stone may develop added marking, deposits or patches as mineral content oxidises.

#### Sandstone

Many homeowners choose to seal their new paving to protect it from accidental staining and to reduce the risk of allowing algae and lichens to establish themselves on the surface and joints, discolouring the paving and masking the natural beauty of the completed work. There are many different sealants on the market, providing different finishes and often changing the appearance of the paving. High gloss sealants rarely look 'natural' and can sometimes make the treated surface slippery and unsafe. Polyurethane sealants are best suited to concrete block paving rather than natural stone. If you intend to seal your paving, make sure it is completely dry and free from efflorescence. It may take a period of time to ensure that the bed underneath has fully dried out. Always use a quality natural stone sealer and follow the manufacturer's instructions. Slate

Slate has many natural characteristics, therefore, care should be taken when laying to aid/enhance the overall finished aesthetic appearance. In most cases this paving has more than one usable face, we strongly recommend the following checks be made:

- Select the best finished top surface to work with ensuring it is free from calcite mineral deposits (circular white marks)
- Dry lay the paving prior to final installation/fixing to ensure the desired shade variation is achieved throughout the patio area
- A slurry primer should be applied to the underside of Slate paving prior to laying to improve adhesion
- Do not use acidic based products during or after installation
- Natural Slate is not suitable for steps and copings

#### Concrete

Colours may vary subtly, especially in blended shades. Colours will appear different during varying weather conditions such as sunlight

#### Natural Granite

A slurry primer should be applied to the underside of Granite paving prior to laying to improve adhesion.

Do not use a resin based jointing compound with Granite.

#### Limestone

Limestone is UV sensitive and over time will lighten in colour. We do recommend sealing limestone prior to laying, or as soon after laying when practically possible. Combined colour enhancers and sealers are available that will help keep the look for longer. Never use acidic based products during or after installation.

#### Porcelain paving

Manufactured from the finest raw materials, under strict controls allows us to obtain the exceptional technical characteristics which sets porcelain paving apart. Do not use white cement nor materials containing black pigments. Finishes are intentionally manufactured with slightly uneven colour tones and surface decoration, these subtle variations set these products apart. The use of a slurry primer to the reverse of each paver is both essential and more importantly critical to the overall performance of porcelain paving. Applied to the underside using a stiff brush, it provides an exceptional bond between paver and the full wet bed underneath. Mixed to manufacturer's instructions and applied with care it forms an immediate bond which prevents the pavers from lifting or potentially moving in the future when correctly laid. Porcelain paving can be cut on site and mostly to any size. We recommend the use of a portable saw (table saw, petrol driven disc cutter, rechargeable angle grinder) fitted with a good quality diamond porcelain blade. The blade should be water fed for dust suppression and to keep the blade cool. Scoring the product first and sawing from the face downwards will help to alleviate the potential risk of edge/surface chipping. Porcelain paving can be cleaned by applying a suitable cleaner. We strongly recommend the finished laid area be thoroughly cleaned/washed down which helps remove general building dirt, grout residue and any grease deposits that may be present. It is also recommended that periodic cleaning with a porcelain cleaner will help to keep the paving looking its best. Dependent on the type of stain/surface residue present (i.e. suction marks, grease, grout, general building site dirt,) there is a wide range of off the shelf specialist cleaners available. Always check the manufacturer's instructions first before applying to any test area.

#### **Maintenance**

Paving materials require periodic cleaning to maintain its appearance. Regular sweeping to prevent the build-up of detritus is recommended. Light coloured blocks, whilst structurally sound for driveway use, are liable to emphasise tyre marks and oil spills on the driveway. It must be accepted that these products will need more maintenance if the overall appearance is to be maintained. Ask your local depot for care and maintenance products.

Care should be taken when buying cleaning agents as some varieties contain a concentration of acid, which can adversely affect the appearance of concrete products, clay, limestone and natural stone. For general cleaning of dirt and algae, vigorous brushing with a stiff yard broom with plenty of hot detergent solution (washing up liquid

# **General Technical Information**

or non-bio washing powder), thoroughly rinsed with clean water should suffice. Repeated treatment may be required for paved areas sited beneath trees or in permanent/near permanent shade. In certain circumstances, prolonged contact with wet leaves can result in staining of the paved area. Such contact should be avoided wherever practical. Certain common garden chemicals such as Ferrous Sulphate can stain paving. If chemicals are spilt on the paving remove immediately by rinsing away with clean water.

#### **Differential Weathering**

Differential weathering can cause patchy dark discolourations on the surface of individual units. Again this will generally diminish over time and will not affect long term performance. This is due to differential weathering where the surface of the paving has cured at different rates. All decorative products will weather and change appearance over time.

#### Sizes and Joint Widths

All dimensions quoted in this brochure are nominal and are for guidance only. Actual sizes will vary, particularly on the products designed to replicate natural stone which have features such as riven profiles and fettled edges. Where space is critical, we recommend dry laying the product to check area required (especially circles and patio feature kits). The sizes and quantities given in the paving pages usually allow a nominal 10-15mm joint width.

#### Stock

Certain products may not be held as stocked items. Covers are happy to order in whatever product it is that you may require that it is not stocked.

#### **Characteristics and Expectations**

Containing wood fibres that are susceptible to differences in colour and appearance, means it is normal for SmartBoard:

- To experience some colour variation between boards
- To experience some weathering, to a lighter shade than the original colour/shade
- For the striped look of the ribbed face of boards to become less prominent with time

Having a brushed matt surface, means it is normal for SmartBoard:

- To become marked if scuffed during fitting or in use
- Marks caused by scuffing will gradually fade
- To experience tidemark type water staining after the first few bouts of heavy rain. The appearance of tide mark staining will diminish and become less apparent with time as the washing effect of rainwater and weathering effect of ultra-violet light reduces over time
- To be less resistant to staining compared to alternatives encapsulated with a 100% plastic cap/wrap

Made, in part from plastic, means SmartBoard:

- Will expand and contract across its width and along its length as the weather conditions change from season to season
- Will become hot when in direct sunlight
- Should not be installed when site conditions are excessively hot or cold

#### **Essential SmartBoard Advice**

Construction

- Fit over joists placed at 400mm centres, when boards are perpendicular to joists
- Fit over joists placed at 300mm centres, when boards are aligned at 45 degrees to joists
- Maintain a 5mm gap between ends and sides of adjacent boards
- Maintain a 10mm gap between ends and sides of boards
- Adjacent to a permanent structure/fixture

#### Fitting

- Fit SmartBoard over double joist construction where boards are butted end to end
- Using the drill bit supplied in each box of SmartBoard screws, pre-drill two 4.5mm pilot holes at every joist junction, taking care to maintain a 20mm distance to any edge and not to drill into the joist below. Fitting screws through pre-drilled 4.5mm holes eliminates excess drive friction:
- Making for an easier and better job
- Reducing the chance of damaging the screw heads protective coating
- Making for a neater appearance, as screw head depth is easier to control regardless of the type of drive tool used
- Making it easier to extract screws should a board need removing in the future
- Fit SmartBoard decking screws (20 per board at 400mm centres, 26 per board at 300mm centres) through 4.5mm pre-drilled holes taking care to align the head of the screw flush with the surface of the decking
- Do not use any other type of screw or fixing to fit SmartBoard



## **Covers Accounts**

We have a variety of trading options to suit your requirements. Ask in depot today or download your preferred choice from **coversmerchants.co.uk** and apply today.

If you have any queries regarding your application please telephone: **0844 858 4040** 

#### **Credit Account**

Covers offer a 30-day account to qualifying customers on trade terms so that you can buy everything at the right price, with account facilities of invoices and statements to your office and planned payments dates.\*

For a Company Credit Account Application form for sole traders/partnerships/individuals or LTD/PLC/LLP companies, please contact either your local branch or email: applications@coversmerchants.co.uk

\* Credit references required. Terms and conditions apply



#### **Depot Account**

The Covers Depot Account offers the benefits of a Credit Account in terms of invoices and statements but no credit is offered. Ideal for a small trader who may send one of their team to collect goods and does not wish to give them cash or to lose the invoices. For a Depot Account Application please contact either your local branch or email: applications@coversmerchants.co.uk



#### **Trade Card**

If you prefer to pay for things as you go, download the Covers Trade Card Application form from: **coversmerchants.co.uk** or contact either your local branch or email: **enquiries@coversmerchants.co.uk** 

You get trade terms, which means you don't have to negotiate every time you pay.



#### **DIY Discount Membership**

The Covers DIY Discount Membership entitles you to purchase products at a discounted price. There are, however, certain lines which will not attract any discount. It may be used at any department in any of our depots. You can download the DIY Discount Membership Application form from:

**coversmerchants.co.uk** or contact either your local branch or email: **enquiries@coversmerchants.co.uk** 



#### Web Account

Create a web account and you will be able to:

- Shop online using your termed prices agreed with your depot
- View order history and easily reorder products
- Store multiple shipping addresses

For more information and to register, visit **coversmerchants.co.uk** 



Notes



# LANDSCAPING

## Patios | Block Paving | Fencing | Decking

Aldershot   Blackwater Park	Hampshire	GU 12 4PQ	01252 320554	sales.aldershot@coversmerchants.co.uk
Alresford   3 Prospect Road	Hampshire	SO24 9QF	01962 738666	sales.alresford@coversmerchants.co.uk
Bognor Regis   Station Yard	West Sussex	PO21 1BT	01243 863100	sales.bognor@coversmerchants.co.uk
Brighton   Home Farm Road	East Sussex	BN1 9HU	01273 607044	sales.brighton@coversmerchants.co.uk
Burgess Hill   Victoria Gardens	West Sussex	RH 15 9NB	01444 233358	sales.burgesshill@coversmerchants.co.uk
Chichester   Quarry Lane	West Sussex	PO 19 8PE	01243 785141	sales.chichester@coversmerchants.co.uk
Gosport   Gunners Way	Hampshire	PO 12 4DW	023 9260 4400	sales.gosport@coversmerchants.co.uk
Horsham   Foundry Lane	West Sussex	RH13 5PX	01403 253123	sales.horsham@coversmerchants.co.uk
Lewes   Cooksbridge	East Sussex	BN8 4TJ	01273 476133	sales.lewes@coversmerchants.co.uk
OTBS Bexleyheath   Upland Road	Kent	DA7 4NR	020 8304 8777	sales.otbs@coversmerchants.co.uk
Portsmouth   Norway Road	Hampshire	PO3 5FT	023 9267 1900	sales.portsmouth@coversmerchants.co.uk
Rudgwick   Brookside Rural Park	West Sussex	RH12 3AU	01403 824111	sales.rudgwick@coversmerchants.co.uk
Southampton   Empress Road	Hampshire	SO 14 0JW	023 8055 6996	sales.southampton@coversmerchants.co.uk
Tunbridge Wells   Longfield Road	Kent	TN2 3EY	01892 533326	sales.tunbridgewells@coversmerchants.co.uk



Your local depot



Phone 0844 858 40 40



Shop online at coversmerchants.co.uk





How did we do? Trustpilot

