



Timber & Builders Merchants

coversmerchants.co.uk

Welcome Landscaping for living

At Covers, we offer a full range of quality landscaping products that will inspire and excite.

Whether its replacing your driveway or creating the ideal area to relax and unwind, we have everything you need for designing stylish and stunning outdoor spaces.

Our landscaping specialists are on hand to answer your questions and will help you select the best solutions to meet your needs.









Contents

Paving	
Porcelain Paving	6
Natural Stone Paving	13
Concrete Paving	16
Driveways	
Driveways	22
Paving & Driveway Accessories	

Walling, Edging, Coping & Stepping Stones	34
Drainage	44

Decking & Sleepers

3	
Timber Decking	50
Composite Decking	58
Paving & Decking Pedestals	66

Fencing & Accessories	
Fence Panels & Trellis	72
Composite Fence Panels	80
Composite Balustrades	83
Bespoke Metal Fencing & Gates	85
Fencing Accessories	86
Garden Screening & Cladding	96
Arches, Arbours & Pergolas	102
Garden Buildings & Sheds	108
Gates	112
Artificial Grass, Aggregates & Topsoil	
Artificial Grass	116

Artificial Grass, Aggregates & Topsoil	
Artificial Grass	116
Decorative Aggregates	120
Topsoil, Compost & Bark	122
Finishing Touches	

Composite Decking	58	Finishing Touches & Accessories	128
Paving & Decking Pedestals	66	Useful Information	
Sleepers	68	General Technical Information	140



Choosing the right Paving for your project

Porcelain

Our beautiful range of porcelain paving truly gives you the best of both worlds.

Porcelain paving is formed by baking a mixture of clay, sand and other minerals in a high temperature kiln producing an incredibly durable and non-porous material.

Being resistant to water absorption ensures that porcelain paving requires lower maintenance. There's no need to apply a sealant as pavers are already stain and mildew resistant. Liquids such as oils and chemicals cannot penetrate the surface, so they can easily be cleaned away. An exceptionally dense material, porcelain paving is extraordinarily hard-wearing.

Porcelain paving is produced to be used outdoors, meaning it has a slightly rougher surface texture than indoor tiles with a smoother surface.

- Hard-wearing, scratch resistant
- Slip resistant
- Machine cut for a perfect thickness
- A premium high quality product





Concrete

A range of concrete paving that combines style, strength and design flexibility.

Concrete, or reconstituted stone paving, is formed by moulding a mix of stone, sand, cement and water before being left to cure. The result is a strong, durable paving with endless colour and surface texture options, combinations of which can help to create a contemporary or traditional look within your garden.

Concrete paving moulds are created from perfect versions of the desired shape and profile.

- Strong and hard-wearing
- Traditionally available in riven textured or smooth



Natural Stone

Natural stone encompasses ranges using natural sandstone, limestone, granite and slate.

All ethically sourced from around the world, each paver is different from the last with variations of colour and texture determined by nature over thousands of years.

All natural stone is incredibly strong and hard-wearing. We go to extra lengths to source only the finest quality stone.



- Strong and hard-wearing
- Calibrated machine cut for a perfect thickness

Be inspired...

for 2023 decorate your garden with a range of accessories and finishing touches.

When it comes to your garden and outdoor space this summer, there's a lot of different colours you could use to create a tranquil space. With white, grey and blue still being some of the most used colours for the summer, it seems that for 2023 we are looking at a more Mediterranean style with rich, earthy, tangerine tones of terracotta and varying sizes of foliage and posts with some eye catching accessories to create your own piece of heaven in any outdoor space.





BRADSTONE



Rock

Stunning, hard-wearing paving.

This stunning paving is designed to replicate Natural Sandstone in Silver Grey. Perfect for both modern and traditional properties, it's also hard-wearing, scratch-resistant and lower maintenance.

Thickness: 20mm

Sizes available:

900 x 600mm

Top image: Rock Silver Grey Paving



Silver Grey



BRADSTONE



Mode® Profiled

Our Mode® Profiled range is an all encompassing Porcelain range. The highlight of this paving is its fine riven texture containing mica crystals that glitter in the light, creating a sparkling shimmer effect. You'll also notice the subtle diagonal ribbon of colour, creating a unique design feature. We offer a 10mm version to allow you to use this paving indoors. We also have a range of steps, edging and coping that allow you to create a coordinated look for your garden

For general technical information go to page 140.

Thickness: 20mm - 10mm (internal)

Sizes available:

295 x 295mm

595 x 295mm

595 x 595mm

895 x 145mm

895 x 445mm



Graphite



Silver Grey

Patio Pack:

18.36m²

Top image: Mode® Profiled Silver Grey Paving



Honey Gold



Dark Grey



Madera® Antigua

Madera® Antigua brings an authentic aged timber look to any garden but without the warping or degradation associated with real wood. It's strong, lower maintenance, durable and fade-resistant. Madera Antigua comes in two shades, each with subtle variations. This paving can also be used to create a feature border to your garden design.

Available in a 900 x 150mm single sized paver, Madera Antigua comes in two shades, each with subtle variations.

Thickness: 20mm

Sizes available:

900 x 150mm





Oak

Main Image: Madera® Antigua Oak Paving

BRADSTONE



Tatra®

Having received a stylish update for 2023, our new and improved range of Tatra® Porcelain is now available in three colours and sizes. This range is designed to replicate Natural Stone and features many of its unique characters such as its distinct veining whilst having all the benefits of Porcelain. Each paver is fully rectified with precision edges for easy laying.

Please note these pavers will not be compatible with the previous range of the same name.

Thickness: 20mm

Sizes available:

600 x 600mm 900 x 600mm 1200 x 600mm

Main Image: Tatra® Beige Paving



Dark Grey



Light Grey

Slurry Primer

A high bond primer for use on natural stone and porcelain paving. Specifically designed to bond non-porous paving to a wet mortar-based bedding layer. Easy to mix, then simply apply to the underside of the paving.



Jointing Compound

A high-quality slurry grout for use on porcelain. A cementitious grout which is applied as a slurry unlike traditional floor tile grouts. Easy to use. Simply mix, pour, sweep, and rinse.

BRADSTONE



Arenaria®

Designed to replicate natural stone effect but with consistently accurate sizes for ease when laying, this paver is laid with thin joints for a traditional feel with a contemporary twist.

Thickness: 20mm

Patio Pack: Pack consists of:

 $30 = 595 \times 595 \text{mm}$ $36 = 595 \times 295 \text{mm}$

 $12 = 295 \times 295$ mm

Main Image: Arenaria® Cream Paving



Cream



Light Grey



Dark Grey

Don't forget

EASYJointSelect

A quick and effective way to fill joints between porcelain paving.

This new range of colours has been specially selected for a more aesthetically pleasing finish for modern taste.



Available in Jet Black, Tungsten, Carbon & Bronze



Natural Sandstone

Natural Sandstone will give your patio that touch of exclusivity. The many natural tonal variations, differing riven profiles and exquisite natural veining makes every paver unique. This range offers four beautiful natural shades, varied shapes and individual textures so you have a wealth of design possibilities. Also available in Natural Sandstone Setts and circle packs in up to four shades with complementary walling and edging.

Thickness: 22mm

Sizes available:

300 x 300mm

600 x 300mm

600 x 600mm

900 x 600mm

Patio Pack: 15.30m²

Autumn Green Silver Grey



Fossil Buff

Sunset Buff

Available in Setts, Circles & Squaring Off Kits

Main image: Natural Sandstone Silver Grey Paving

Colour variations in all natural stone products



Natural Limestone

Natural Limestone offers outstanding beauty with unique shades and distinctive natural veining. At the same time, it has superb strength and durability, ensuring your patio looks great for years to come. Available in two stunning colours, Blue-Black and Azure, each colour varies in shades due to the natural element of the paving. As a matter of course Natural Limestone will fade in the sunlight, adding to its beauty.

Thickness: 20mm

Sizes available: *

600 x 300mm 600 x 600mm 900 x 600mm

Packs: 15.30m²

Pack consists of:

 $13 = 900 \times 600 \text{mm}$ $13 = 600 \times 300 \text{mm}$ $13 = 600 \times 300 \text{mm}$

*Available in Blue-Black only

Main image: Natural Limestone Azure Paving

3



Blue-Black



Azure

Colour variations in all natural stone products

BRADSTONE



Natural Granite

Natural Granite brings a modern and minimalist feel to any outdoor space thanks to its straight machine cut edges and textured top surface. Also available in Natural Granite Setts.



Silver Grey

Thickness: 25mm

Sizes available:

300 x 300mm 600 x 300mm 600 x 600mm 900 x 900mm

Main Image: Natural Granite Silver Grey Paving

Colour variations in all natural stone products



Silver Grey Sett



Dark Grey Sett



Silver Grey Sett

Product	Size	Colours	Units/ pack	m²/pack linear m/pack	Units/m² Units/linear m
Split all sides*	100 x 100mm	SG	900	10.84	83.00
Sawn, flamed & tumbled	200 x 100mm	DG	480	11.08	43.30
Sawn & flamed	200 x 100mm	SG	480	11.08	43.30
Sawn & flamed	ZUU X IUUmm	3G	480	11.08	43.30

Thickness: 30mm *50mm, Joint width: 10mm *5-15mm



Old Town® ECO

Lower carbon footprint, same premium quality. We've lowered the carbon footprint of our Old Town® ECO mix by more than 20% - but still with the same great quality as before. Made using moulds of the floor of a 19th century Lancashire Cotton Mill, it's finish looks just like authentic reclaimed stone. So you can relive the charm of days gone by, original tooling marks, weathered edges and all. There are over 25 different profiles in the range to give a truly authentic appearance to your patio. Making it perfect for creating a garden with a traditional look, while reducing your carbon footprint too. Also available in circles, walling, coping and edging in all shades.

Thickness: 40mm

Patio Pack: 6.4m²

Sizes available:

300 x 300mm

600 x 300mm

600 x 600mm

900 x 600mm

Main Image: Old Town® ECO Grey Green Paving





Grey Green



Old Quarried



Peak


Peak utility paving is a tough, hard-wearing and low-cost paving solution, making it the perfect base for utility areas and sheds. However, it should not be used for feature areas.

Thickness: 35mm, *32mm, **28mm

Sizes available:

Riven Smooth 400 x 400mm 450 x 450mm* 450 x 450mm* 600 x 600mm 600 x 600mm**

Main Image: Peak Riven Dark Grey Paving





Textured

Textured paving offers the perfect balance of flair and function. It incorporates fine white limestone chippings to provide a softened appearance.

Thickness: 32mm, *35mm

Sizes available:

450 x 450mm* 600 x 600mm

Main Image: Textured Buff Paving





Regency

Concrete shallow riven surface with wide range of colours and can be used to create almost any look.

Thickness: 38mm (nominal)

Sizes available:

300 x 300mm


450 x 225mm

450 x 450mm

600 x 300mm

600 x 600mm

Main Image: Regency York Paving



Nominal - Thickness may vary across the paver due to wet cast



Flagstone

Concrete riven edge paving, reproduces and captures the elegance of natural York stone. Selected to suit regional character of traditional gardens.

Thickness: 38mm (nominal)

Sizes available:

300 x 300mm

450 x 225mm

450 x 300mm

600 x 300mm

450 x 450mm

600 x 450mm

600 x 600mm

Project Pack: 9m²

Main Image: Weathered Old York Paving



Nominal - Thickness may vary across the paver due to wet cast

Don't forget

EASYJoint

EASYJoint is the original all-weather sweep-in jointing compound for paving, paths and patios. Creates strong, flexible and permeable joints.



Available in Mushroom, Stone Grey, Basalt & Buff Sand.



Sussex


Concrete slab with textured surface and straight lines means a simple attractive area can be created by DIY and professionals alike.

Thickness: 38mm (nominal)

Sizes available:

 450×450 mm 600×600 mm

Main Image: Sussex York Paving





Grey



Slate



York

Nominal - Thickness may vary across the paver due to wet cast



Sovereign

Concrete slab that captures the smooth time worn look of chancery settings.

Thickness: 40mm (nominal)

Sizes available:

300 x 300mm

450 x 300mm

450 x 450mm

600 x 300mm

600 x 450mm

600 x 600mm

900 x 600mm



York



Gold

Project Pack: 9m²

Main Image: Sovereign Gold Paving

Nominal - Thickness may vary across the paver due to wet cast



Nordic

With its fine stippled surface and timeless design Nordic paving allows you to create a modern minimalist look for your garden. Two distinct colours are available to reflect the contrasting nature of Scandinavian style.

Thickness: 35mm (nominal)

Sizes available:

600 x 450mm

Main Image: Nordic Stone Paving





Nominal - Thickness may vary across the paver due to wet cast

Your guide to Driveways

Your driveway is usually the first thing you see when approaching your house. You therefore want it to provide a statement about your home, to invite people in, as well as to provide easy access.

Our driveway paving product range will help you achieve all of these objectives – and can add real long term value to your home. Our blocks come in different depths for different uses as follows:

- Light usage: 50mm blocks for driveways, patios, and pathways suited to normal family cars.
- Medium usage: 60mm blocks for adopted highways, hardstanding areas and other roads suited for occasional delivery lorries.
- Heavy duty usage: 80mm blocks for heavy duty pavements, for instance for oil deliveries, refuse lorries, etc.

Concrete Paving

Concrete blocks not only offer a robust solution for your driveway paving but also come in a multitude of styles, textures and colours. Whether you want to achieve a contemporary look with smooth surfaces and clean lines, or a more traditional style with aged, tumbled surfaces, the design flexibility and easy installation of concrete block paving makes it a popular choice.



Permeable Paving

This has been proven to be a highly effective way of minimising surface water run-off whilst giving you all the aesthetic options you need to create a beautiful driveway. Some designs will even collect water for reuse in the garden. Did you know that - If you are paving an area greater than $5m^2$ homeowners have a legal obligation to avoid surface water draining onto public highways from their property? Brett can offer you a number of options to meet this responsibility without requiring planning permission.







Invicta Trio

This is an innovative product that uses a unique combination of natural aggregate on the top surface to create a hard wearing long lasting paving solution, whilst offering a stunning vibrant finish with a hint of sparkle.

Thickness: 60mm

Sizes available:

Large - 210 x 140mm Medium - 140 x 140mm Small - 105×140 mm

Invicta Trio Packs: Large \times 162, Medium \times 162 & Small \times 108 = 9.53 m^2

Also, available in 80mm single sizes (600 x 200mm, 200 x 100mm, 200 x 200mm, $300 \times 200 \text{mm} \& 300 \times 100 \text{mm}$) and Flow (215 x 115 mm).

Main image: Invicta Trio Onyx paving with Invicta Pearl Boarder



Onyx



Moonstone



Pearl



Citrine

Driveways





Aura

The perfect courtyard cobble with a tumbled, riven surface and a delicate sparkle. Available in two plan sizes and two colours.

Thickness: 60mm

Sizes available:

Stone: 171 x 114mm (Units/pack - 385)

Square Stone: 114 x 114mm (Units/pack - 539)

Main image: Aura Silver Fleck Driveway Paving



Silver Fleck



Bronze Fleck





Lugano Trio

Available in either a light, Misty Grey finish or a darker Graphite Grey, Lugano can be used in either one or both tones to create highlighted focal points, pathways, or borders.

Thickness: 60mm

Sizes available:

Mixed sizes

Units/pack: 378 per pack

Main image: Lugano Trio Graphite Grey with Misty Grey Driveway Paving



Misty Grey



Graphite Grey

Driveways





Lugano Flow

Consisting of distinctive tones and textures of our popular Lugano Block Paving range, combined with our unique nib design which allows surface water to drain between the blocks, preventing urban flooding.

Thickness: 80mm

Sizes available:

 210×140 mm (Units/pack - 224)

 140×140 mm (Units/pack - 336)

 105×140 mm (Units/pack - 420)

Main image: Lugano Flow Graphite Grey Driveway Paving



Misty Grey



Graphite Grey





Beta Trio

Clean lines and smooth surfaces for contemporary drives.

Thickness: 60mm

Sizes available:

 210×140 mm (Units/pack - 180)

 140×140 mm (Units/pack - 120)

 105×140 mm (Units/pack - 120)

Beta Trio Packs: 10.58m² - subject to location

Main image: Beta Trio Silver Haze Driveway Paving



Silver Haze



Autumn Gold



Rustic Bronze

Driveways





Alpha

With a distressed, aged look that's in keeping with most surroundings, it isn't surprising that Alpha is one of our most popular paving styles. The Alpha range is available in three single-size packs and a mixed-size TRIO pack, which contains three sizes of block in one pack.

Thickness: 50, 60 & 80mm

Alpha Sizes available:

Large: 210 x 140mm (Units/pack - 352) Medium: 140 x 140mm (Units/pack - 528) Small: 105 x 140mm (Units/pack - 702)

Alpha Trio Packs:

Mixed sizes

Units/pack:

50mm - 10.82m² - 490 per pack 60mm - 8.94m² - 406 per pack

Main Image: Alpha Trio Brindle Driveway Paving







Alpha Flow

Alpha Flow combines the great appearance of our ever-popular Alpha paving with a special nib to create a permeable solution.

The nib design allows surface water to drain between the blocks, and into a specially designed substrate. This makes Alpha Flow an ideal solution for permeable paving design as part of a sustainable draining system.

Thickness: 60 & 80mm

Sizes available:

 $210 \times 140 \text{mm} (\text{Units/pack} - 352)$ Large: 140×140 mm (Units/pack - 528) Medium: Small: $105 \times 140 \text{mm} (\text{Units/pack} - 702)$

Main image: Alpha Flow Charcoal Driveway Paving



Autumn Gold



Brindle



Charcoal

Driveways





Regatta Trio

The classic riven sett appearance for traditional driveways.

Thickness: 60mm

Sizes available:

Small - 105×140 mm Medium - 140 x 140mm Large - 210 x 140mm

Regatta Trio Packs: Mixed sizes packs - 8.50m² - subject to location

Main image: Regatta Trio Silver Haze Driveway Paving



Autumn Gold



Silver Haze





Delta

Designed to compliment the popular Omega range, Delta is a larger format block that provide contemporary looks, whilst resulting is fewer joints and faster coverage.

Thickness: 50mm

Sizes available:

266 x 133 mm

Units/pack:

 $286 \text{ units} = 10.19 \text{m}^2$

Main image: Delta Autumn Gold Driveway Paving







Brindle



Silver Haze

Driveways





Omega

Concrete block paver with modern lines and a wide colour range to suit all tastes.

Thickness: 50, 60 & 80mm

Sizes available:

200 x 100mm

Main image: Omega Autumn Gold

Driveway Paving





Omega Kerb An addition to the generic kerb units that are designed to fit with ranges Omega, Delta, Beta & Regatta.

Sizes available: 200 x 100mm Thickness: 60 or 80mm Units/pack: 308 Linear Meter per Pack: 61.6m

Colours available: Brindle & Charcoal





Omega Flow

Ideal for integrating into a sustainable draining design, without sacrificing aesthetics.

Thickness: 60 & 80mm

Sizes available:

215 x 115mm

Units/pack: 404 per pack

Main image: Omega Flow Autumn Gold

Driveway Paving





Charcoal










Burnt Oak

Autumn Gold

Brindle






Natural Stone Walling Slips

This range of walling slips comes in Natural Slate and Natural Sandstone with a set of complementary shades for a superb natural stone look. Walling slips stick to a block wall using Bradbond walling adhesive. The slips are Z-shaped giving the appearance a random look. There are also end pieces available to finish off straight walls. Natural Stone or Porcelain is ideal as complementary coping for these walls.

Top Image: Natural Stone Rustic Gold Walling Slips



Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Sandstone Slips*	650 × 150mm	FB/SB/SG	6	0.54	11.11
Sandstone Slip Ends*	400/250 x 150mm	FB/SB/SG	2×6	0.54	N/A
Slate Slips^	650 x 150mm	BB/RG	6	0.54	11.11
Slate Slip Ends^	400/250 x 150mm	BB/RG	2×6	0.54	N/A

Thickness: * 17-30mm, ^10-20mm, Joint width: Butt

Walling, Edging, Coping & Stepping Stones



Natural Sandstone Walling

A perfect complement to Natural Sandstone paving, these fully rumbled, double-sided blocks are easy to use for both straight and curved walls. Also ideal for step risers, fire pits or barbecues.



Silver Grey




Fossil Buff

Main Image: Natural Sandstone Silver Grey Walling

Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Mixed sizes	N/A	FB/SG	285	5.70	N/A

Thickness: 55 - 75mm, *35 - 40mm Joint width: 10 - 15mm Mixed size pack contains: 285 blocks (60 No. 325×100 , 100 No. 270×100 and 125 No. 215×100 mm)



Countrystone Walling

This fully rumbled, mainly double-sided product – available in three sizes – has been designed to complement traditional style paving.

Main Image: Countrystone Buff Walling



Buff

Product	Size	Units/ pack	m²/pack linear m/ pack	Units/m² Units/ linear m
Full block	290 x 136mm	57	2.50	22.80
Full block	290 x 63mm	228	5.00	45.70
Full block	215 x 63mm	288	4.70	60.90

Thickness: 90mm Joint width: 10mm



Pitched Walling

These pitched, predominantly double-sided single blocks can be used to easily build both straight and curved walls. They are available in three sizes and two shades and are designed for use with Textured Coping.

Main Image: Pitched Buff Walling





Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Pitched walling	290 x 136mm	Bf/Gy	50	2.20	22.80
Pitched walling	290 x 63mm	Bf/Gy	216	4.70	45.70
Pitched walling	215 x 63mm	Bf/Gy	202	3.30	60.90

Thickness: 90mm Joint width: 10mm



Natural Sandstone Edging

This versatile riven profile can be used as both edging and coping for walling. It beautifully complements Natural Sandstone paving.

Main Image: Natural Sandstone Fossil Buff Edging



Fossil Buff

Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Edging	450 x 160mm	FB	28	12.88	2.20

Thickness: 35 - 40mm Joint width: 10 - 15mm

Walling, Edging, Coping & Stepping Stones



Old Town Edging

This traditional round top edging has a pleasantly weathered Yorkstone-effect profile. It complements Old Town paving and walling.

Main Image: Old Town Grey-Green Edging




Grey-Green



Weathered Limestone

Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Old Town edging	450 x 200mm	GG/WL	34	15.30	2.20

Thickness: 50mm Joint width: 10-15mm



Stonewood Sleeper Edging

These rugged, rustic wood-effect sleepers have weathered, authentic profiles and are available in three sizes.

Main Image: Stonewood Sleeper Antique Brown Edging



Antique Brown

Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/ linear m
Stonewood Sleeper edging	900 x 250mm*	AB	23	20.90	1.10
Stonewood Sleeper edging	600 x 250mm	AB	29	17. 70	1.60
Stonewood Sleeper edging	250 x 250mm	AB	46	12.00	3.80

Thickness: 40mm, 50mm* Joint width: 5mm



BRADSTONE

Textured Edging

Available in two subtle and elegant shades, this medium textured edging beautifully complements Textured paving.

Main Image: Textured Buff Edging



Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Textured edging	580 x 275mm	Bf/Gy	20	11.80	1.70
Textured edging	580 x 136mm	Bf/Gy	24	13.92	1.70

Thickness: 50mm Joint width: 10mm



Mode Profiled Coping

Available in four shades, this coping is ideal to complement or contrast porcelain paving, depending upon the look you desire.

Main Image: Mode Profiled Coping



Product	Size	Colours	Units/pack	m²/pack linear m/pack	Units/m² Units/linear m
Mode Profiled Coping	600 x 300mm	Bg/SG/ DG/Gr	3	1.80	1.67

Thickness: 20mm Joint width: 5mm



Wild Stone Panels and Slips

Create your masterpiece with Wild Stone to transform any wall or paving into a stylish garden feature. Available in a wide range of colours, textures, finishes and stones — it is a complete, high performance system specially designed to face your project with authentic natural stone, engineered stone or brick. It's lightweight and has L-shaped corner quoins that make it fast and easy to install.

WILD STONE[™]

Engineered Stone Panels & Slips

With all the natural aesthetics and visual appeal of traditional quarried stone, our Engineered range offers a smart alternative to granite, limestone, sandstone and slate as it combines superior strength with reduced structural loadings. At less than 50Kg per m² which makes easier to handle and suitable for a variety of applications. With L-shaped corner quoins on all ranges and jointed and unjointed options, suitable for trade, self-build or DIY. Available in a variety of textures and colours that replicate any traditional applications.



Broken Rock - Etna



Broken Rock - Champagne



Ornel - Como



Broken Rock - Oxid



Ornel - Valencia



Ornel - Nerro

Natural Real Stone Simplified

Our Natural range has been designed to simplify the use of natural stone with Z-shaped panels made from slips of real stone. These panels fit seamlessly together, making them both fast and easy to install — achieving a real stone finish at a fraction of the price. Our panelling system also includes L-shaped corner quoins for speedy installation and eliminates the need for specialist labour and virtually no waste. Panels are quicker and easier to install, and don't require you to plan the layout of individual slips ahead of time.



Carbon



Jurassic Granite



Stacked Carbon



Devon Slate



Alpine Blend



Champagne Quartz



Celtic Blend





Available in panel, quoin and slips.





Stepping stones are a charming feature in any garden. Set in lawns and gravel or even in borders interspersed with planting, they offer a practical way to walk about your garden, add interest and character.

Random Stepping Stone



Stonewood Stepping Stone



Natural Sandstone Stepping Stone



Fossil Buff

Natural Limestone Stepping Stone



Blue-Black

Product	Size	Colours	Units/pack	Thickness
Natural Sandstone†	300 x 450mm	FB	56	22mm
Natural Limestone†	300 x 450mm	ВВ	56	22mm
Random	450 x 350mm	WG/WB	70	32mm
Stonewood	290 - 450mm	AB	36	50mm

[†]Please note: Natural stone varies in colour and mineral content.

Drainage



HexDrain

Applications: Suitable for garage thresholds, pedestrian precincts, patios and paths






RainDrain

Applications: Suitable for garage thresholds, pedestrian precincts, patios and paths







Complete the Look

Enhance your patio or driveway with ACO's elegant and modern 'Complete the Look' gratings. Designed to be used with ACO's best-selling domestic drainage channels ACO HexDrain and ACO RainDrain, a choice of styles ranging from contemporary stainless steel to antique cast iron options are available to provide the perfect finish.







GroundGuard

Applications: Suitable for driveways, access routes, paths, shed bases, private and public parking





Applications: Suitable for garage thresholds, pedestrian precincts, patios, paths and block paving





Applications: Suitable for block paving, driveways and small private car parks







Your complete guide to

Timber Decking

Our range of timber decking has been pressure treated to ensure extra durability and low maintenance. Machine grooved and preservative treated, timber decking will add a natural effect to any outdoor space.


- Water resistant
- Rot, fungi and moisture resistant
- Preservative treated for increased stability
- Made from responsibly sourced wood
- Can be drilled and sawn



Hardwood or softwood decking?

Hardwood decking is often popular because hardwoods are naturally more resilient against rot and degeneration. However, softwood decking boards are also a great choice as they are high-pressure treated to UC3, giving similar performance.

Decking boards are a great solution for covering concrete that has been damaged and become unsightly over a period of time, and decking boards are a great deal nicer.



Decking...

Composite Decking

Our range of composite decking will suit all tastes and styles and is a great alternative to timber. Highly durable, easy to install and simple to maintain, it's the perfect addition to any garden.

- Easy to maintain
- Will not warp, splinter or rot
- Slip resistant
- UV resistant
- Contains recycled materials
- Stain resistant







Decking ideas...

Ideas to inspire a decking project

Thinking of adding some decking to your garden? Our decking design ideas are here to inspire you. There are lots of ways you can use this versatile landscaping option in your garden.

So, whatever the size of your outdoor space, having an area of decking is a great way to enjoy it. Whether you want a ground-level or a multi-layered deck, or one with a sandpit set into it for the kids to enjoy, we have lots of suggestions.




Things to think about...

When creating a decking space, think about the typical use and as a patio alternative, a flat decked area can be connected to the any area of your home, to where you have garden furniture such as loungers or a table and chairs.

Another way of utilising decking could be to create a walkway to your main deck or even patio by using decking boards to create steps or a path.

It can also be turned into built-in seating for a seamless look that has a great contemporary feel.







Personalise decking with accessories


Railings or balustrade are a must-have on raised decking to make sure it is safe to use. You can choose between railing kits, or you can design your own with panels and posts. As well as being safe, they add a decorative touch, so are not exclusively for raised decking, but for ground-level decking too.

Not only will decking transform the appearance of your garden it will help to extend your overall living space and provide a great area outside for dining, entertaining or simply relaxing and watching the world go by.



CoverDek is Covers own branded decking that is produced in our mill at Chichester. The CoverDek system we provide includes Softwood or Hardwood, Baserails, Newels, Handrails, Spindles and Joists. The system has been designed to enable the end user to construct a complete deck at an affordable cost.





Covers Treated Reversible Decking is high pressure treated with Tanalith 'E' (or similar) to enhance resistance to water and damp. Each piece is kiln dried to help improve stability, strength, durability and straightness, making it suitable for use in your outdoor space. The decking boards are reversible so you can choose a style that will suit your home.

Imported from Scandinavia, our timber is grown in managed forests with extremely long growing cycles.

Softwood Decking



Product Code	Sizes	
SDT32125	32 x 125mm	
SDT32150	32 x 150mm	
T2608	38 × 125mm	

Ultra Decking



Product Code	Sizes	
T2245	38 x 150mm	



Hardwood Decking



Our CoverDek Balau hardwood decking is really suited to a country with a climate like ours as it is so hard-wearing, knot-free and very pleasing to the eye with its different shades of orangey brown. It is a tropical hardwood, which is very tightly grained, hence very hard-wearing and very durable.

• High quality, tropical hardwood

Product Code	Sizes
HWD25150	25 x 150mm



CoverDek Base Rail

Softwood Treated Base Rail Ex 25×75 mm - 1800mm and 2400mm lengths



CoverDek Spindles

Softwood Treated Spindles Ex 50 x 50mm - 900mm Long



CoverDek Handrail

Softwood Treated Handrail Ex 50×75 mm - 1800mm and 2400mm lengths




CoverDek Newels

Softwood Treated Newel Post 94 x 94mm Fin. size - 1200mm and 1800mm lengths

Kiln Dried Graded & Pressure Treated Joists (various lengths available)

47 x 150mm & 47 x 200mm





Timber Decking

Created by combining the ancient Japanese process of Yakisugi with the latest timber technology, IRO is a beautiful and uniquely coloured decking timber that will add charm and character to a range of outdoor spaces.

A low-maintenance, long-lasting alternative to traditional decking that is UV stable and 100% HVOC-free, meaning the product is both child-friendly and pet-friendly.


Manufactured using a seven-step process, IRO is also high pressure treated and coated in a protective wood cream. This ensures a long-lasting, water-repellent surface which makes the

product more resilient to rot and insect attack.

Sizes available:

28 x 145 x 4800mm

Main image: Charcoal Decking



Charcoal

Chestnut





Contemporary Non-Slip Timber Decking

Achieve a striking effect with clean lines and a smooth finish.

Modern and functional, this non-slip decking is the perfect choice for style and safety. Gripsure Contemporary simple aesthetic will suit any garden design, giving you many years of enjoyment.

- 80 PTV slip rating
- TDCA DeckMark+ performance rated
- High-quality northern European Redwood Pine
- Durability Class 3
- Low maintenance
- Can be stained, oiled and painted
- Expected service life of 15-20 years
- 15-year non-slip performance warranty

Sizes available:

Ex. size - 150×32 mm and Fin. size - 145×28 mm

Lengths:

3600, 3900, 4200, 4500 and 4800mm

Main image:

Contemporary Non-Slip Timber Decking





Contemporary Non-Slip Timber Decking

Timber Decking





150CSW Non-Slip Timber Decking

150CSW is a traditional deck profile with deeper grooves to aid drainage. With two non-slip inserts for an excellent slip-resistant finish and peace of mind, this is a popular choice with contractors and end users alike.

- 78 PTV slip rating
- TDCA DeckMark+ performance rated
- High-quality northern European Redwood Pine
- Durability Class 3
- Low maintenance
- Can be stained, oiled and painted
- Expected service life of 15-20 years
- 15-year non-slip performance warranty

Sizes available:

Ex. size - 150×32 mm and Fin. size - 145×28 mm

Lengths:

3600, 3900, 4200, 4500 and 4800mm

Main image:

150CSW Non-Slip Timber Decking





150CSW Non-Slip Timber Decking





MOSO® Bamboo Non-Slip Timber Decking

The sustainable choice for your eco-friendly project.

Bamboo non-slip decking is a more sustainable alternative to tropical hardwoods and composite products. Crafted from high-quality Moso bamboo, Gripsure Bamboo offers an attractive solution for eco-projects.

- 83 PTV slip rating
- Durability class 1
- Euroclass B fire rated
- Hidden fixing system
- Tongue and groove end match system
- Net carbon sink over its lifespan
- Outstanding stability
- Low maintenance
- Can be oiled
- Expected service life of 30-50 years
- 15-year non-slip performance warranty

Sizes available:

137 x 20mm


Lengths:

1850mm

Main image:

MOSO® Bamboo Non-Slip Timber Decking





Bamboo Non-Slip Timber Decking







Reversible Composite Decking

SmartBoard is a reversible decking with an appealing tactile brushed matt finish available in a range of naturally varying tones. Super simple to fit - the special formulation means it can be face fixed like standard timber decking using special SmartBoard Composite Decking screws only.



20 x 138 x 3600mm

Top image: Battleship Grey Decking

A Few Fabulous Finishes


- Picture Frame Border
- Flush Fascia
- Over Sailing Boards



Grease & Oil Stain Remover

Treats grease and stubborn oily stains for composite decking








Chocolate Brown -








Battleship Grey -Smooth



Chocolate Brown -Smooth



Slate - Smooth

The distinctive look of Millboard takes skill, impeccable attention to detail and patience to achieve. The journey begins with real timber, which Millboard source from local areas and carefully select by hand, paying particular attention to the subtle nuances of the natural grain.

These timbers are then used to create the moulds for Millboard, enabling them to replicate the natural character of the original wood in our unique composite material.

To recreate the authentic look of hardwood, Millboard carefully match the colour, using multiple tinted hues for depth and subtle variation, ageing and weathering.

The beautiful, finished Millboard Product is just like the real thing, but made to last for years to come.







Highly slip-resistant



Recycled



Rot & split



Lost-head fixing







Weathered Oak

Beautifully aged yet utterly timeless, the hand crafted Weathered Oak collection is moulded from 100 year old reclaimed oak timber, creating a distinctive worn look – without the wait.



 $32 \times 200 \times 3600$ mm

Main image: Weathered Oak Driftwood Decking



Driftwood



Vintage Oak



Embered



Live.Life.Outside.



Enhanced Grain

The Enhanced Grain collection's contemporary design accurately recreates the subtle nuances of natural wood. Each of the eight colours showcases the grain beautifully.

Sizes available:

32 x 176 x 3600mm

Main image: Enhanced Grain Brushed Basalt Decking



Golden Oak




Smoked Oak



Brushed Basalt



Antique Oak



Burnt Cedar



Coppered Oak



Limed Oak



Jarrah



Millboard DuoSpan® Subframe

DuoSpan® provides the perfect subframe for Millboard decking, as well as a universal support system for other outdoor flooring.



Millboard Durafix®

Millboard's unique, hidden decking fixings. No pre-drilling, all you need to do is screw them in. Available in 35, 45 or 60mm.



Essentials, Naturale & PRO Composite Decking

Ultrashield by Newtechwood is a low maintenance composite decking that gives you the time to relax and enjoy your surroundings.

3 ranges of decking to choose from:

- Essentials (Stone Grey and Graphite Grey) great value for money and still comes with a 25 year rot, split, fade & stain warranty
- Naturale (Antique, Light Grey, Teak, Walnut, Ebony) one of the most natural looking products on the market
- PRO (Lava Grey, Western Yew) a solid board and one of the most durable products
- 25 year limited guarantee against fade, stain, rot & split (Residential use)
- No staining or painting required giving you more time to enjoy your garden
- Manufactured from 95% Recycled Materials
- Lengths of up to 5.4m long
- A full range of ancillary products are available for example fascia, edging boards etc.
- Secret fix (Both 1 mm & 5 mm side gap options) & face-fix boards
- Ultrashield Railing and Ultrashield Composite Fencing Available
- Ultrashield products work with woodworking tools
- All boards are reversible choose between a wood grain or flat appearance

Sizes available:

 138×22.5 mm with lengths from 3600, 4800 or 5400mm

Composite Decking








Above image: PRO Lava Grey Decking

Western Yew Lava Grey

Above image: Essentials Graphite Grey Decking





Composite Decking





Victoria Composite Decking

Expand your home out doors with the Domestic Victoria range, an elegant board with a choice of subtle wood grain effect or low risk of slip groove surface, perfect for all out door areas.

- Hidden clip installation system
- Low risk of slip grooved surface
- Deluxe wood grain effect
- Up to 25 year domestic warranty

Sizes available:

 $135 \times 23 \text{ mm}$

Lengths:

3600mm

Main image:


Victoria Teak Composite Decking




Redwood - Groove



Redwood - Woodgrain




Grey - Groove



Grey - Woodgrain



Ebony - Groove



Ebony - Woodgrain



Teak - Groove



Teak - Woodgrain





Vintage Composite Decking

Available in a range of rich colours, the Leisure Vintage range is a stunning composite decking board with subtle wood grain effect on one side and a low-risk-of slip groove surface on the other, making it a high quality yet low maintenance alternative to traditional wooden decking.

- Double sided / reversible
- Low risk of slip grooved surface
- Hidden clip system or traditional face fix
- Up to 25 year domestic warranty

Sizes available:

146 x 23mm

Lengths:

3600mm

Main image:

Vintage Grey Composite Decking





Paving & Decking Pedestals



Pedestals and support pads suitable for paving slabs and timber decking to improve the performance of the building by allowing proper drainage beneath the upper surface, ventilating the structure and preventing localised flooding.

- Fully Adjustable Heights
- Faster & Easier Installation
- Future Proof Access Anytime
- Frostproof & Rotproof
- Threaded Stem for mm precise heights
- Lightweight & Easy to Handle
- High weight tolerance
- No bedding down or Mortar



Universal Pedestal 35 - 50mm



Universal Pedestal 65 - 100mm

Product C	Code

B36626

Product Code

B36628



Adjustable Pedestal 10 - 25mm



Adjustable Pedestal 22 - 30mm



Adjustable Pedestal 28 - 40mm

Product Code


B36629

Product Code

B36630

Product Code

B36631



Sleepers

Choose from our comprehensive range of sleepers from the reclaimed variety, that are great for use when prolonged ground contact is required to top quality softwood sleepers that require no timber treatment before being positioned in your garden.

Image: Oak Sleepers, installed by William Sutton Landscaping



Used Railway Sleeper - Grade A

Sizes available:

2500/2600mm



Oak Sleeper

Sizes available:

 $200 \times 100 \times 2400 / 2500$ mm



Wingham UC4 Treated Spanish Pine Sleeper

Sizes available:

95 x 195 x 2400mm



Brown Treated Softwood Sleeper

Sizes available:

120 x 240 x 2400mm



Green Treated Softwood Sleeper

Sizes available:

90 x 190 x 2400mm 100 x 200 x 2400mm





Your guide to fencing

Lap Panels

A popular choice for outdoor spaces, our classic lap panels are responsibly sourced and come in a variety of sizes.

Featheredge Panels

For a traditional feel, and added security, our high pressure treated featheredge panels will create strong and sturdy garden enclosures that are protected from rot and decay.

Closeboard Panels

Offering strength and durability, our reinforced closeboard panels are ideal for garden boundaries.

Decorative Panels

With a range of different designs to choose from our stylish decorative panels are the perfect way to add the final flourish to your garden.

Trellis, Arches, Arbours & Pergolas

Perfect for creating decorative displays, and adding life and light into your garden.

Fencing Accessories

We have a full range of fencing accessories to suit your needs and offer a variety of flexible solutions, including fence posts, gravel boards and arris rails..





Superior Lap Panel

A new and improved overlap panel constructed using double waney edge slats that are secured into a neat rebated frame, making it stronger than a traditional panel. Available in a choice of pressure-treated Golden Brown, Dark Brown or pressure-treated Green, offering protection against wood rot and decay.

1828 x 600mm 1828 x 1500mm 1828 x 900mm 1828 x 1800mm

1828 x 1200mm



Superior Lap Lattice Top Panel

This stunning panel is the perfect combination of strength and beauty. The fully mortise and tenon jointed frame secures double waney edge slats, which are complemented with an eye catching lattice top.



Superior Lap Bow Top Panel

An added twist to a simple design, constructed using double waney edge slats that are secured into a neat arched shaped rebated frame.

1828 x 1800mm

1828 x 1800mm



Superior Featheredge Panel

The Superior Featheredge panel s a game changer for the traditional fencing market. The 'flawed' sandwich style is replaced by a more robust and aesthetically pleasing mortise and tenon jointed frame, with the slats recessed. This is the future of featheredge and the perfect addition to the Superior family.

1828 x 1650mm 1828 x 900mm 1828 x 1200mm 1828 x 1800mm

1828 x 1500mm



Standard Featheredge Panel

A heavy duty panel made with 100mm featheredge boards and capping rail fixed to a sturdy frame. The Standard Featheredge Panel is available in pressure-treated golden brown or pressure-treated green to protect the timber from wood rot.

1828 x 9917mm 1828 x 1517mm 1828 x 1217mm 1828 x 1817mm



Trade Featheredge Panel

This Stunning panel is made with extra battens on the back to provide strength as well as style.

1828 x 930mm 1828 x 1230mm 1828 x 1530mm

1828 x 1830mm



Wingham Superior Closeboard Panel

The Superior Closeboard panel features 100mm fine sawn timber vertical boards, housed within a mortise and tenon jointed frame which gives this panel superior strength and a premium finish.

1828 x 900mm 1828 x 1500mm 1828 x 1200mm 1828 x 1800mm



Contemporary Vogue Panel

Part of our Contemporary Collection, the Contemporary Vogue Panel is constructed with a fully Mortise and Tenon jointed frame and slats on both sides for ultimate privacy making this our most substantial and durable panel yet. Slats are planed and rounded for a premium look and feel. This panel is pressure-treated for protection against wood rot.

1200 x 1800mm 1800 x 1800mm



Elite Malo Panel

The Elite Malo Fence Panel is made from sturdy horizontal slats and lattice top that features a quality planed, rounded and grooved timber finish. This panel is pressure-treated offering protection against the elements and features a strong rebated frame for durability.

1200 x 1800mm 1500 x 1800mm 1800 x 1800mm



Wingham Venetian Panel

A heavyweight fence panel that combines a contemporary design with strength; making this the perfect fence for the modern garden. This substantial pressure treated green panel is double sided and uses horizontal boards offering maximum privacy.

1800 x 1800mm



Elite Meloir Panel

The Elite Meloir Fence Panel offers a decorative design to suit many styles of garden settings. The horizontal timber slats and wave top lattice are planed, rounded and grooved and fixed into a strong rebated frame. This panel is also pressure-treated providing protection and appearance retention with matching trellis and gates available.

1050 x 1800mm 1500 x 1800mm 1800 x 1800mm



Elite Esprit Panel

The Elite Esprit Panel offers a simplistic design with high levels of privacy. The strong horizontal slats are planed, rounded and grooved and are secured into a rebated frame. This square top panel delivers a contemporary look and is pressure treated to protect the timber for years to come.

900 x 1800mm 1500 x 1828mm 1200 x 1800mm 1800 x 1828mm



Round Top Palisade Panel

The Round Top Palisade Panel is ideal for constructing a new fence run or repairing an existing one, making your garden a private space to relax in. Its durable planed timber construction has been pressure-treated to offer protection for longevity in use.

900 x 1800mm 1200 x 1800mm

Fan Heavy Duty Trellis

This fan shape trellis allows plants to be supported in a more interesting and natural shape with a new and improved, fine sawn timber finish. This trellis is pressure-treated golden brown for protection against wood rot.

1803 x 945 x 30mm



Elite Lille Panel

The Elite Lille Panel features straight cut slats that are smooth for a clean feel. The horizontal style trellis top adds an on-trend twist to this simplistic panel. Constructed using a fully Mortise and Tenon jointed frame and pressure treated for protection against wood rot and decay.

1800 x 1800mm




Palisade Panel Tulip Panel

Manufactured from finely sawn timber, the tulip offers a stylish but modest design of fencing for your garden or parameter. This panel is available pressure-treated golden brown which protect the timber from wood rot and fungal decay.

900 x 1828 x 34mm





Elite St Meloir Bow Top Lattice

The trellis is planed, chamfered and grooved providing a beautiful decorative finish, it will fit in with many styles of gardens allowing you to use your imagination. Fitted into a sturdy 40mm rebated frame. The trellis is planed, chamfered and grooved providing a beautiful decorative finish. With a 44mm lattice gap throughout, the timber is pressure-treated ensuring protection against wood rot and fungal decay.


1800 x 600mm 1800 x 1050mm 1800 x 1800mm



Square Badminton Trellis

A fine mesh square style, heavy duty trellis that is great as a fence top, privacy screen or supporting climbing plants. The Badminton Trellis is manufactured from fine sawn timber that provides a smooth and exceptional finish and is available pressure-treated golden brown for longevity in use.

620 x 1828 x 45mm



Lilleshall Lattice Trellis

The Lilleshall range has planed and rounded lattice shaped trellis and a sturdy rebated frame. With smaller lattice gaps of 20mm, this trellis is ideal as a privacy screen to zone off areas within the garden. Due to the pressure-treated timber this trellis is protected from wood rot and fungal decay.

300 x 1828 x 30mm 1200 x 1828 x 30mm 600 x 1828 x 30mm 1500 x 1828 x 30mm 900 x 1828 x 30mm 1800 x 1828 x 30mm



Elite Square Lattice

Both the Elite Lattice Trellis and the Elite Meloir Bow Top Lattice are fitted into a sturdy 40mm rebated frame. The trellis is planed, chamfered and grooved providing a beautiful decorative finish. With a 44mm lattice gap throughout, the timber is pressure-treated ensuring protection against wood rot and fungal decay. Matches the Flite Meloir Panel

1800 x 300mm 1800 x 1200mm 1800 x 1800mm 1800 x 600mm 1800 x 900mm





Alderley Lattice Trellis

The Alderley is an attractive joint framed trellis available in varying shapes and sizes and part of the Valencia Garden Collection. With a lattice gap of 40mm, the trellis is planed and chamfered for a superior finish. Each product is pressure-treated ensuring longevity in use.

1828 x 300mm

1828 x 600mm

1828 x 900mm

1828 x 1200mm

1828 x 1800mm

Square Highgrove Trellis

The lattice style trellis has a rebated double frame for extra strength and manufactured from fine sawn timber for an extra smooth finish. Ideal as a privacy screen, the Highgrove is pressure-treated in a golden brown treatment which offers protection against wood rot and fungal decay.

320 x 1210mm 610 x 1828mm



Heavy Duty Square Trellis

This Heavy Duty Trellis with a robust frame is ideal for supporting climbing plants. The fine swan timber provides a smooth, superior finish whilst the pressure treatment protects the trellis from wood rot and decay. Available pressure-treated golden brown or pressure treated green.

320 x 1828 x 30mm 1200 x 1828 x 30mm 610 x 1828 x 30mm 1510 x 1828 x 30mm 900 x 1828 x 30mm 1813 x 1828 x 30mm



Dome Top Trellis

This fine sawn, heavy duty trellis is ideal for using in conjunction with fencing and pergolas. Pressure-treated in golden brown colour treatment.

1828 x 555 x 30mm



Alderley Fan Trellis

Featuring a beautifully crafted lattice, the Alderley Fan Trellis is idea for mounting on fence panels or walls as well as being used with a planter to support plants. The lattice is rounded, planed and is fitted into a full frame for that extra decorative, timeless look. Pressure-treated for added protection against wood rot.

1800 x 600mm



Alderley Dome Lattice Trellis

The Alderley is an attractive joint framed trellis available in varying shapes and sizes and part of the Valencia Garden Collection. With a lattice gap of 40mm, the trellis is planed and chamfered for a superior finish. Each product is pressure-treated ensuring longevity in use.

1828 x 495mm

How to...

Garden fencing provides privacy and protection from the elements, and it can be used as a landscaping feature or as a support structure for plants.

Knowing how hard trellis can be to install, paint and fix to an existing panel, we created some handy How to videos on our YouTube channel. Also, pick up a handy guide within our stores.

Find us on YouTube now or on our website at coversmerchants.co.uk



Don't forget

Cuprinol Garden Shades

Developed to colour and protect sheds, fences and other garden timber. Its special pigments ensure a rich colour and allow the natural texture of the woodgrain to shine through.

Go to page 133 for our colours.





With its modern, sleek colour and simple tongue and groove fitting system that provides additional adaptability, composite fencing is ideal for a wide range of gardens.





Ultrashield Naturale Fencing

Ultrashield fencing components by Newtechwood are low maintenance and give you time to relax and enjoy your garden.

- 25 year guarantee against fade, stain, rot and split
- Aluminium components have a 15 year warranty
- 5 colours to choose from some customers even mix and match colours
- All fence boards are reversible, giving both sides of the fence the same appearance
- Fence boards are 1760mm long and can be cut with woodworking tools
- Fence boards are made using 95% recycled material
- Ultrashield Fencing comes with a full range of post and rail options



Ultrashield Naturale Antique Fencing



Ultrashield Naturale Light Grey Fencing



Ultrashield Naturale Walnut Fencing



Ultrashield Naturale Ebony Fencing



Ultrashield Naturale Teak Fencing

Sizes available:

 $21 \times 147 \times 1760$ mm lengths (140mm cover)

Posts are available in 1800 & 2400mm

Main image: Naturale Teak Fencing

Composite Fence Panels





Composite Fencing

BuildDeck's composite fencing panels are a practical, eco-friendly option for gardens and commercial boundaries. With its sleek and modern style it can be the perfect finishing touch to your outside space.

- Quick and easy installation
- Sturdy and robust
- Low maintenance
- Perfect companion for composite decking

Sizes available:

1800 x 1800mm

Main image: Grey Composite Fencing






BuildDeck Grey Composite Fencing





BuildDeck Redwood Composite Fencing





Composite Balustrades

Our steel reinforced composite balustrade railings and posts are produced using reconstituted timber and recycled high-density polyethylene. As a result, our composite railing systems are: low maintenance, tough and durable, so you can enjoy them for many years. All of our balustrade systems are flexible in design, while the concealed installation brackets provide a sleek, screw-free finish. We provide all of the components for installation, so your system can be fitted quickly and efficiently.

- Quick and easy installation
- Sturdy and robust
- Low maintenance
- Perfect companion for composite decking

Sizes available:

Unit 1920mm centre to centre, with one 1500mm post

Lengths:

1800mm Handrail

Main image:

Composite Balustrade Unit



Composite Balustrade Unit

Composite Balustrades





Ultrashield Composite Balustrades

Ultrashield railing components by Newtechwood are low maintenance and give you the time to relax and enjoy your garden.

- Composite products have up to a 25 year guarantee against fade, stain, rot and split
- Aluminium components have a 15 year warranty
- Suitable for low-level residential applications
- Each kit comes with brackets for both horizontal railing and a 32° stair rail
- Colours match those in the Ultrashield Naturale Decking and Fencing ranges which are also available
- Composite material is made using 95% recycled materials
- System comprises railing kit, newel sleeves, cap & collars and steel supports for the newel sleeves



Sizes available:

Railing: 1800mm long

Newel Sleeves: 94 x 94mm and 1084mm tall Steel Supports: 138 x 138mm and 1035mm tall

Main image: Composite Balustrades Teak

Bespoke Metal Fencing & Gates








Bespoke Metal Fencing & Gates

Our new metal fencing and gate range is something rather special. Manufactured and personalised to fit perfectly into existing features within your garden, this highly impressive range provides a statement to any domestic or commercial property.

Using a water jet cutting process, we can create intricate designs and can even incorporate your own wording or designs into the fencing - adding your own unique touch.

The galvanised steel fencing is powder-coated to encapsulate the metalwork and then kilned to seal each section creating a fence that will last you many years and also provide a secure perimeter to any property.









Hanson PostFix® Concrete Poly Bag

Quick setting concrete mix suitable for fence posts, gate posts and garden lighting.





How to


Our fencing accessories include fence posts, gravel boards, arris rails, Metpost and PostFix. Here at Covers, we know how hard it can be to install a fence and what is best to use to fit your panels to last a life time.

So, we've created some handy How to videos on our YouTube channel and also a handy guide in stores for you to pick up.

Find us on YouTube now or on our website at coversmerchants.co.uk







- A. Metpost Spike Used in soil to help support and erect fence panels and structures.
- **B. Metclips** An easy way to secure trellis and fence panels to timber posts.
- C. Metpost Concrete Used in areas where a spike is impractical or simply as an alternative. Use with Postfix concrete to help support and erect fence panel posts.
- **D. Metpost Post Extender** Raises the height of an existing fence panel post to allow for the fitting of trellis.
- **E/F. Metpost Bolt Down** The wall anchor is ideal for installing posts onto an existing wall while the bolt down support is great for fixing posts (including pergolas and arches) on an existing concrete base.



Wedge Grip System 2

System 2's secure twin bolt mechanism is ideal for large projects such as pergolas and decking.


Product Code	Size
18079	75 x 600mm
18080	75 x 750mm



Plain Box Post Support

Suitable for easy post removal and replacement.

Product Code	Size
18075	50 x 450mm



Wedge Grip Post Support

Ideal for fencing projects, the Wedge holds each post in a vice without the need for nails or screws.

Product Code	Size
18076	75 x 75 x 600mm
18077	75 x 75 x 750mm
18078	100 x 100 x 750mm



Wall Anchor

A simple way to add height to a wall.

Product Code	Size
B11557	75mm







Repair Spur

Repair a broken or rotten post which has previously been concreted into the ground.

Product Code	Size
18081	75mm
18082	100mm

Flush Fit Bolt Down

Enables you to site a post against a wall.

Product Code	Size
B11522	<i>7</i> 5mm

Bolt Downs

Heavy duty bolt down post support is ideal for use with wooden fences of all types.

Product Code	Size
18086	50 x 50mm
18087	75 x 75mm
18088	100 x 100mm



Wedge Post Extender

Raises the height of an existing post.

Product Code	Size
18083	75 x 180mm
34114	100 x 180mm



Expamet Arris Rail Brackets

Robust galvanised arris rail bracket for use with feather-edged timber fencing.

Product Code	
B 15815	



Galvanised Gravel Board Bracket

Ideal solution for fixing gravel boards to fence posts.


Product Code	Size
B11559	25mm



Wedge Grip Concrete In

Plan the position of your posts when laying concrete and bed in the Concrete-In Anchor before it sets.

Product Code	Size
18089	<i>7</i> 5mm



Type 44 U-Shaped Clips

This U-shaped clip is used to fix panels, trellis or gravel boards to your posts.

Product Code	Size
18092	46mm



Post Driving Tool

This tool protects the post support as it's hammered in whilst keeping the correct alignment.

nm
)mm



Wingham Knee Rail Fencing

Timber knee rail fencing, is a low-cost and unobtrusive type of wooden rail fencing for boundary demarcation. Being low enough to step over, it provides no perimeter security function. Using Spanish radiata pine gives this low knee rail fencing a 30 year service life with UC4 treatment. Popular for use at schools, around car parks, alongside footpaths, and at sports fields and play areas.



Product Code	Size
B47839	Treated Radiata Pine Birdsmouth Post 95 x 95 x 1050mm
B47890	Treated Radiata Pine Birdsmouth Post 95 x 95 x 1200mm
B47840	Treated Radiata Pine Post 95 x 95 x 2400mm
B47891	Treated Radiata Pine Post 75 x 75 x 2400mm
B47893	Birdsmouth Strap Once Bent for 75 x 75mm Rail
B47841	Birdsmouth Bishops Hat Strap 90 x 210mm
B47894	Birdsmouth Bishops Hat Strap V



Wingham Timber Bollard

Our solid timber bollards are available in a variety of shapes and sizes. Great for residential but also leisure and local authority traffic management. Available Grooved or Ungrooved.



Product Code	Size
B47897	Timber Bollard 100 x 100 x 1050mm
B47895	Timber Bollard 150 x 150 x 1050mm
B47896	Timber Bollard 150 x 150 x 1200mm



Wingham Morticed Post & Scarf Rail Fencing

This attractive fencing comprises of sawn square section vertical posts, with three or four horizontal square section rails, morticed into the posts. There are additional prickposts in between the posts at the mid bay point to give extra support. Treated with UC4 for 30 year life.

Product Code	Size
B47835	Treated Radiata Pine 2 Hole Morticed Post 95 x 95 x 1500mm
B47836	Treated Radiata Pine Scarfed Arris Rail 75 x 75 x 2400mm
B47878	Treated Radiata Pine Slotted Intermediate Post 95 x 95 x 1800mm
B47879	Treated Radiata Pine Slotted End Post 95 x 95 x 1800mm
B47880	Treated Radiata Pine Slotted Corner Post 95 x 95 x 1800mm
B47837	Treated CLS Scarfed Ended Rail 38 x 63 x 2400mm



Use Class 4 (UC4)

Ground or fresh water contact (and exterior structural support)

External construction timbers:

Fence posts, agricultural timbers, retaining walls, playground equipment, decking posts, joints and sub-structures.

For more information on treatments and what is best for your product, contact us on **0844 858 40 40** or email enquiries@coversmerchants.co.uk

30 YEAR LIFE



Sawn Treated Posts Available as Brown in:

75 x 75 x 1800mm 75 x 75 x 2400mm 100 x 100 x 1800mm

100 x 100 x 2400mm 100 x 100 x 3000mm



Sawn Treated Posts Available as Green in sizes:

75 x 75 x 2400mm 100 x 100 x 2400mm 100 x 100 x 3000mm



Sawn Oak Post

Available in:

100 x 100mm 125 x 125mm 150 x 150mm

From 2.4m, 3m, 3.6m 200 x 200mm & up to $4.2 \mathrm{m}$



Treated Pointed Poles Available in:

73mm Ø x 2400mm





Various Sized Wooden Pointed Pegs Available in:

450mm x up to 1500mm



Iroko Post Produced to any specification



Wingham UC4 Treated Redwood Post

Available in:

100 x 100 x 1800mm 100 x 100 x 2400mm 100 x 100 x 3000mm



4 Way Post Available in: 150 x 150 x 2400mm 200 x 200 x 2400mm

Don't forget

Hanson PostFix® Concrete Poly Bag

Quick setting concrete mix suitable for fence posts, gate posts and garden lighting.



Give your timber a treat

At Covers we can provide a range of treatments on site, such as:

Waterborne for both internal and external use

Organic for prepared joinery timber and manufactured doors, windows, stairs and mouldings where a clear or painted finish is required

Tanalith for construction, fencing and landscaping timbers using Tanalith wood preservative

Fire Protection for interior and exterior use

For more information on treatments and what is best for your product, contact us on **0844 858 40 40** or email enquiries@coversmerchants.co.uk



Concrete Semi Dry Slotted Corner Post

Available in:

2440 x 125 x 125mm (8ft) $2745 \times 125 \times 125$ mm (9ft)



Concrete Gravel Board

Available in:

 $1830 \times 150 \times 50$ mm (6ft) $1830 \times 305 \times 50$ mm (6ft) Also available in Semi Dry Recessed



Concrete Repair Spur

Heavy duty bolt through post support is ideal for use with wooden fences of all types. Available in:

 $989 \times 75 \times 75$ mm (3.3ft) $1200 \times 100 \times 100$ mm (4ft)



Concrete Slotted Intermediate Post

Available in:

 $1830 \times 94 \times 109$ mm (6ft) $2440 \times 94 \times 109$ mm (8ft) $2135 \times 94 \times 109$ mm (7ft) 2745 x 94 x 109mm (9ft)



Concrete Slotted End Post

Available in:

 $2440 \times 94 \times 109$ mm (8ft) $2745 \times 94 \times 109$ mm (9ft)



Concrete Mortice Intermediate Post

- Steel reinforced for extra strength and long life
- Resistant to moisture and rot Available in:

2440mm (8ft)



Posts

If you're starting your fencing project from scratch you will need fence posts. We have timber and concrete posts for you to choose from - timber are more aesthetically pleasing where as concrete offer greater strength and durability and don't require any protective treatment. Top with fence post caps to both finish the look and prevent rainwater from running into the top of your post which will help it last longer.

Gravel boards & arris rails

Gravel boards act as a barrier between your fence panels and the damp ground. They protect against rot and mould and add extra height to your fencing.

Arris rails, and their accompanying brackets, are essential for the building of closeboard fencing - adding strength and support to the structure.

Post supports & fence clips

Secure your fence posts to the ground with a post support. If you're fencing on turf, insert a metal spike version into the ground, or use a concrete in support if your ground is too stony to do this. A bolt down post support is best for concrete surfaces and patios, and you can also use this to secure posts to walls.

Attach fence posts to panels with fence clips. These offer a quick way to secure the two items together and make it easy to remove a panel should you need to.

Help & Advice



Need help on some complete your fencing project?

We've created a handy Fencing buying guide on our website at coversmerchants.co.uk

Other accessories

From protective paint, stain and screws, you can find all the additional bits and pieces for your fencing project here at Covers. Repaint your fence with protective treatment every 6 - 12 months to keep it protected from the elements. Add post caps to your posts to finish your fence and to prevent water running into the top of your post.

If you've chosen metal railings, these won't require as much maintenance. Touch up the odd chip or scratch with metal paint to keep it looking smart as well as prevent rusting.





Cladding

Millboard cladding is inspired by the beauty of nature but is built to outperform it. It is moulded from selected timbers making it look exceptionally like real wood, whilst avoiding the on-going maintenance associated with natural or wood based products. The hand colouring of each board recreates the subtle nuances that only natural wood can give. The moulded profiles reduce labour and wastage whilst retaining the effect of individual boards.

- Excellent UV and weathering stability
- No extra maintenance or painting
- Moulded from real oak boards
- Improved insulation and acoustic values
- Fibre reinforced high strength low weight
- Easy to install cuts and screws like timber (no pre-drilling or specialist tools needed)
- Minimal expansion and contraction
- Insect and termite resistant
- Multiple grain definition hand moulded from natural timber
- Individually hand coloured boards for natural tonal variation
- Doesn't twist or warp like timber
- Non-porous material no sealing required
- Tongue and groove for increased rigidity, strength and water resistance
- No leeching or releasing of tannins

Sizes available:

Board & Batten - 26 x 300 x 3600mm Shadow Line - $18 \times 200 \times 3600$ mm

Main image: Golden Oak Cladding



Board & Batten Antique Oak



Board & Batten Burnt Cedar



Board & Batten Golden Oak



Board & Batten Smoked Oak



Shadow Line Antique Oak




Shadow Line Burnt Cedar



Shadow Line Golden Oak



Shadow Line Smoked Oak



Cedar Garden Screening

Cedar Screening Battens are an ideal choice of wood to use as garden screening, fencing and cladding as well as for a variety of other landscaping applications. The highly desirable slatted screens produce visually interesting lines and shadows that will bring plenty of texture and character to an outdoor space.

Whether laid as horizontal or vertical boards, the result is clean lines with neat proportions for an aesthetically appealing result. As well as being used to help define boundaries, Cedar Screening will provide an attractive backdrop for plants and other foliage when used as fencing.

Natural variations in the colour and graining of the wood produces a unique mixture of tones in each batten for a distinctive range of colour. This natural variation adds warmth and interest to a garden space. As cedar weathers naturally it will transition into a stunning silver-grey colour, for a more contemporary look oil stainer can be used to retain the golden-brown colour.

Batten sizes available:

17 x 40mm

Panel sizes available:

1828 x 900mm

1828 x 1200mm

1828 x 1500mm

1828 x 1800mm







ORIZON





PAR E4E Green Treated Landscape Batten

Pressure-treated fence battens for an extended life, with 4 eased edges. Perfect for general use, fencing, or landscaping projects. Also suitable for gate stops and repairing panels and trellis.

Sizes available: Panel sizes available:

15 x 33mm





PAR E4E Grey Treated Landscape Batten

Pressure-treated fence battens for an extended life, with 4 eased edges. Perfect for general use, fencing, or landscaping projects. Also suitable for gate stops and repairing panels and trellis.

Sizes available: Panel sizes available:

15 x 33mm

1800 x 1800mm





Hardwood Eased Edge Landscape Batten

This timber hardwood batten is straight-grained, medium textured, and is available in a range of lengths. These hardwood battens are stable, durable and dense and are naturally weather resistant to provide contemporary style fencing.

Sizes available:

15 x 33mm





Bamboo Roll Screening

Versatile and easy to install, bamboo roll screens make light work of transforming both interior and exterior spaces. Made from 100% natural bamboo, and available in two species (giving their distinct colouration), the screens are a wonderful way to introduce a touch of the tropical to your space.

Sizes available:

20/25mm Ø - 2×2 m

Main image: Black Bamboo Roll Screening



Moso Bamboo Screening



Black Bamboo Screening



Garden structures are all about creating that perfect space for alfresco living and our extensive range of timber structures has been designed to do just that. Offering versatile options for gardens of all sizes, a garden structure can help to maximise your space. Whether you're looking to create an intimate dining area with a garden table and chair set or gazebo or make the most of a favourite view with a garden arch or pergola, our wide choice of products will help to transform your garden into a valuable extension of your home.

Image: Contemporary Arbour



Contemporary Arbour

This Contemporary Arbour has real presence with modern straight lines, and a classic curved roof using quality finger joints. Dress the large seat with cushions to create a perfect space for relaxing and putting your feet up. The continuous slats are ideal for growing climbing plants making this arbour an attractive feature for your contemporary garden. The arbour is pressure-treated to provide protection from wood rot and fungal decay.

2200 x 1500 x 700mm



Romana Arbour

The Romana Arbour is a simplistic structure that will add to the appearance and character of your garden. The comfortable bench is ideal for you to sit and relax, whilst the half trellised sides are perfect for supporting climbing plants. The pressure-treated timber ensures protection and longevity in use.

1923 x 1800 x 870mm



Montebello Arbour

The Montebello Arbour is a large and inviting structure with an attractive bow shaped roof. This versatile structure is ideal for both contemporary and traditional gardens alike. All components are pressure-treated to provide extra protection and appearance retention.

2138 x 1420 x 600mm



Valencia Arbour

This classic arbour is designed with diamond trellis sides and back to support climbing plants. The slatted roof provides extra protection from the sun, and the sturdy yet comfortable bench enables you to sit back and relax. It is made from pressure-treated timber for long lasting protection.

2350 x 1739 x 684mm



Valencia Corner Arbour

The Valencia Corner Arbour is a definitive structure, ideal for creating a sheltered dining area, or a relaxing seating area. The lattice trellis design creates a truly classic structure. The strong and sturdy construction is pressure-treated to ensure protection and long term use.

2300 x 2000 x 2000mm



Elite Portico Arch

The Elite Portico Arch's unique design with a curved roof and lattice style trellis side panels offers a stylish solution for any garden space. The space for hanging baskets will enhance a path, or it can be used as a standalone feature. The pressure treated finish provides ultimate durability.

2440 x 2100 x 1125mm



Bow Top Arch

The Bow Top Garden Arch comes with decorative square trellis sides enhancing any garden space. The structure is ideal for creating an impressionable pathway, or as a decorative garden feature. The timber is pressure treated for enhanced protection.

2485 x 1600 x 720mm



Valencia Arch

The Valencia Arch is a strong and robust arch with diamond trellis sides, and a slatted roof finished with pointed finials. This classic design is ideal as a garden feature, or creating an attractive arch over a pathway.

2790 x 1739 x 722mm



Contemporary Garden Arch

The Contemporary Garden Arch is a substantial and stylish structure. The chunky arched top, posts and slats are planed, rounded and chamfered for a modern look. Use with climbing plants along a pathway or as a standalone feature in your garden.

2600 x 1500 x 700mm



Carousel Pergola

The Carousel Pergola is a timeless garden structure. The curves of the top beam reflect the natural shapes in your garden, whilst providing an effective frame for a garden feature beneath. The pressure-treated pale green timber protects from wood rot and decay, ensuring longevity in use.

2798 x 3634 x 3634mm



Traditional Pergola

This standalone Traditional Pergola is ideal for use on a lawn or patio area. The posts and rafters are ideal for growing climbing plants and roses. The planed and pressure-treated timber provides a superior finish and longevity in use.

2798 x 2700 x 2700 mm



Apollo Pergola

The Apollo Pergola is a distinctively designed dome shaped structure that will give your garden a contemporary feel. As a centrepiece, it can provide a focal point for fountains, ornaments or a picnic area. The beams and rafters are made from pressure-treated timber providing extra protection from outdoor elements.

2607 x 3485 x 3443mm



Free Standing Flower Circle

The contemporary Flower Circle is constructed using two pressure-treated timber rounded beams closely connected with stainless steel rods to create a sculptural archway. This versatile product can be used singularly or with multiples to create a unique pathway.

2344 x 2467 x 270mm



Flower Walk

The Flower Walk is an eye-catching and contemporary design, which gives an attractive outline to your garden path. Its clean and simple design is crafted using the finest pressure-treated timber to ensure longevity in use, whilst the stainless steel rods give this structure a modern twist.





Rustic Rose Pergola

This Rustic Rose Pergola is made from machine rounded pressure-treated timber, creating a truly natural garden structure. An ideal pergola for a traditional setting and adding character to any outdoor space.

2520 x 2400 x 2400mm



Add a personal touch in your garden

Think of your garden like you would a room in your home. After planning the shape, choosing the right plants the last step is to add those personal touches. And just like indoors this is accomplished with garden accessories.

Styling is about making sure it all works together, and adding the finishing touches.

Picking a colour theme, from the paint on the fencing, the colour of your decorative aggregates will make your garden feel like another addition to your home.

Lighting is a must too and creating a setting once the sun goes down so you can enjoy your garden for longer in the summer evenings.

Go to page 128 for more finishing touches.



Garden Buildings Sheds Not only can you choose from the Garden Buildings here, you can have your own bespoke items made, offering non-standard sizes to ensure you get the size that best fits your requirements. There are endless possibilities to what is available for you. Image: Garden Pod





Cove & Bay Pods

Beautifully hand crafted stand-alone pods sit effortlessly within your garden, creating a usable space for all year round use. Crafted by our professionals using only the best quality, treated timbers and materials robustly built to create stunning, outdoor spaces that make your garden entertainment or outdoor dining experience uniquely satisfying all year round, day and night. We also supply pods to public houses and cafés that require a covered outdoor building for the 'new normal'. These are proving very popular and are in high demand.

- No planning permission whatever the weather.
- Built with top quality materials by a skilled installation team
- Prices include installation
- Excellent customer care after build service
- Each pod is bespoke built to order with options on sides or rear to infill with windows and/or a heating and lighting electric pack

Sizes available:

Cove 4 - seater pod: $2m \times 1.2m \times 2m$ (W, D & H), the roof is $2.4 \times 1.2m$ including weather overhang to sides and front. Cove 6 - seater pod: $2m \times 1.5m \times 2m$ (W, D & H), the roof is $2.4 \times 1.5m$ including weather overhang to sides and front. Bay 6 - seater pod: Height - Floor to Apex 2.2m, Width - Base 1.5m, Roof 3m, Depth - 1.5m.







Garden Buildings & Sheds





Apex & Pent Sheds

Apex and Pent sheds range from as small as 4' \times 4' up to 8' \times 18'. Constructed from 25 \times 38mm pressure treated batten. All apex sheds that are 8' \times 10' and upwards all come with truss systems to give the roof extra support and strength. Pent Sheds use 25 \times 50mm roof framing up to 6' \times 8'. Above that size, they are constructed from 25 \times 50mm framing with 25 \times 70mm roof framing.



Bespoke Timber Cabins and Summer Houses

Offering British made, bespoke, sustainable timber log cabins and garden summerhouses. Create a tranquil retreat at home or in the woods to relax and unwind in. Manufactured to order, we create purpose-built garden out-houses to work with your lifestyle.



Apex Garages & Workshops

Everyone has their own thoughts or specific requirements when it comes to their garage or workshop. Whether you are looking for a garage with room for several vehicles and lots of storage or a small, quirky, self contained home office in the garden or a large functional workshop, we can work with you to create something bespoke - built just for you.



Custom Timber Beach Huts

Our individual and stylish beach huts are custom made to order. So whether you fancy an eco, minimalist style natural beach hut or a more classic, brightly coloured or candy striped beach hut, we've got it covered.

Garden Buildings & Sheds








Unique Children's Play Houses

Family is at the very heart of Trojan Timber. We understand that the little people in your life need a place to roam free and let their imagination run wild, so we build them their own space to do so.



Wooden Pet Houses

From kennels (with or without runs) to simple hutches or stylish, free range chicken coups, our range of wooden pet houses, hutches and runs are all tailor-made for your furry or feathered friends.




Garden Storage Solutions

Bespoke timber outdoor storage is an affordable and practical solution for small home owners and gardeners. With functional, storage solutions ranging from log stores, general storage chests, garden tidy, wheelie bin store or even a custom built bike shed.

Bespoke Items

Quite simply, if you need just about anything made to order from timber, you got it! Just give us your brief and we will consider your design.

From bus shelter, cold stores, solar sheds, octagonal summerhouses and even involved with the design and build of marine pontoons.








Town Gate

Sizes Available: 0.9 x 1.522m & 0.9 x 1.778m



Priory Gate

Curve: $0.9 \times 1.83 \text{m}$ Flat: $0.9 \times 1.76 \text{m}$



Wellow Gate

Sizes Available: 0.9 x 0.9m & 0.9 x 1.8m



Babington Gate

Sizes Available: 0.9 x 1.76m & 1.2 x 1.76m

Gates






Hampton Gate

Sizes Available: 0.915 x 1.067m, 1.067 x 1.067m & 1.22 x 1.067m



Manor Gate - Made to order

Widths up to 2.74m and Heights up to 2.44m



Beckington Gate - Made to order

Widths up to 2.74m & Heights up to 2.44m



Henley Gate

Sizes Available: 0.9 x 0.9m & 0.9 x 1.2m



Jubilee Gate - Made to order

Widths up to 3.66m & Heights up to 1.525m Please note gates above 2.13m are for underground slide automation only.

Treating your gate

Our Wooden Gates are a natural product reacting to the weather conditions and aspect that they are in, particularly heat and humidity.

We recommend to treat your timber gates with Modern UV Oil.

We also recommend that an experienced installer fit manual gates and a qualified installer fit automated electric gates.





Highgrove Gate

Height 1.09m to top of top rail 1.219m to top of stile and widths 0.915m to 3.66m



Farleigh Gate - Made to order

Widths up to 2.44m and Heights up to 2.44m



Estate Gate

Height top of top rail 1.003m to top of extended stile 1.473m and widths from 0.915m to 3.66m



Henley Fence Panel

Widths up to 1.77m and Heights up to 0.9m and 1.2m

Finish the job

Our extensive Ironmongery range includes hinges, bolts, padlocks and more, providing you with the products you need to complete any job. For all Ironmongery see page 135.











Southbourne 27mm

Southbourne is one of our most vibrant grasses and uses strong, hard-wearing yarns to create the perfect lawn for any busy garden. Southbourne benefits from our Pureti technology, meaning this artificial grass can purify polluted air.



Somerley 30mm

Somerley uses curled fibre technology to create a bouncy, bright lawn with a fresh natural look. Benefiting from Namgrass' Pureti technology, making this artificial grass eco-friendly and able to clean pollutants from the air.

10 Year Warranty

All of Namgrass' products come with a 10 year warranty giving you ultimate peace of mind whichever lawn you choose.

Artificial Grass



MADE FOR LIVING



Kirkstall 25mm

Keep active in the comfort of your own garden with this hard-wearing product. With a neat, natural appearance and a short pile, this is another perfect choice for busy families and pet owners.



Elise 27mm

Elise has stood the test of time within our range. It's perfect if you are wanting to gaze out at a neat and tidy lawn every day.



Eclipse 30mm

With a 30mm pile and the softcurving fibres gives the Eclipse a natural bounce of a well kept lawn. Great for an active garden.




Eden 26mm

Eden is the newest grass to join the Namgrass range. This entry-level product is of great value and suitable for all types of landscaping projects and designs.



Vision 27mm

Vision is one of our most vibrant grasses. Using a thick blade this product is designed for areas that have a high footfall in mind.



Exbury Bright & Dark 30mm

Make every day seem like the first day of spring with our vibrant Exbury. With a dense thatched construction, deep pile and fresh looking fibres, this is the perfect choice for a high-traffic, family garden.







Wessex 32mm

Designed to improve the aesthetic of any garden within a budget. Wessex is a great option to freshen up any outdoor living space.



Downton 37mm

Downton is a super soft grass, perfect choice for anyone that loves to spend lots of time in their garden.



Serenity 37mm

This premium product is one of our most realistic looking and feeling, benefiting from a super soft yarn making it perfect for the luxurious family garden.



Utopia 43mm

Utopia is a new product to the range at Namgrass, with its generous pile height at 43mm and natural dark tones this exceptional grass is a show stopper for the ultimate garden.



The Namgrass accessories are a specific range of products designed to aid the installation and maintenance of Namgrass' Artificial Grass.



Joining Tape

A simple way of bonding two pieces of artificial grass when used in conjunction with our adhesive.



Adhesive

This moisture-curing adhesive can be applied in damp and cold conditions.



Natural Decorative Aggregates Selection

We supply Long Rake Spar's 'Natural Selection' product offer, on of the most comprehensive range of decorative aggregates on the market. This includes their full range of premium products, along with a variety of chippings, pebbles, cobbles, rockery and boulders in many colours and styles.

Gravel & Chippings







Apricot 14-22mm


Rock Type: Quartz Applications include borders, rockeries, footpaths, fish ponds & water features.

Black Ice™ 14-20mm

Rock Type: Basalt/Marble Applications include borders, rockeries, footpaths, driveways & water features.









Cotswold 10-20mm

Rock Type: Limestone Applications include borders, rockeries, flower beds & footpaths.

Dapple Grey 20mm

Rock Type: Limestone Applications include borders, rockeries, footpaths, driveways & fish ponds.









Flamingo™ 14-20mm

Rock Type: Marble Applications include borders, rockeries, footpaths, driveways & water features.

Ice Blue™ 10-20mm

Rock Type: Marble Applications include borders, rockeries, footpaths, driveways & water features.









Polar White™ 8-11,20mm

Rock Type: Dolomite Applications include borders, rockeries, footpaths, driveways & water features.

Pea Gravel 10, 14 & 20mm

Rock Type: Dolomite Applications include borders, rockeries, footpaths, driveways & fish ponds.

Buying Guide



All Long Rake Spar gravel and chippings are available in:



Recyclable poly bags with 30% recycled content.



Bulk bags complying with BMF weights & measures guidance.



Loose loads, please enquire at your local depot.



Polar Ice™ 14-20mm

Rock Type: Dolomite/Marble Applications include borders, rockeries, footpaths, driveways & water features.



Yorkshire Cream 10-20mm

Rock Type: Dolomite Applications include borders, rockeries, footpaths, driveways & water features.

Slate



Blue Slate 20 & 40mm

Rock Type: Slate Applications include borders, rockeries, footpaths, fish ponds & water features.



Green Slate 20 & 40mm

Rock Type: Slate Applications include borders, rockeries, footpaths, fish ponds & water features.



Plum Slate 20 & 40mm

Rock Type: Slate Applications include borders, rockeries, footpaths, fish ponds & water features.

Pebbles & Cobbles



Dove Grey Pebbles 8-16mm

Rock Type: Quartzite Applications include borders, rockeries, footpaths, fish ponds & water features.



Flamingo Pebbles™ 50mm

Rock Type: Marble Applications include borders, rockeries, flower beds & water features.



Ice Blue Pebbles™ 40-60mm

Rock Type: Marble Applications include borders, rockeries, flower beds & water features.



Midnight Pebbles 16 & 25mm

Rock Type: Dolomite Applications include borders, rockeries, footpaths, fish ponds & water features.




Scottish 20, 30, 50 & 75mm

Rock Type: Granite Applications include borders, rockeries, fish ponds & water features.



White Pebbles 20-40mm

Rock Type: Dolomite Applications include borders, rockeries, flower beds & water features.



White Cobbles 40-90mm

Rock Type: Dolomite Applications include borders, rockeries, flower beds & water features



Zebra Pebbles 20-40mm

Rock Type: Balsalt/Dolomite Applications include borders, rockeries, flower beds & water features



Weedcheck Ultra Weed Membrane can be laid down first to prevent weeds from growing in between your gravel. Find on page 130.

Boulders & Rockery

All approximately 250mm, a variety of materials and colours available Available in crates and pieces.



Topsoils Available in Bulk Bags or Delivered Loose



BS3882 Multi-Purpose Topsoil

Our BS3882 Multi-Purpose Topsoil is a sandy loam topsoil that is produced with our PAS 100 compost and is certified to BS3882:2015 specification for Topsoil. This topsoil is for multi-purpose use and provides good support for the growth of vegetation. It is suitable for most applications used in the garden or landscaping situations.



Topsoil Supreme

Our unique Topsoil Supreme is a BS3882 Certified manufactured topsoil blended with quarried sand and 40% of our own PAS 100 compost. It is ideal for multi-purpose use as it is rich with a perfect balance of natural organic nutrients and humus, with strong moisture retention ability. Great for creating new beds, lawns or vegetable plots.





BS3882 Low-Fertility Wildflower Topsoil

Specially developed and certified to BS3882:2015 specification for low fertility Topsoil. This sandy loam topsoil containing our PAS 100 compost, and with a pH of 6.9, is the perfect partner for growing balanced meadow communities of native wild flowers and grasses which require a less nutrient-rich soil.



Turf Dressing Rootzone

A nutrient-packed rootzone designed for top dressing lawns, divot filling, laying turf onto and sowing seed into. Application fills any hollows that may have developed in the grass surface. You can top dress using our Turf Dressing Rootzone alongside multiple varieties of grasses. Continued application will also build an ideal soil structure and rootzone for turf over the years.

Organic Garden Topsoil

Organic Garden Topsoil is ideal for multi-purpose use around the garden as it is rich with a perfect balance of natural organic nutrients and humus, with strong moisture retention ability. Our Organic Garden Topsoil is a premier grade topsoil for all garden use as it helps to give your garden the vitality it needs. You can use this soil for potting vegetables, filling raised beds, or building new lawns.

We supply EarthCycle's peat-free range of topsoil, composts and mulch, using locally sourced recycled green waste and plant materials. All materials are carefully screened and composted in line with the British Standard for Composted Materials.







Tree & Shrub Topsoil

Earth Cycle Tree and Shrub Topsoil is ideal for planting trees and shrubs or for topping up existing beds as it is rich with a perfect balance of natural organic nutrients and humus, with strong moisture retention ability.



Beds & Borders Topsoil

Our Beds and Borders Topsoil is a BS3882 Certified manufactured topsoil blended with quarried sand and 40% of our own PAS 100 compost. It is ideal for building new flower beds and garden borders or for topping up existing beds as it is rich with a perfect balance of natural organic nutrients and humus, with strong moisture retention ability.

Lawn Supreme

Full of nutrients to improve the look of your lawn, our organic Lawn Supreme top soil is great for revitalising tired lawns and boosting soil fertility. It is ideal for creating new lawns and laying turf onto as with the right components of soil and compost, levelling your lawn becomes an easy task.



Aquatic Soil

The Aquatic Soil is a sandy loam topsoil that is produced with our PAS 100 compost which is an organic certified compost by Organic Farmers and Growers. Provides good support for the growth of vegetation in ponds and bog gardens and slowly releases nutrients over time.



Divot Mix Topsoil

Divot Mix Topsoil fills any divots and hollows that may have developed in the grass surface. Continued application will also build an ideal soil structure for your turf over the years. Divot Mix Topsoil is 100% peat free and is a nutrient-packed soil designed for divot filling and levelling lawns. Divot Mix Topsoil contains sand to improve drainage for the grass root structure, with resistance to drought and weed invasion. It stimulates strong root growth and enhanced durability, creating vitality in grass that leads to a fuller stem and vibrant colour.

Vegetable Topsoil

Vegetable Topsoil is a natural peat free topsoil containing our PAS 100 Compost ideal for creating vegetable beds and topping existing beds around the garden or your allotment. This topsoil is rich with a perfect balance of natural organic nutrients and humus, with strong moisture retention ability.

Composts

Available in Bulk Bags or Delivered Loose

All soil conditioners and composts we produce are both organic and peat free, compliant to PAS 100 standard giving the nutrients your garden needs to flourish.

Compost is a vital part of a healthy garden, it is an eco-friendly way to inject much needed nutrients back into the ground aiding plant growth and improving soil structure.





Cow Compost

Earth Cycle Organic Peat Free Cow Compost is a nutrient-dense organic soil conditioner based on composted cow manure from our own award-winning organic dairy herd. It is compliant to PAS 100 standard and ideal for vigorous root, shoot and bud growth in roses, vegetables, fruit and herbaceous borders.



Mushroom Compost

A spent Mushroom Compost which acts as a slow-release nourishing fertiliser providing high levels of phosphate, potassium, calcium, and magnesium and is great for growing vegetables, particularly brassicas due to its slightly alkaline properties.

Soil Conditioner

Our Peat Free PAS 100 Compost Soil Conditioner is a nutrient-dense organic soil conditioner based on composted plant material. It's an ideal, all-round product for your general gardening and horticultural needs.

Vegetable Compost

Perfect for the vegetable patch. All the nutrients needed are released over many weeks as the peat free compost breaks down naturally in the soil. This natural slow release sustains strong root growth, flowering and fruiting and keeps foliage green and healthy by injecting the zest vegetable patches and allotments require.

Beds & Borders Compost

This peat-free organic compost is full of nutrients that are ideal for your beds and borders. It enriches moisture retention, which improves the drought resistance in the soil. This means that more moisture is available for your plants during dry periods, which is critical for them to flourish, giving your garden that award winning look.









No Dig Compost

Earth Cycle's No Dig Compost has been specially formulated for creating new beds in which the "no dig" method will be used. At the core of this Peat-Free growing medium is a blend of composted fine bark and coir, with a slow release fertiliser which is resistant to leeching and will last for up to 12 weeks with no risk of scorching young or delicate plants.



Compost Mulch

Earth Cycle's Compost Mulch benefits all kinds of soils as it's perfect for planting roses, trees and shrubs and being used as a weed suppressor.

It can bring vitality to any garden by easing heavy clay soils and making them workable, building structure of light soils, enhancing water retention, reducing loss of nutrients (leaching) and stimulating beneficial soil life. It is fully compliant to PAS 100 standard.

Potting Compost

Earth Cycle's Potting Compost is perfect for sowing seeds and potting up young plants. This Peat-Free blend developed for growing seeds and young plants in pots and containers - not as a soil conditioner - includes a slow release fertiliser, making it a perfect solution for growing your seedlings in pots around the garden, in the greenhouse, or down the allotment.



Mulch

Available in Bulk Bags or Delivered Loose





Spring Mulch

Earth Cycle's Spring Mulch provides natural protection to roots and enhances the existing soil as it breaks down over time. It can bring vitality to any garden by easing heavy clay soils and making them workable, building structure of light soils, enhancing water retention, reducing loss of nutrients (leaching) and stimulating beneficial soil life. It is fully compliant to PAS 100 standard.

Winter Mulch

Earth Cycle's Winter Mulch provides a natural frost protection to roots during the colder winter months, and enhances the existing soil as it breaks down slowly over time adding essential nutrients to benefit soil life. This PAS 100 compliant mulch can also help lighten heavy clay soils when mixed in and reduce leaching and water loss within the soil bed.

Finish the look

Create a clear and beautiful divide between your flower beds and paths using bark, pebbles and sleepers.

A simple but effective way to connect different areas of your garden. Complement your paths with some lighting to light up your footpath in the summer evenings.

Don't forget to check page 42 for stepping stones.

On a budget? Loose materials, such as gravel or bark, are cheaper than brick and stone.



Don't forget

Weedcheck Ultra Weed Membrane can be laid down first to prevent weeds from growing in between your pebbles. Find on page 130.









Woodland Mulch

Earth Cycle Woodland Mulch provides nutrients to flowers, whilst leaving a lovely bark-like textured appearance to your borders. It is used extensively by landscapers for finishing off decorative areas around new housing estates and supermarkets due to its aesthetic qualities.

It can also help retain moisture in the soil, suppress weed growth, and contribute to soil health as it breaks down over time.

Barks Available in Bulk Bags or Delivered Loose

All of our wood products are sourced from sustainable woodlands. They are suitable for a wide range of applications from improving the appearance of your garden to providing safety for children's play areas.





Landscaping Bark

Provides a quality graded decorative surface, which maintains soil temperature and protects plant roots from winter frost and summer sun, whilst suppressing weed growth. Our bark is produced from mixed conifer with a high percentage of spruce, with 90% of particles falling within the range of 8-35mm.

Playchip

A playground bark which is 100% British Hardwood from sustainable sources. This long lasting bark meets the technical certificate for safe use by children, which gives your playground the protection it needs for all to enjoy. With its easy maintenance and free draining, it provides a clean play surface all year long, which is suitable for all playground equipment.





Faithfull Tarmac Rake

- The Tarmac Rake is used for evenly spreading loose stocks of tarmac
- Fitted with a wooden shaft
- 16 round teeth

Product	Code

B12827



Faithfull All Steel Shovel Square

 A tubular shaft is welded to the socket for a strong smooth join

Product Code	
B 12813	

Rhino Flexitubs

Rhino flexi tubs have 1,000's of uses including; gardening, produce, landscaping, building and many more.

Size	Colour
12L	Black
26L	Black
40L	Black
<i>7</i> 5L	Black
	12L 26L 40L



Faithfull All Steel Fork

- Made from carbon manganese steel for strength
- The shaft is fitted with MYD handle with a wooden cross dowel for added comfort

B 11519



Faithfull Bassine Broom & Handle

 Provides good sweeping performance 450mm comes with stay

Product Code	Size
B 12232	300mm
B 12233	450mm



Faithfull All Steel Tapered Mouth Shovel

- High quality carbon steel
- Solid manganese steel forged blade and correctly tempered for strength

Product Code


29143



Haemmerlin Classic Black Wheelbarrow

Easy to manoeuvre due to the narrow tray design, allowing easier access through gateways, doors and building interiors.

Product Code	Liquid Volume
63969	85L





Hozelock Hose Reel with 25m Hose

The Hozelock Compact Reel with 25m Hose is a free standing hose reel that is portable and is designed to be quickly and easily assembled.

Product Code	Length
32111	25m



OS SOR

Ciret Large Multi Purpose Block Brush

- Perfect for fences and sheds
- Suitable for all wood treatments and preservatives

Product Code	Size
B38066	140mm



Irwin Jack 880 Universal Panel Saw 20"

- Grip circumference, increased size for sturdy and robust feel
- Hand capacity, increased space for use with gloves and improved functionality
- 90° and 45° angles integrated in the handle for ease of marking out

Product Code	Length
14068	500mm

Weedcheck Ultra Weed Membrane

- All fertilizers, liquid or solid feed can be used with Weedcheck Ultra
- Allows air, nutrients and water to permeate through to the soil
- Contributes to low maintenance gardening
- No need for chemicals or weed killers
- Controls weeds

Product Code	Size
B 12698	2 x 25m - 70gsm
B 12699	2 x 50m - 70gsm



Ciret Fence Care Brush

• Suitable for all wood treatments and preservatives

Product Code	Size
B38067	100mm



Hanson PostFix® Concrete **Poly Bag**

Quick setting concrete mix suitable for fence posts, gate posts and garden lighting.

Product Code	Weight
B20908	20Kg



Hanson Kiln Dried Sand

- Can be used to landscape the garden and use as pot toppers with plant or foliage
- Suppresses weed and plant growth

Product Code	Weight
B 10143	22Kg



Stanley Fatmax Pro Box **Beam Level**

Product Code	Weight	
52468	600mm	
52471	1200mm	
52472	1800mm	



Faithfull Line Pins & Line

Used in conjunction with builders lines for marking out positions or aligning courses of brickwork etc.

Product Code	Length	
16923	18m	



Barrier Fencing

- Highly visible temporary fencing
- Made from durable, weatherproof and re-usable plastic
- Suitable for all types of areas


Product Code	Size	Colour	
B29059	1 x 50m	Green	
B29058	1 × 50m	Orange	



One Line Marking Paint

- Can be used on asphalt, grass, steel and concrete amongst other
- Touch dry in 30 minutes, full cured in 24 hours

Product Code	Colour	Liquid Volume
B30165	Blue	750ml
B30166	Red	750ml
B30167	White	750ml
B30168	Yellow	<i>7</i> 50ml



Fencing Pin with Shepherd's Crook Top

Perfect for temporary fencing and supporting barrier mesh rolls

Product Code	Size
15693	1350 x 10/11 mm



Ronseal Trade Fencing Stain

- For rough sawn sheds & fences
- Showerproof in 1-2 hours

Product Code	Colour	Liquid Volume
B25131	Dark Oak	5L
B25135	Forest Green	5L
B25132	Medium Oak	5L
B25133	Red Cedar	5L
B25134	Tudor Black Oak	5L



Bird Brand Creocote Timber Treatment

- For sheds, posts and fences
- For use only on exterior timbers
- Available in 3 colours


Product Code	Colour	Liquid Volume
B15406	Light	4L
B 15405	Dark	4L
B 15407	Black	4L



Cuprinol Wood Preserver

- Actively prevents rot and decay
- Colourless preserver for interior and exterior use
- To use as a base coat before painting staining or varnishing

Product Code	Colour	Liquid Volume
<i>7</i> 215	Clear	5L



Cuprinol Woodworm Killer

- Formulation that kills all types of woodworm
- Prevents re-infestation
- Long lasting protection

Product Code	Liquid Volume
7319	5L



Cuprinol 5 Star Wood Treatment

- Kills woodworm
- Prevents re-infestation
- Prevents rot

Product Code	Liquid Volume
<i>7</i> 311	1L
7312	2.5L
7313	5L

It doesn't finish here...

Our extensive Varnishes, Wood Stains, Dyes, Preservatives & Finishing goes on and on. For more of what is available for you, check out your nearest depot or view the wide range at

coversmerchants.co.uk





Cuprinol Garden Shades

Cuprinol Garden Shades has been specially developed to colour and protect sheds, fences and other garden wood. Its special pigments ensure a rich colour and allow the natural texture of the woodgrain to shine through. It can also be applied on terracotta, brick and stone, to bring beautiful colours to the rest of the garden.

- Protects perfectly, colours beautifully
- 6 year weather protection on wood
- Suitable for wood, terracotta, brick and stone
- Beautiful matt colour enhances the grain of natural wood
- Brush or Spray

How much do you need?

1L covers up to:

Smooth planed wood Brush: 10-12m² Spray: 4-5m²


Rough sawn wood Brush: 3-5m² Spray: 2-3m²

Coverage can vary depending on application method and the condition and type of surface.



Product Code	Colour	Liquid Volume
<i>7</i> 281	Black Ash	2.5L
B27699	Country Cream	2.5L
7270	Forget Me Not	1L
B27697	Forget Me Not	2.5L
B27546	Natural Stone	2.5L
7274	Sage	1L
7287	Sage	2.5L
7277	Seagrass	1L
7290	Seagrass	2.5L
B27592	Urban Slate	2.5L
7276	Willow	1L
B27698	Willow	2.5L
B22699	Willow	5L

There are 36 ready mixed colours in total available. To see the full range, visit **cuprinol.co.uk**





OX Direct Vent Safety Goggles

- Conforms to EN 166-1B
- Can be worn over prescription lenses

Product Code

B35860



Poly Rubble Sack

- Offer excellent tear resistance for carrying heavy materials
- Thickness: 100mu
- Ideal for building and landscaping waste

Product Code	Size
57359	550 x 860mm



OX Visitor Safety Spectacles

- Conforms to EN 166-1F
- Can be worn over prescription lenses

Product Code

B35861



OX Thermal Grip Gloves

The latex, grip design is proven to help hand fatigue and conforms to EN388 Standards.

- Ergonomic
- Reduces hand fatigue
- Ideal for outdoor conditions

Product Code	Size
B11694	L
B26827	XL



OX Clear Safety Glasses

Conform to EN 166

Product Code

B28799



OX Heavy Duty Soft Gel Filled Knee Pads

- Comfortable
- Maximum cushioning
- Keeps away moisture
- One size fits all

Product Code	
B35869	



Countersunk Pozi Decking Screw

- Cross recessed outdoor screws suitable for decking, fencing and sheds
- Green organic coating gives 1000hrs salt spray corrosion resistance

f



Spax Wirox C4 Decking Screws

Spax decking screws require no pre drill which results in a much cleaner cut and no splitting of wood.

- Cylindrical head
- Bit included T-star T20 bit
- C4 accredited 15 Years no red rust guarantee
- Patented zinc nickel coating

Product Code	Size	Box of	
61810	4.5 x 60mm	250	



Dale Automatic Gate Catch

Product Code	Finish
B 19407	Bright Zinc Plated
B 19408	Black Japanned



Dale Suffolk Latch

Product Code	Finish	
36873	Bright Zinc Plated	
B 19411	Black Japanned	



Dale Cabin Hook

Product Code	Size	Finish
B 19436	152mm	Galvanised
B 19420	152mm	Black Japanned



Dale Gate Spring

Product Code	Size	Finish
36874	203mm	Black Japanned



Dale Twisted Ring Gate Latch

Product Code	Size	Finish
B 19410	152mm	Bright Zinc Plated
B 19409	152mm	Black Japanned



Dale Hasp & Staple

Product Code	Size	Finish
B 19412	114mm	Bright Zinc Plated
B 19413	152mm	Bright Zinc Plated



Dale Light Tee Hinge

Product	Size	Finish
Code		
B 19398	305mm	Bright Zinc Plated
B 19397	305mm	Black Japanned



Dale Medium Tee Hinge

Product	Size	Finish
Code		
B 19400	356mm	Bright Zinc Plated
B 19399	356mm	Black Japanned
B 19402	458mm	Bright Zinc Plated
B 19401	458mm	Black Japanned



Dale Straight Tower Bolt

Product Code	Size	Finish
B 19423	102mm	Black Japanned
B 19422	102mm	Bright Zinc Plated
B 19424	152mm	Black Japanned
B 19425	152mm	Bright Zinc Plated





Product Code	Size	Finish
B 19417	102mm	Bright Zinc Plated
B 19418	152mm	Bright Zinc Plated





EASYJoint Select

The Ease of EASYJoint With The Contemporary Colours of Grout.

The EASYJointSelect range offers a quick and effective way to fill joints between porcelain paving.

The range of four colours are specially selected for a more aesthetically pleasing finish for modern taste.

EASYJointSelect is suitable for all types of paving material provided there is a gap of at least 3mm wide and 20mm deep.

With the same characteristics of the original EASYJoint, EASYJointSelect is a truly all year-round hard landscaping product to point paving, that can be used whatever the weather conditions are before, during or after application. Remember to strike the joints to provide a smooth finish on porcelain paving.

Product Code	Size	Colour
B43936	12.5Kg	Jet Black
B43937	12.5Kg	Tungsten
B43938	12.5Kg	Carbon
B43939	12.5Kg	Bronze





EASYJoint

EASYJoint jointing compound is a very quick, effective and aesthetically pleasing way to fill joints between paving, be it natural stone or concrete flags.

It is suitable for all types of paving material provided there is a gap of at least 3mm wide and 20mm deep (narrow joint compound).

A truly all year-round hard landscaping product to point paving. Can be used whatever the weather conditions, during or after application.

Product Code	Size	Colour
B29951	12.5Kg	Mushroom
B29952	12.5Kg	Stone Grey
B29953	12.5Kg	Basalt
B29954	12.5Kg	Buff Sand



EASYPrime

A high bond primer for use on natural stone and porcelain paving. EASYPrime is specifically designed to bond non-porous paving to a wet mortar-based bedding layer. Suitable for application in domestic, commercial, and public areas. It is ideal for use with EASYJoint, EASYJoint PRO and EASYGrout It is easy to mix, then simply apply to the underside of the paving. The three 5Kg bags in the tub allow for smaller quantities to be mixed at a time.

Product Code	Size	
B34606	15Kg	



EASYGrout

A high-quality slurry grout for use on porcelain. A cementitious grout which is applied as a slurry unlike traditional floor tile grouts. Easy to use. Simply mix, pour, sweep, and rinse.

Provides a fine, textured finish.

Each tub contains 3 x 5Kg bags for minimal waste.

EASYGrout is available in a range of colours and is suitable for joints from $5 \, \text{mm}$ to $25 \, \text{mm}$ wide with a minimum depth of $20 \, \text{mm}$ (maximum joint dimensions should not exceed $25 \times 25 \, \text{mm}$).

Product Code	Size	Colour
B43813	15Kg	Blanco
B38202	15Kg	Crema
B38203	15Kg	Argent
B38204	15Kg	Grafito



EASYSeal Stone Sealer & Protector

EASYSeal SSP is designed to penetrate, seal and protect natural stone and concrete paving. Virtually invisible once applied, it allows the stone to "breathe" whilst protecting paving from all manner of substances, such as cooking and engine oils, grease and fat, food, ketchup, mustard and beverages such as tea, coffee and wine.

Ideal for protecting your paving against the excesses of the summer BBQ! EASYSeal SSP is water-based, thereby making it highly environmentally friendly.

Product Code	Size
B38200	5L



EASYCare Black Spot Remover

Special formula that cleans paving and helps to remove and prevent return of fungal growth known as Black Spot.

Product Code	Size
B41242	
B41238	3L



EASYCare Wood Revive

Refreshes and restores softwood and hardwood to their natural tone, removing the silvering caused by UV rays and weathering.

Product Code	Size
B48203	3L
B48202	750ml



EASYSeal Sandstone Sealer & Enhancer

2-in-1 colour protector and enhancer. Formulated for sandstone and other natural stone. Enriches and enhances colour without shine.

Product Code	Size	
B41634	5L	



EASYCare Algae Remover

Algae cleaner which contains an active ingredient which goes on cleaning for months. Keeps working for up to 12 months.

Product Code	Size
B48205	3L
B41232	1L
B41227	750ml



EASYSeal Patio Seal & Protect

Seals and protects slabs and pavers. Provides long-lasting resistance to water, oil, dirt and grime.

3 litres seals up to 20m² based on one coat.

Product Code	Size	
B41225	3L	



EASYCare Patio & Deck Cleaner

General paving and decking cleaner with benefit of continued performance after rinsing. Keeps working for up to 12 months.

Product Code	Size	
B48206	3L	
B41234	1L	



EASYCare Algae Remove & Seal

Removes algae without scrubbing or power washing. Prevents algae returning for up to 12 months.

Product Code	Size
B41239	3L



EASYCare Sealer Remover

Removes all traces of old, tired or ineffective surface coatings from paving and driveways. Leaves a totally clean surface ready for new applications

Product Code	Size	
B41240	5L	



EASYCare Rattan Revive

Cleans, restores, and protects synthetic rattan furniture in one easy application.

Product Code	Size
B48204	750ml





EASYCare Grout Residue Cleaner

- Quickly remove grout haze
- Easy-to-use with no fumes
- Suitable for interior and exterior use

Product Code	Size	
B38198	1 L	



EASYCare Efflorescence Remover +

Unique formula removes salt deposits usually found on brickwork.

Product Code	Size	
B41236	1L	



EASYCare Mortar Stain & Calcium Remover

Non-Hydrochloric acid cleaner for use on paving and brickwork. Removes white Calcium deposits normally found on newly laid paving.

Product Code	Size	
B41235	1L	



EASYCare Grease & Oil Away

Lifts oil and grease stains from hard surfaces so they simply rinse away.

Ideal for drives, paths, patios and decking.

Product Code	Size	
B41226	500ml	



EASYCare Porcelain Cleaner

Effective yet gentle cleaning of all porcelain and ceramic tiles.

Product Code	Size
B38199	1L
B41229	750ml
B48207	3L



EASY4Rust

Specialist formula which only targets Iron Oxide. Usually used on Grey Indian Sandstone paving.

Product Code	Size
B41237	500ml



EASYSeal Deck Protect

A high-performance penetrating sealer that improves foot traction to provide a safer grip on wet decking.

Product Code	Size	
B48201	3L	



EASYCare Hardscape Cleaner

Effective cleaning for paved areas, concrete paths and buildings. Non acidic.

Size
5L



EASYSeal Back to Black

A unique blend of resins which dramatically enhances Black Limestone natural stone paving. Use as a surface colour restorer.

Product Code	Size	
B41619	1L	

Useful Information

General Technical Information

Efflorescence

Efflorescence can appear on all paving products as white patches or a lightening of the surface colour, but seems to disappear when wet. It is formed by a normal chemical reaction which causes calcium hydroxide (lime) to migrate through the damp paving surface and then react with carbon dioxide in the atmosphere resulting in a deposit of calcium carbonate crystals. Efflorescence is very unpredictable in its occurrence and can happen at any time of the year but is more prevalent in winter.

Although there are cleaners available, efflorescence is a natural phenomenon and will generally disappear with the natural weathering process and the passage of time. Covers cannot accept responsibility for the effect of efflorescence which can be a characteristic of all good quality products with a high cement content.

Colour Variation

Block Paving

Colour variations can occur within packs, therefore:

Ensure your paving and blocks are from the same factory as any sample you've received. Block paving should be ordered from the same batch number to avoid colour variation. Covers cannot accept responsibility once blocks are laid from different batches. Best results for laying are achieved through mixing from 3 to 5 different packs and vertical columns rather than horizontal rows. Light colours are susceptible to staining and care should be given when selecting blocks for driveways.

Natural Stone

All natural stone products will have colour and texture variation to a greater or lesser extent within single pieces and from piece to piece. We recommend a reasonable amount of product i.e fossils, ferns, veining and quartz. Natural stone may develop added marking, deposits or patches as mineral content oxidises.

Sandstone

Many homeowners choose to seal their new paving to protect it from accidental staining and to reduce the risk of allowing algae and lichens to establish themselves on the surface and joints, discolouring the paving and masking the natural beauty of the completed work. There are many different sealants on the market, providing different finishes and often changing the appearance of the paving. High gloss sealants rarely look 'natural' and can sometimes make the treated surface slippery and unsafe. Polyurethane sealants are best suited to concrete block paving rather than natural stone. If you intend to seal your paving, make sure it is completely dry and free from efflorescence. It may take a period of time to ensure that the bed underneath has fully dried out. Always use a quality natural stone sealer and follow the manufacturer's instructions. Slate

Slate has many natural characteristics, therefore, care should be taken when laying to aid/enhance the overall finished aesthetic appearance. In most cases this paving has more than one usable face, we strongly recommend the following checks be made:

- Select the best finished top surface to work with ensuring it is free from calcite mineral deposits (circular white marks)
- Dry lay the paving prior to final installation/fixing to ensure the desired shade variation is achieved throughout the patio area
- A slurry primer should be applied to the underside of Slate paving prior to laying to improve adhesion
- Do not use acidic based products during or after installation
- Natural Slate is not suitable for steps and copings

Concrete

Colours may vary subtly, especially in blended shades. Colours will appear different during varying weather conditions such as sunlight and rain

Natural Granite

A slurry primer should be applied to the underside of Granite paving prior to laying to improve adhesion.

Do not use a resin based jointing compound with Granite.

Limestone

Limestone is UV sensitive and over time will lighten in colour. We do recommend sealing limestone prior to laying, or as soon after laying when practically possible. Combined colour enhancers and sealers are available that will help keep the look for longer. Never use acidic based products during or after installation.

Porcelain paving

Manufactured from the finest raw materials, under strict controls allows us to obtain the exceptional technical characteristics which sets porcelain paving apart. Do not use white cement nor materials containing black pigments. Finishes are intentionally manufactured with slightly uneven colour tones and surface decoration, these subtle variations set these products apart. The use of a slurry primer to the reverse of each paver is both essential and more importantly critical to the overall performance of porcelain paving. Applied to the underside using a stiff brush, it provides an exceptional bond between paver and the full wet bed underneath. Mixed to manufacturer's instructions and applied with care it forms an immediate bond which prevents the pavers from lifting or potentially moving in the future when correctly laid. Porcelain paving can be cut on site and mostly to any size. We recommend the use of a portable saw (table saw, petrol driven disc cutter, rechargeable angle grinder) fitted with a good quality diamond porcelain blade. The blade should be water fed for dust suppression and to keep the blade cool. Scoring the product first and sawing from the face downwards will help to alleviate the potential risk of edge/surface chipping. Porcelain paving can be cleaned by applying a suitable cleaner. We strongly recommend the finished laid area be thoroughly cleaned/washed down which helps remove general building dirt, grout residue and any grease deposits that may be present. It is also recommended that periodic cleaning with a porcelain cleaner will help to keep the paving looking its best. Dependent on the type of stain/surface residue present (i.e. suction marks, grease, grout, general building site dirt,) there is a wide range of off the shelf specialist cleaners available. Always check the manufacturer's instructions first before applying to any test area.

Maintenance

Paving materials require periodic cleaning to maintain its appearance. Regular sweeping to prevent the build-up of detritus is recommended. Light coloured blocks, whilst structurally sound for driveway use, are liable to emphasise tyre marks and oil spills on the driveway. It must be accepted that these products will need more maintenance if the overall appearance is to be maintained. Ask your local depot for care and maintenance products.

Care should be taken when buying cleaning agents as some varieties contain a concentration of acid, which can adversely affect the appearance of concrete products, clay, limestone and natural stone. For general cleaning of dirt and algae, vigorous brushing with a stiff yard broom with plenty of hot detergent solution (washing up liquid

General Technical Information

or non-bio washing powder), thoroughly rinsed with clean water should suffice. Repeated treatment may be required for paved areas sited beneath trees or in permanent/near permanent shade. In certain circumstances, prolonged contact with wet leaves can result in staining of the paved area. Such contact should be avoided wherever practical. Certain common garden chemicals such as Ferrous Sulphate can stain paving. If chemicals are spilt on the paving remove immediately by rinsing away with clean water.

Differential Weathering

Differential weathering can cause patchy dark discolourations on the surface of individual units. Again this will generally diminish over time and will not affect long term performance. This is due to differential weathering where the surface of the paving has cured at different rates. All decorative products will weather and change appearance over time.

Sizes and Joint Widths

All dimensions quoted in this brochure are nominal and are for guidance only. Actual sizes will vary, particularly on the products designed to replicate natural stone which have features such as riven profiles and fettled edges. Where space is critical, we recommend dry laying the product to check area required (especially circles and patio feature kits). The sizes and quantities given in the paving pages usually allow a nominal 10-15mm joint width.

Stock

Certain products may not be held as stocked items. Covers are happy to order in for product for your project. Minimum orders or carriage charges may apply for manufactures.

Characteristics and Expectations

Containing wood fibres that are susceptible to differences in colour and appearance, means it is normal for SmartBoard:

- To experience some colour variation between boards
- To experience some weathering, to a lighter shade than the original colour/shade
- For the striped look of the ribbed face of boards to become less prominent with time

Having a brushed matt surface, means it is normal for SmartBoard:

- To become marked if scuffed during fitting or in use
- Marks caused by scuffing will gradually fade
- To experience tidemark type water staining after the first few bouts of heavy rain. The appearance of tide mark staining will diminish and become less apparent with time as the washing effect of rainwater and weathering effect of ultra-violet light reduces over time
- To be less resistant to staining compared to alternatives encapsulated with a 100% plastic cap/wrap

Made, in part from plastic, means SmartBoard:

- Will expand and contract across its width and along its length as the weather conditions change from season to season
- Will become hot when in direct sunlight
- Should not be installed when site conditions are excessively hot or cold

Essential SmartBoard Advice

Construction

- Fit over joists placed at 400mm centres, when boards are perpendicular to joists
- Fit over joists placed at 300mm centres, when boards are aligned at 45 degrees to joists
- Maintain a 5mm gap between ends and sides of adjacent boards
- Maintain a 10mm gap between ends and sides of boards
- Adjacent to a permanent structure/fixture

Fitting

- Fit SmartBoard over double joist construction where boards are butted end to end
- Using the drill bit supplied in each box of SmartBoard screws, pre-drill two 4.5mm pilot holes at every joist junction, taking care to maintain a 20mm distance to any edge and not to drill into the joist below. Fitting screws through pre-drilled 4.5mm holes eliminates excess drive friction:
- Making for an easier and better job
- Reducing the chance of damaging the screw heads protective coating
- Making for a neater appearance, as screw head depth is easier to control regardless of the type of drive tool used
- Making it easier to extract screws should a board need removing in the future
- Fit SmartBoard decking screws (20 per board at 400mm centres, 26 per board at 300mm centres) through 4.5mm pre-drilled holes taking care to align the head of the screw flush with the surface of the decking
- Do not use any other type of screw or fixing to fit SmartBoard



Covers Accounts

We have a variety of trading options to suit your requirements. Ask in depot today or download your preferred choice from **coversmerchants.co.uk** and apply today.

If you have any queries regarding your application please telephone: 0844 858 4040

Credit Account

Covers offer a 30-day account to qualifying customers on trade terms so that you can buy everything at the right price, with account facilities of invoices and statements to your office and planned payments dates.*

For a Company Credit Account Application form for sole traders/partnerships/individuals or LTD/PLC/LLP companies, please contact either your local branch or email: applications@coversmerchants.co.uk

* Credit references required. Terms and conditions apply



Depot Account

The Covers Depot Account offers the benefits of a Credit Account in terms of invoices and statements but no credit is offered. Ideal for a small trader who may send one of their team to collect goods and does not wish to give them cash or to lose the invoices. For a Depot Account Application please contact either your local branch or email: applications@coversmerchants.co.uk



Trade Card

If you prefer to pay for things as you go, download the Covers Trade Card Application form from: **coversmerchants.co.uk** or contact either your local branch or email: **enquiries@coversmerchants.co.uk**

You get trade terms, which means you don't have to negotiate every time you pay.



DIY Discount Membership

The Covers DIY Discount Membership entitles you to purchase products at a discounted price. There are, however, certain lines which will not attract any discount. It may be used at any department in any of our depots. You can download the DIY Discount Membership Application form from:

coversmerchants.co.uk or contact either your local branch or email: **enquiries@coversmerchants.co.uk**



Web Account

Create a web account or link your existing account and you will be able to:

- View invoices and statements online
- Place your order online and receive your agreed Trade Terms
- View order history and easily reorder products
- Store multiple shipping addresses
- Live chat now available

For more information and to register, visit coversmerchants.co.uk



Notes



Timber & Builders Merchants

LANDSCAPING

Patios | Block Paving | Fencing | Decking

Aldershot Blackwater Park	Hampshire	GU 12 4PQ	01252 320554	sales.aldershot@coversmerchants.co.uk
Alresford Prospect Road	Hampshire	SO24 9QF	01962 738666	sales.alresford@coversmerchants.co.uk
Bognor Regis Station Yard	West Sussex	PO21 1BT	01243 863100	sales.bognor@coversmerchants.co.uk
Brighton Home Farm Road	East Sussex	BN1 9HU	01273 607044	sales.brighton@coversmerchants.co.uk
Burgess Hill Victoria Gardens	West Sussex	RH 15 9NB	01444 233358	sales.burgesshill@coversmerchants.co.uk
Chichester Quarry Lane	West Sussex	PO 19 8PE	01243 785141	sales.chichester@coversmerchants.co.uk
Gosport Gunners Way	Hampshire	PO 12 4DW	023 9260 4400	sales.gosport@coversmerchants.co.uk
Horsham Foundry Lane	West Sussex	RH 13 5PX	01403 253123	sales.horsham@coversmerchants.co.uk
Lewes Cooksbridge	East Sussex	BN8 4TJ	01273 476133	sales.lewes@coversmerchants.co.uk
OTBS Bexleyheath Upland Road	Kent	DA7 4NR	020 8304 8777	sales.otbs@coversmerchants.co.uk
Portsmouth Norway Road	Hampshire	PO3 5FT	023 9267 1900	sales.portsmouth@coversmerchants.co.uk
Rudgwick Brookside Rural Park	West Sussex	RH12 3AU	01403 824111	sales.rudgwick@coversmerchants.co.uk
Southampton Empress Road	Hampshire	SO 14 0JW	023 8055 6996	sales.southampton@coversmerchants.co.uk
Tunbridge Wells Longfield Road	Kent	TN2 3EY	01892 533326	sales.tunbridgewells@coversmerchants.co.uk
Wingham Timber Nr. Canterbury	Kent	CT3 1AR	01227 720537	enquiries@winghamtimber.com



VisitYour local depot



Call Phone 0844 858 40 40



Click
Shop online at
coversmerchants.co.uk





How did we do? Review us on

